


# **Specialty Terminals**

70F-110-20-PB, 70F-110-32-PB

Female Quick-Slide, Vinyl Insulated with Insulation Grip



# **Data Sheet**

3M™ Product Number	Wire Range (AWG)	Mates with Tab  Width x Thickness	L	Barrel I.D.	Maximum Insulation Diameter
70F-110-20-PB	26-22	.110 x 0.20	0.63	.040	.075
70F-110-32-PB	26-22	.110 x .032	0.63	.040	.075

## **Specifications**

Wire Size: See Table Above
Barrel Seam: Butted with Insulation

Grip

Maximum Operating Temp: 221°F (105°C) Maximum Current: Same as Wire

Insulator Material: Vinyl
Terminal Material: Brass
Insulation Grip Material: Copper
Plating: Tin

#### **Installation Information**

## **AWARNING**

Turn power off before installing or removing terminal. All electrical work should be done according to appropriate electrical codes.

For use on stranded copper wire only.

Strip away the end 3/16 inch of wire insulation.

Make the crimp in the proper station of a recommended 3M Scotchlok Crimping Tool TH-450.



Barrel Crimp (Electrical)

☐ Insulation Crimp (Mechanical)

#### **Engineering Specification**

Crimp-Type Female Quick-Slide connectors shall, electrically and mechanically, connect permanently to a prestripped end of a stranded copper wire, and have a tongue portion with fingers which grip a Male Disconnect in a separable, reusable manner, forming a Quick Connect Wiring Termination.

The connector line shall offer tongue variations (sized to grip male tabs 0.110" x 0.020" or 0.110" x 0.032") and barrel variations in construction, non-insulated, vinyl insulated with insulation grip, nylon fully insulated, etc.

The Vinyl Insulated Miniature 0.110" Female Disconnect with insulation grip, shall be tin plated 0.010" thick brass with a tongue for gripping a 0.110" male tab of either 0.020" or 0.032" thickness and with a barrel covered by a copper insulation grip, which is covered by a vinyl sleeve, color coded and sized for a specified (AWG) wire range (26-22).

3M and Scotchlok are trademarks of 3M Company.

#### Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

#### Warranty; Limited Remedy; Limited Liability

This product will be free from defects in material and manufacture for a period of five (5) years from the time of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.



Electrical Markets Division 6801 River Place Blvd. Austin, TX 78726-9000 800-245-3573 Fax 800-245-0329 www.3M.com/electrical

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by 3M manufacturer:

Other Similar products are found below:

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 62149-1 626-0194 62-NBM-A 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099B03 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02 M55155/29-5S M55155/29XJ08