3M™ Normal DIN 41612 Boardmount Socket

2 Row Type B (Rows A & B Filled)

7164 Series



- High density (64 position)
- Low mating force minimizes plating wear on contact surfaces
- High reliability contact design
- Solder tail options
- Individual connector coding with the 3435-1 keying plug
- See Regulatory Information Appendix (RIA) for chemical compliance information



Date Modified: March 2007

TS-0181-13 Sheet 1 of 2

Physical

Insulation

Material: Glass Filled Polyester (PBT

Flammability: UL 94V-0 Color: Gray

Contact

Material: Phosphor Bro

Plating

Underplating: 60 μ" t

Wiping Area: 15 33 m) Gold

Solder Tails: 2 \(\mu' \) 300 \(\mu'' \) [5.08 \(\mu \) to 7.62 \(\mu \)] Whisker Mitigating Matte Tin

Markin Pil. aton numbers

Electrical

Currer att : 3 A

Insulation sistance: $> 1 \times 10^{12} \Omega$ at 1000 V_{DC} Win tanking Voltage: 1000 V_{RMS} at Sea Level

Cox Resistance: < 15 Milliohms

Environmental


Temperature Rating: -55°C to + 125°C

Process Rating: Maximum insulator temperature 191°C (Solder Wave Process Only)

UL File No.: E68080

2 Row Type B (Rows A & B Filled)

7164 Series



Regulatory Information Appendix 3M Electronic Solutions Division/Interconnect

EUROPE

Appendix E1: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

This product is RoHS Compliant 2005/95/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product") does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third part appliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix then 3 sentire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.

Appendix E2: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

This product contains lead in the compliant pin area in excess of the maximum neentration value allowed but is compliant by exemption under EU Commission Decision 2005/747/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product" does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/SC, and ended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU Roys. In less otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon formation provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M states tory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the farranty stated below.

Appendix E3: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Alazardous Substances in Electrical & Electronic Equipment as amended by Commission Decision 2005/61

This product contains lead in the solder tax, rea in excess of the maximum concentration value allowed. Unless otherwise stated by 3M in writing, an information represents 3M's best knowledge and belief based upon information provided by third party survive to 3M.

In the event any product is provened by conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remains a coordance with the Warranty stated below.

Appendix E4: Europe in Carion RoHS

Directive 2002/95 CRE Diction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU minusion Decision 2005/618/EC.

This product contain acecaBDE in the insulating material in excess of the maximum concentration value allowed but is compliant by exemption under EU Commission Decision 2005/17/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product") does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.



Appendix C1: China RoHS

Electronic Industry Standard of the People's Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does not** contain any of the following substances in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, there M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.



Appendix C2: China RoHS

Electronic Industry Standard of the People's Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does** contain a substance, as detailed in the charges w, in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by we let or lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers or (b) 1% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's best own dge and belief based upon information provided by third party suppliers to 3M.

The numerical reference in the symbol above should not be contracted a representation regarding the product's life or an extension of a product warranty. The product warranty is a contracted with 3M's Regulatory Information Appendix, then 3M's and Tability and Buyer's exclusive remedy will be in accordance with the product Warranty stated below.

产品中有毒有害物质或元素的名称及含量 A. Amar d Content of Hazardous Substances or Elements

广曲中有每有害物质或几条的名称及含量 Admin to Content of Trazardous Substances of Elements					
部件名称	有害物质或元素(Hazardous Substances or Elements)				
(Part or Component Name)	铅(Pb,	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
端子镀层(contact plating)		0	0	0	0
O: 表示该有毒有害物质在该部件所。 为质材 中的含量均在SJ/T11363-2006 标准规定的限量要求以下。(Indicates that this hazardous substance contained in SJ/T11363-2006.) X: 表示该有毒有害物质至生 该部 的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。(Indicates that this hazardous substance contained in least one of the homogeneous materials used for this part is above the limit requirement in SJ/T 33-206.					

Important Notice

All statements, technic arms on, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or complete as is but guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume the sks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for a period of ninety (90) days from the time of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.



Electronic Solutions Division

6801 River Place Blvd. Austin, TX 78726-9000 800/225-5373 www.3M.com/interconnects

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by 3M manufacturer:

Other Similar products are found below:

004.767 608489050008049 691327-1 74670-0732 74680-0340 75880-0015 76453-0014 86093159ALF 9732967801 QLC260R

120X10019X 120X10089X 122A10249X 122A10669X 122A11089X 122A13089X 122A10089X 122A10129X 122A10349X

122A13359X 1377391-4 DIN-048CPC-SR1-MH 1393583-2 1393726-7 140X10129X 143-1913-000 143-1908-000 1484472-1 2110070-1

2110070-2 CBC20T00-008FDS5-0-1-002VR 172699-5036 2-1393557-4 2-1437084-2 CTJ720E01B-6141 394506 419-2080-402

V42254B2202C968 419-2086-201 419-2087-002 448657-1 448847-3 5-1393755-9 02990000004 054302 043556 09062483201750

0850033067 09031646555 09061486901840