TH-450 Scissors Style

The most versatile heavy-duty tool we've ever offered.

- Made of 1.40" (35,5 mm) high-strength, heat-treated carbon steel
- Tool is lightweight without sacrificing strength
- Handles a variety of terminal and conductor styles, including flags, closedend connectors, crimp sleeves and standard parts, insulated and noninsulated
- Range of 26-6 AWG
- 3M Terminals and Connectors are UL Listed and CSACertified when crimped with the TH-450

Features:

- 1. Anvil-type wire cutter.
- 2–3. Crimp dies for 26–10 AWG insulated terminals and closed-end connectors.
- 4. Cut-off dies for mild steel and non-ferrous screws.
- 5. Crimp dies for 12–6 AWG non-insulated terminals, connectors, flags, disconnects, crimp sleeves and high-temperature terminals.
- 6. Crimp dies for 6-8 AWG insulated terminals and butt connectors.
- 7. Crimp die for 26-14 AWG non-insulated terminals, connectors, flags, disconnects and crimp sleeves.
- 8. Wire-stripping stations for circumferencial cut-less effort.
- 9. Strip length guide.
- 10. Textured, cushioned grips, red.

For specific tooling applications, refer to the smallest unit container or the Tool Selection Guides in the Appendix.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by 3M manufacturer:

Other Similar products are found below:

010-0096 M225201-06 M225202-37 6-1579015-5 CT150-2-D02 M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875 63819-2875 63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1 762637-1 808714-1 811242-5 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1 DCE.91.073.BVC DCE.91.090.3MVM DCE.91.130.5MVU 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321 AP105-DF11-2428S(64) 1456088-1 1490794-1 1-45804-6 1490357-2 1490357-3 AX100749 1-59619-7 1596970-1