

Component housing - HS LC-H-D2/ R2XC5-2,54 - 2202318

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fiber optics can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed), Color: transparent



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
Custom tariff number	90019000
Country of origin	Tunisia

Technical data

General

Housing type	Fiber optics
Housing material	PC
Color	transparent

Ambient conditions

Ambient temperature (operation)	-40 °C 85 °C

Dimensions

Dir. I	l a = .
Pitch	I 2.54 mm
1 Iton	2.04 11111

Technical data

Flammability rating according to UL 94	НВ
Number of positions	10

Standards and Regulations

Flammability rating according to UL 94	HB
--	----



Component housing - HS LC-H-D2/ R2XC5-2,54 - 2202318

Classifications

eCl@ss


eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM	<i>I</i> 5.0	EC001031

Drawings

Dimensional drawing



Details on positioning inside the electronics housing can be found in the download area under "Design-In"

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Light Pipes category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

1367627-1 SLP3-300-450-F SLP3-400-450-R LPA-C011301S-23 LPA-C011301S-6 LPF-C011306S 515-1061-803F 515-1142-170F 5151155F VLP-640-F LMC-034-CTP LPA-C011301S-5.4 LPA-C041301S-2 LPA-S011331S LPC_155_CTP LPC_182_CTP LPC_190_CTP
515-1001-802F 515-1027-803F 515-1048-801F 515-1142-195F 515-1146F 515-1148F 515-1217F SLP3-150-300-R SLP3-500-450-R 5151058F 515-1064-810F 515-1114-801F FLPR-SBC FLPV-SG FLPR-SG BDL-1187 7511A41 7511A62V0 7511F2 FLPV-SBC SLP3-300250-R 5151064802F LPF-R011340S 515-1166-801F FLPF-6.0 SLP3-350-200-F LC-11.25 CLP-1214 1296.2044 515-1064-808F FLX3_05
515-1192-0025-0DF 515-1192-80-3DF