



Quality Products. Service Excellence.


10-32 Tapped Formed Mounting Rail *CCR Series*

For use with C2 and REFK Series



Features

- Constructed in 10-gauge steel
- Sold in pairs
- EIA-310-D compliant drilled and tapped 10-32 holes
- Rails come stamped and numbered in 1U (1.75") increments.
- Bolts vertically in cabinets.
- Compatible with **C2** and **REFK** cabinets.
- Mounting hardware included:
 - Strut mounting hardware (for both rails).
- Rails are compatible for 19", 23" and 24" rack mounting.
- Side of rail formed for rear support or accessory mounting (not compatible with server slides).
- Finished in Zinc steel plate.



Part No.	Mounting Dimensions	
	Rack Units	Height
CCR22TZPL	13U	22.75
CCR35TZPL	20U	35.00
CCR42TZPL	24U	42.00
CCR49TZPL	28U	49.00
CCR54TZPL	31U	54.00
CCR56TZPL	32U	56.00

Part No.	Mounting Dimensions	
	Rack Units	Height
Tapped 10-32 Combination Rail		
CCR63TZPL	36U	63.00
CCR70TZPL	40U	70.00
CCR77TZPL	44U	77.00
CCR78TZPL	45U	78.75
CCR84TZPL	48U	84.00
CCR85TZPL	49U	85.75

Data subject to change without notice

© 2018. Hammond Manufacturing Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Racks & Rack Cabinet Accessories](#) category:

Click to view products by [Hammond](#) manufacturer:

Other Similar products are found below :

[CR-1727](#) [M00-PLN](#) [F2420](#) [F2424](#) [8310-1032-SS](#) [9104](#) [PLFF2000](#) [PLFF6000](#) [GP216](#) [PTFA60000LG](#) [H-9163-B](#) [AC220-84-1](#) [HEH050BA](#)
[1427C3](#) [BAS-5104](#) [N-700-2](#) [190-002](#) [HTL10](#) [HTS10](#) [PC-118](#) [PC-780L](#) [PC-79](#) [PC-800](#) [SC4-28](#) [F3024](#) [AKWAMT](#) [PLFF1000](#) [GRPB12PG](#)
[CG3-340S/12](#) [2CWDP36](#) [2CWDP48](#) [2SSHINGE](#) [CP-001BK](#) [CPL19431LG1](#) [R570-004-107](#) [M6123-4007-SS](#) [TS170](#) [531300535](#) [BRX-](#)
[12290](#) [C4BD3077SBK1](#) [UPS 7-17-14 PLAIN](#) [LP40](#) [5261304-07](#) [CCA26-44-01](#) [706-102](#) [CG3-160G](#) [7112C-PLN ALUM](#) [CM10](#) [TS81](#) [7142](#)