



		CONNLY CONNLY ELECTRONIC CO., LTD	
P.C.B CONNECTOR 4.5mm EL TYPE		SERIES DS1069-02	SERIES DS1069-02
UNITS mm	SHEET SIZE A4	SHEET 1 OF 2	
PROJECTION		DRAWING TYPE CUSTOMER	
TITLE		SCALE 1:1	
GENERAL TOLERANCE		DRAWING NO. C-DS1069-02-XXXX-B	
ANGLE TOLERANCE		SHEET 1 OF 2	
X. ±0.60 X. ±0.38 .X ±0.25 X. ±2.		1:1	
X. ±5. X. ±3. .X ±2.		CUSTOMER	



- NOTES:
- MAIN SPECIFICATIONS
 - Housing material: NYLON 66
 - Wire range: AWG#26~#16
 - Rated voltage: 300V
 - Rated current: 1A
 - Contact resistance: $\leq 0.03\Omega$
 - Insulation resistance: $\geq 1000M\Omega$
 - Withstanding voltage: 500V, AC 1 minute
 - Temperature range: $-25 \sim +85^{\circ}C$
 - Recommend PC board thickness: 1.6~2.0mm
 - PRODUCT NUMBER CODE:
 - 02-A: 2P Type A
 - 03-B: 3P Type B
 - 04-C: 4P Type C
 - 04-D: 4P Type D
 - 06-F: 6P Type F
 - W: White
 - T: Transparent
 - C: Crimp
 - P: Male
 - S: Female

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	LL 07/07/06'		LJC 07/07/06'
B	DRAWING UPDATE	JLZ 07/13/16'		

GENERAL TOLERANCE	X. ±0.60 X. ±0.38 .X ±0.25 X. ±2.
ANGLE TOLERANCE	X. ±5. X. ±3. .X ±2.


Wire Range	Section Area (mm ²)	AWG#	O.D of Wire
26~16	0.13~1.25	26~16	1.3~2.7

Wire Range	Section Area (mm ²)	AWG#	O.D of Wire
26~16	0.13~1.25	26~16	1.3~2.7


MALE Terminal	
FEMALE Terminal	

MALE Terminal	
FEMALE Terminal	

GENERAL TOLERANCE	X. ±0.60	X. ±0.38	.XX ±0.25
ANGLE TOLERANCE	X. ±5.	X. ±3.	.XX ±2.
PROJECTION		mm	A4
TITLE	P.C.B CONNECTOR 4.5mm EL TYPE		
UNITS	mm		
SHEET SIZE	A4		
SERIES	DS1069-02 SERIES		




ELR-06P Housing type F
MALE (For Female Terminal)
FEMALE (For Male Terminal)




ELR-04P Housing type D
MALE (For Female Terminal)
FEMALE (For Male Terminal)

8 7 6 5 4 3 2 1



ELR-04P Housing type C
MALE (For Female Terminal)
FEMALE (For Male Terminal)



ELR-03P Housing type B
MALE (For Female Terminal)
FEMALE (For Male Terminal)

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [Connfly](#) manufacturer:

Other Similar products are found below :

[571763P](#) [58098-0628](#) [61-168618-12P](#) [D38999/20FJ24PA L/C](#) [D38999/20FJ29SB L/C](#) [D38999/24FG11SN L/C](#) [72.250.1628.2](#) [72.250.2428.2](#)
[74720-0505](#) [747680210](#) [76.350.0729.0](#) [76871-1403](#) [FCN-244F080-G/1](#) [FCN-260A9920](#) [FCN-268D024-G/2F#10X-R10](#) [MP-5T180MUNNA-005](#) [MP-5XRJ45UNNB-003](#) [PCS-E50FA](#) [PCS-XE26LKA](#) [PCS-XE26MA+](#) [PCS-XES68MS+](#) [G38A71314B](#) [91-569719-35R](#) [9776-18-6](#)
[DX40-50P\(55\)](#) [1571250010](#) [157-22500-3](#) [MS3471L14-19P L/C](#) [MS3476W12-10S L/C](#) [171224-6031](#) [1888020-8](#) [91-569786-35H](#) [91-569786-35M](#) [91-644626-35P](#) [172501-4002](#) [172501-6002](#) [FCN-260C008-A/L0](#) [FCN-260C024-AL0](#) [FCN-261Z008](#) [FCN-268D008-G/1K](#) [2000314-1](#)
[200331-1](#) [2007498-2](#) [PCR-E28LMDAG1+](#) [PCR-E36FC+](#) [PCS-E28FS+](#) [PCS-XE26SLFD+](#) [PCS-XE26SLFDT+](#) [G38A71214B](#) [HDRA-E68W1LFDTC-SL+](#)