




## 2-1393589-9 Product Details

[Share](#) [Print](#) [Email](#)



**2-1393589-9**

TE Internal Number: 2-1393589-9

Active

[View 3D PDF](#)

### Eurocard Contacts

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- Type of Connector = Coaxial Contacts
- Eurocard Product Line
- Contact Style = Standard
- Contact Type = Socket
- Contact Angle = Right-Angle

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

### Documentation & Additional Information

#### Product Drawings:

- [High current socket with PCB connection](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- None Available

#### Product Specifications:

- None Available

#### Application Specifications:

- None Available

#### Instruction Sheets:

- None Available

#### CAD Files: (CAD Format & Compression Information)

- [2D Drawing](#) (DXF, Version A)
- [3D Model](#) (IGES, Version A)
- [3D Model](#) (STEP, Version A)

[List all Documents](#)

#### Additional Information:

- [Product Line Information](#)

#### Additional Product Images:

- [Schematic](#)

#### Related Products:

- [Tooling](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- Type of Connector = Coaxial Contacts
- Product Line = Eurocard
- [Make First / Break Last](#) = No
- [Used For](#) = Type M Connector

#### Electrical Characteristics:

- [Contact - Rated Current \(A\)](#) = 25

#### Body Features:

- Used With = SIEDECON Female Connectors
- Body Style = Right Angle

#### Contact Features:

- [Contact Type](#) = Socket
- Contact Style = Standard
- [Contact Angle](#) = Right-Angle
- Contact Configuration = High Current Power
- [Contact Plating, Mating Area, Material](#) = Gold

#### Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

#### Conditions for Usage:

- [Applies To](#) = Printed Circuit Board

#### Packaging Features:

- [Packaging Method](#) = Loose Piece

#### Other:

- Brand = AMP

[Supplier Portal](#)

[Careers](#)

[Terms & Conditions](#)

[Privacy Policy](#)

[AODA Accessibility Policy](#)

[AODA Multi-Year Accessibility  
Plan](#)

[Product Compliance Support Center](#)

[Site Map](#)

[Manage Your Account](#)



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Hard Metric Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[10146110-VR5C](#) [6345127-1](#) [646916-9](#) [6469658-1](#) [853016](#) [973108](#) [1-2000713-0](#) [1-2000713-2](#) [1-2000713-3](#) [120646-1](#) [134187](#) [1645343-1](#)  
[1645456-1](#) [1645564-3](#) [1645594-1](#) [1645601-1](#) [1934822-1](#) [2000829-2](#) [2000985-2](#) [223085-1](#) [278071110010833](#) [1645179-1](#) [1645245-1](#)  
[1645457-1](#) [1645525-1](#) [1645570-1](#) [1645596-1](#) [17-8072-125-000-863+](#) [1857470-1](#) [1934275-1](#) [1934289-1](#) [1934759-1](#) [2000670-2](#) [2000673-1](#)  
[2000843-2](#) [2000984-2](#) [204975](#) [2170292-2](#) [2-536642-6](#) [3-100668-0](#) [3-106015-1](#) [352188-1](#) [352629-1](#) [3-646346-0](#) [3-646356-0](#) [3-646457-0](#) [3-646529-0](#) [3-646530-0](#) [5120823-1](#) [5120899-1](#)