

CD11GE Series


- Life time: +130°C 3,000 hours, 105°C 12,000 hours
- Long life and high stability
- Suitable for electronic ballast, electronic energy saving lamp
- RoHS Compliant



◆ SPECIFICATIONS


Item	Characteristics							
Temperature Range	-40 ~ +130°C(160 ~ 400V _{dc}) -25 ~ +130°C(450V _{dc})							
Rated Voltage Range	160 ~ 450V _{dc}							
Capacitance Tolerance	±20%(M) (20°C, 120Hz)							
Leakage Current	160 ~ 400V _{dc}	450 V _{dc}		I : Leakage Current(μA), C : Nominal capacitance(μF), V : Rated Voltage (V)				
	I ≤ 0.02CV+10μA	I ≤ 0.03CV+10μA		(20°C, 2minutes)				
Dissipation Factor (tanδ)	Rated Voltage(V _{dc})	160	200	250	350	400	450	
	tanδ (Max.)	0.15	0.15	0.15	0.20	0.20	0.20	
Temperature Characteristics (Max.Impedance Ratio)	Rate Voltage(V _{dc})	160	200	250	350	400	450	
	Z(-25°C)/Z(+20°C)	3	3	3	5	5	6	
	Z(-40°C)/Z(+20°C)	6	6	6	6	6	--	
Endurance	After application of the rated DC voltage at 130°C 3,000hours or application of DC voltage with rated ripple current (the voltage peak is not more than rated voltage) at 105°C 12,000 hours, measuring the parameters when the capacitors are restored to 20°C, the capacitors shall meet the requirements as below							
	Capacitance Change	≤±20% of the initial value						
	D.F.(tanδ)	≤200% of the initial specified value						
	Leakage Current	≤the initial specified value						
Shelf Life	The following specifications shall be satisfied when the capacitors are restored to 20°C after exposing them for 1,000 hours at 105°C without voltage application.							
	Capacitance Change	≤±20% of the initial value						
	D.F.(tanδ)	≤200% of the initial specified value						
	Leakage Current	≤200% of the initial specified value						

◆ DIMENSIONS [mm]



ØD	8	10	12.5	16	18
Ød	0.5 0.6	0.6	0.6	0.8	0.8
F	3.5	5.0	5.0	7.5	7.5
ØD'	ØD+0.5max.				
L'	L+2max.				

◆ PART NUMBER SYSTEM



◆ RATED RIPPLE CURRENT MULTIPLIERS

Frequency correction factor for ripple current

WV(V _{dc})	Freq.(Hz)			
	120	1k	10k	100k
160 ~ 450	0.50	0.80	0.90	1.00

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Aluminium Electrolytic Capacitors - Radial Leaded](#) category:

Click to view products by [Aihua](#) manufacturer:

Other Similar products are found below :

[NRELS102M35V16X16C.140LLF](#) [ESRG160ETC100MD07D](#) [227RZS050M](#) [335CKR250M](#) [476CKH100MSA](#) [477CKR100M](#)
[107CKR010M](#) [107CKH063MSA](#) [RJH-25V222MI9#](#) [RJH-35V221MG5#](#) [B43827A1106M8](#) [RJH-50V221MH6#](#) [EKYA500ELL470MF11D](#)
[B41022A5686M6](#) [ESRG250ELL101MH09D](#) [EKMA160EC3101MF07D](#) [RJB-10V471MG3#](#) [ESMG160ETD221MF11D](#)
[EKZH160ETD152MJ20S](#) [RJH-35V122MJ6#](#) [EGXF630ELL621ML20S](#) [RBD-25V100KE3#N](#) [EKMA350ELL100ME07D](#)
[ESMG160ETD101ME11D](#) [ELXY100ETD102MJ20S](#) [EGXF500ELL561ML15S](#) [EKMG350ETD471MJ16S](#) [35YXA330MEFC10X12.5](#)
[RXW471M1ESA-0815](#) [ELXZ630ELL221MJ25S](#) [ERR1HM1R0D11OT](#) [LPE681M30060FVA](#) [LPL471M22030FVA](#) [HFE221M25030FVA](#)
[LKMD1401H221MF](#) [B41888G6108M000](#) [EKMA160ETD470MF07D](#) [UHW1J102MHD6](#) [EKMG500ETD221MJC5S](#) [LKMK2502W101MF](#)
[LKMD1401H181MF](#) [LKMI2502G820MF](#) [LKMJ2001J122MF](#) [LKML2501C472MF](#) [LKMJ4002C681MF](#) [450MXH330MEFCSN25X45](#)
[450MXK330MA2RFC22X50](#) [63ZLH560MEFCG412.5X30](#) [ELH2DM331O25KT](#) [ELH2DM471P30KT](#)