



P/N LEGEND

A1250		WV	-XP	N	X	X	XX	N	00	B
①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	

① Series No.
 ② Connector type: WV=Vertical
 ③ No. of circuits
 ④ N=Halogen Free
 ⑤ Material: L=LCP-V0 ; 6=Nylon 6T
 ⑥ Color: B=Black N=Natural
 ⑦ Plating code for contacts: T1=Tin-plated
 S4=Gold-plated 10u"on contact area,
 Gold-flash on solder area
 ⑧ Plating code: N=Non-plating
 ⑨ Option code: 00=Standard
 ⑩ Packing code: B=Tray

SPECIFICATIONS

Current Rating: 1A AC,DC
 Voltage Rating: 125V AC,DC
 Temperature Range: -25°C ~ +85°C
 Contact Resistance: 20mΩ Max.
 Insulation Resistance: 100MΩ Min.
 Withstanding Voltage: 500V AC/minute
 Pin Material: Phosphor Bronze/Tin-plated

Ordering Information & Dimensions

Circuit No.	Dimensions		Circuit No.	Dimensions	
	A	B		A	B
02P	1.25	4.25	11P	12.50	15.50
03P	2.50	5.50	12P	13.75	16.75
04P	3.75	6.75	13P	15.00	18.00
05P	5.00	8.00	14P	16.25	19.25
06P	6.25	9.25	15P	17.50	20.50
07P	7.50	10.50	16P	18.75	21.75
08P	8.75	11.75	17P	20.00	23.00
09P	10.00	13.00	18P	21.25	24.25
10P	11.25	14.25			

				燦達電子工業股份有限公司 JOINT TECH ELECTRONIC IND. CO., LTD.							
UNIT		SCALE	SHEET	TITLE:							
mm		1 : 1	1 of 1	1.25mm PITCH 180° WAFER							
DRAWN BY		APPROVED BY									
周傑亮		張子波									
2013. 11. 15		2013. 11. 15									
GENERAL TOLERANCE				DRAW NO. : A1250WV-XPXXXXXXX							
A2	EN141110001	2014. 11. 10	劉建芳								
A1	EN1408220004	2014. 08. 22	黃培軍								
A0	NEW RELEASE	2013. 11. 15	周傑亮								
REV.	DESCRIPTION	DATE	NAME	<table border="1" style="width: 100%;"> <tr> <td>X. X±0. 25</td> <td>ANGLE±</td> </tr> <tr> <td>X. XX±0. 15</td> <td></td> </tr> <tr> <td>X. XXX±0. 05</td> <td></td> </tr> </table>		X. X±0. 25	ANGLE±	X. XX±0. 15		X. XXX±0. 05	
X. X±0. 25	ANGLE±										
X. XX±0. 15											
X. XXX±0. 05											

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Joint manufacturer](#):

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)