

**SEBLC03 thru SEBLC24C**  
**Ultralow Capacitance TVS Array**

**General Description**

The Ultralow Capacitance Transient Voltage Suppressors are designed to low voltage, integrated circuits from transients caused by electrostatic discharge (ESD), electrical fast transients (EFT), Surge and other induced voltages.

**Applications**

- Ethernet – 10/100/1000 Base T
- Cellular Phones
- Handheld – Wireless Systems
- Personal Digital Assistant(PDA)
- USB Interface


**Features**

- 350 W Peak Pulse Power per Line (tp=8/20μs)
  - Unidirectional & Bidirectional Configurations
  - Replacement for MLV (0805)
  - Protects One Power or I/O Port
  - ESD Protection > 40 kilovolts
  - Low Clamping Voltage
  - Available in Multiple Voltage Type Ranging from 3V to 24V
  - Ultra Low Capacitance:3pF Typical
  - RoHS Compliant in Lead-Free Versions
- IEC61000-4-2(ESD) 15kV(air), 8kV(Contact)**  
**IEC61000-4-4(EFT) 40A(5/50ns)**  
**IEC61000-4-5(Surge) 24A(8/20us)**  
**Level 2(Line-Ground)& Level 2(Line- Line)**


**SOD-323**



**UNIDIRECTIONAL**



**BIDIRECTIONAL**



**Absolute Maximum Ratings @ 25°C Unless Otherwise Specified**


Parameter	Symbol	Value	Units
Peak Pulse Power (tp = 8/20μs) - See Fig1.	P <sub>PP</sub>	350	W
Storage Temperature Range	T <sub>STG</sub>	-55 to 150	°C
Operating Junction Temperature Range	T <sub>J</sub>	-55 to 150	°C

**Electrical Characteristics Per line @ 25°C Unless Otherwise Specified**


Part Numbers	V <sub>BR</sub>			I <sub>T</sub>	V <sub>RM</sub>	I <sub>RM</sub>	V <sub>F</sub>	I <sub>F</sub>	C
	Min.	Typ.	Max.				Max.		Typ. 0v bias
	V	V	V				V		pF
SEBLC03	3.3	3.8	4.5	1	3	1	1.25	200	1

# SEBLC03 thru SEBLC24C

SEBLC03C	3.3	3.8	4.5	1	3	1	1.25	200	1
SEBLC05	6.1	6.7	7.2	1	5	1	1.25	200	1
SEBLC05C	6.1	6.7	7.2	1	5	1	1.25	200	1
SEBLC12	13.5	14.6	15.7	1	12	1	1.25	200	1
SEBLC12C	13.5	14.6	15.7	1	12	1	1.25	200	1
SEBLC15	16.7	17.8	18.9	1	15	1	1.25	200	1
SEBLC15C	16.7	17.8	18.9	1	15	1	1.25	200	1
SEBLC18	19.1	20.0	20.8	1	18	1	1.25	200	1
SEBLC18C	19.1	20.0	20.8	1	18	1	1.25	200	1
SEBLC24	26.7	27.8	28.9	1	24	1	1.25	200	1
SEBLC24C	26.7	27.8	28.9	1	24	1	1.25	200	1



**Fig1. Peak Pulse Power VS Pulse Time**




# SEBLC03 thru SEBLC24C

Fig2. Pause Wave Form

## SOD-323 Mechanical Data


### Package Outline



### SOD-323 Package



### Mounting Pad



### Package Dimensions

Dim	Millimeters		Inches	
	Min	Max	Min	Max
A	1.60	1.90	0.063	0.075
B	1.15	1.45	0.045	0.057
C	2.39	2.70	0.094	0.106
D	0.92	1.10	0.036	0.043
E	0.25	0.40	0.010	0.016
F	0.10	0.20	0.004	0.008
H	-	0.10	-	0.004

### Notes:

1. Controlling Dimensions in Millimeters.
2. Dimensions are exclusive of mold flash and metal burns,

The SINO-IC logo is a registered trademark of ShangHai Sino-IC Microelectronics Co., Ltd.

© 2005 SINO-IC – Printed in China – All rights reserved.

### SHANGHAI SINO-IC MICROELECTRONICS CO., LTD

**Add:** Building 3, Room 3401-03, No.200 Zhangheng Road, ZhangJiang Hi-Tech Park, Pudong, Shanghai 201203, China

**Phone:** +86-21-33932402 33932403 33932405 33933508 33933608

**Fax:** +86-21-33932401

**Email:** [webmaster@sino-ic.com](mailto:webmaster@sino-ic.com)

## **SEBLC03 thru SEBLC24C**

Website: <http://www.sino-ic.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [ESD Suppressors / TVS Diodes](#) category:*

*Click to view products by [SINO-IC](#) manufacturer:*

Other Similar products are found below :

[NTE4902](#) [P4SMAJ15A](#) [P4SMAJ26A](#) [SMAJ400CA-TP](#) [TGL34-47CA](#) [ESDAULC45-1BF4](#) [SM1605E3/TR13](#) [SMF20A-TP](#) [P4SMAJ12A](#)  
[CPDUR24V-HF](#) [CPDQC5V0USP-HF](#) [CPDQC5V0-HF](#) [MPLAD30KP45CAE3](#) [MMBZ27VCLQ-7-F](#) [MMAD1108/TR13](#) [MPLAD30KP24A](#)  
[ACPDQC5V0R-HF](#) [DFLT170A-7](#) [NTE4900](#) [NTE4926](#) [NTE4938](#) [SMF22A-TP](#) [SMF12A-TP](#) [SLVU2.8-TP](#) [SMLJ6.5CA-TP](#) [SMAJ6.5CA-](#)  
[TP](#) [MMAD1108E3/TR13](#) [D5V0M1U2LP3-7](#) [SMAJ400A-TP](#) [AOZ8811DT-03](#) [AOZ8831DI-05](#) [AOZ8831DT-03](#) [SMAJ188CA](#) [3SMC33CA](#)  
[BK](#) [CPDQC3V3C-HF](#) [CPDQC12VE-HF](#) [MPLAD30KP170CA](#) [82357120100](#) [5.0SMLJ15CA-TP](#) [5KP18A-TP](#) [P6KE8.2A-TP](#)  
[MPLAD30KP43CAE3](#) [SMAJ43A-TP](#) [D5V0F6U8LP33-7](#) [TVS5501V10MUT5G](#) [5.0SMLJ24CA-TP](#) [SMAJ110CA-TP](#) [MPLAD15KP75CAE3](#)  
[MMAD1103e3/TR13](#) [DFLT40AQ-7](#)