

XNG75PI24TC4S5

XNG75PI24TC4S5

IGBT Modules Preliminary data

General Description

Xiner IGBT Power Module XNG75PI24TC4S5 provides low switching loss as well as high short circuit capability, which introduce the advanced IGBT and improved connection, it is able to take on a perfect performance in various applications up to 20KHz.

Features

- Standard housing
- High short circuit capbility
- Vcesat with positive temperature coefficient



Applications

- Motor drives
- UPS
- Electronic welding
- High power converters

Characteristic values


Absolute Maximum Ratings

Parameter	Symbol	Conditions	Value	Unit
Collector-emitter voltage	V _{CES}	$T_{vj} = 25 \degree C$	1200	V
Gate-emitter peak voltage	V _{GES}		±20	V
Continuous DC collector current	I _{C nom}		75	А
Repetitive peak collector current	I _{CRM}	$t_P = 1 ms$	150	А
Total power dissipation	P _{tot}	$T_{\rm C} = 25 ^{\circ}{\rm C}, T_{\rm vj} = 150 ^{\circ}{\rm C}$	480	W
IGBT short circuit SOA	t _{psc}	$V_{CC} = 900 V$ $V_{GE} = 15 V, T_{vj} = 150 °C$	10	116
		V _{GE} =15 V,T _{vj} =150°C		us




XNG75PI24TC4S5

Circuit diagram



Package outlines dimensions in mm



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Emulators/Simulators category:

Click to view products by XINER manufacturer:

Other Similar products are found below :

AC244062 AC244064 SPC563M64CAL144 SPC563M64CAL176 ST7MDT2-EMU2B IM3316 IM1281B IM1275 IM1227 IM1259G IM1253B IM1253B(D) MJYS-QKJL-40/380V MJYS-QKJL-75/380V MJYD-JL-75/380V MJYD-JL-40/380V CI-B02CS01S CI-B03CS01S CI-B03GS01S GD10PJX120L2S HEDS-9730#Q50 HEDS-9700#F50 L-MZ07 L-MZ02 L-MZ021 TXVT4G6M-S JL_MOD_FH_V1.0 MKSDSOCKET-Pinboard V1 CY3250-24X33 AC244060 7027-D-350 DS1747WP-120IND+ AC244061 S5U1C31W74T1300 S5U1C17M13T2100 S5U1C17M13T1100 J-Link ULTRA+ AFM201TI-AY2LED2 AFW121T-EVB CP2102 CE118M12 ESP32-A1S ESP32-CAM ESP-32S ADZS-ICE-1000 ADZS-ICE-2000 USB-EA-CONVZ BH-USB-100v2-ARM BH-USB-100v2D BH-USB-200