

Detector Switch MSS-20 Series

Features

- ◇ Sliding contact type.
- ◇ For micro-current.
- ◇ Normally closed type.

Applications

- ◇ FAX, Copying machine, Label printer
- ◇ CD, DVD-RAM printer
- ◇ Video camera, Game machine



MSS-20



MSS-20R

Products line

| No | Products No | Poles | Positions | Operating force |
|----|-------------|-------|-----------|---------------------------|
| 1 | MSS-20 | 1 | 1 | 0.39N plus or minus 0.24N |
| 2 | MSS-20R | 1 | 1 | 0.39N plus or minus 0.24N |

Typical Specifications

| Item | Specifications |
|------------------------------|------------------------------|
| Ratings | 0.1A 16V DC (Resistive load) |
| Contact resistance | 200 milliohm max |
| Insulation resistance | 100 megohm min. 250V DC |
| Withstanding voltage | 250V AC 1min |
| Operating life | 30,000 cycles |

Dimensions

Unit : mm

| No | Style | P.C.B reference Land Dimensions Circuit Diagram (TOP VIEW) |
|----|----------------|---|
| 1 | <p>MSS-20</p> | |
| 2 | <p>MSS-20R</p> | |

□ Notes

1. The appearance and specifications of the product may be modified without prior notice to improve its performance.
2. This catalog shows only outline specifications. When using the product, please obtain formal specifications supply.
3. Please see appendix [Cautions in Using Switches].
4. For high safety applications, please confirm with protection and redundant circuit.
5. This detector switch is not a washable type.
6. In manual soldering, consideration should be given to apply the soldering iron to the tip of the terminal so that unusual pressure is not applied to the terminal.
7. Please do not apply pressure for 1 minute after soldering.
8. Since soldering quality may deteriorate due to sulfuration and oxidation of terminals, please use as soon as possible within maximum 6 months after delivery and use within a after opening the package condition and the one within 1 week after you unpack it again.
9. Please confirm the performance on actual operation by simulation with actual environment environments for high reliability.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Basic / Snap Action Switches](#) category:

Click to view products by [Shinmei](#) manufacturer:

Other Similar products are found below :

[83228001](#) [01.098.1358.1](#) [602EN1-6B](#) [602EN532](#) [602EN535-RB](#) [602HE5-RB1](#) [604HE162](#) [604HE223-6B](#) [624HE17-RB](#) [6HM89](#) [6PA78-JM](#)
[6SE1](#) [6SX1-H58](#) [70500840](#) [MBD5B1](#) [MBH2731](#) [73-316-0012](#) [79211759](#) [79211923](#) [79218589](#) [7AS12](#) [ML-1155](#) [ML-1376](#) [831010C3.0](#)
[831060C3.TL](#) [831090C2.EL](#) [83131904](#) [84212012](#) [8AS239](#) [8HM73-3](#) [903VB1-PG](#) [914CE1-6G](#) [PL-100](#) [11SM1077-H4](#) [11SM1077-H58](#)
[11SM1-TN107](#) [11SM405](#) [11SM703-T](#) [11SM8423-H2](#) [11SX37-T](#) [11SX48-H58](#) [11SX55-H58](#) [11SM2442-T](#) [11SM76-T](#) [11SM77-H58](#)
[11SM77-T](#) [11SM863-T](#) [11SM866](#) [11SX47-H58](#) [A7CN-1M-1-LEFT](#)