

REV:		DESCRIPTION	
A	RELEASE	DATE	2004/01/15
B	ADD DIM		2005/07/08


TOLERANCE
 0. = ±.30
 .00 = ±.20
 .000 = ±.XXX
 .0000 = ±.
 ANG.=±3.

SCALE NONE
 SIZE A4
 UNITS : mm





OLD PART NO. PH1S-202GB1160
 DRAWER *Kent*
 SHEET 1 OF 1
 REV. B

APP'D
 CHECK

TITLE
 PIN HEADER 2.54*2.54mm
 STRAIGHT TYPE, DUAL ROWS
 NEW PART NO. 210-72-02GB01

DRAW NO. 210-72-02GB01(B版)
 PINREX TECHNOLOGY CORP.


Recommended P.C.B Layout



1. 5: Normal Parts
- 7: Green Product
- 9: Green Product High Temp (NYLON 6T or 9T)
2. 1: Single row
- 2: Dual rows
3. No. of contacts per row
4. G: Gold flash
- S: Selective
- T: Tin plated
5. B: Black Insulator
6. Pinrex internal code.

210-7 2- 02 G B 01
 1 2 3 4 5 6

MATERIAL
 Insulator : 30% Glass fiber PBT
 Contact Pin : Brass

SPECIFICATION

Current Rate : 3 AMP
 Insulation Resistance : 5000MΩMin. at DC 500V
 Contact Resistance : 20mΩMax. at DC 100mA
 Dielectric Voltage : AC 500V for one minute
 Operation Temperature : -40°C to + 105°C

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Pinrex](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)