

DTMSS-20 SENDUST POWER INDUCTORS



APPLICATIONS:


- interference suppressing chokes (DC - 300kHz)
- energy storage inductors (DC - 300kHz)
- DC/DC converters
- SMPS
- EMI filters (DC - 1 MHz)
- acoustic filters

ORDERING CODE:

DTMSS- 20 / 1 / 0,2-V

mounting: V - vertical, H - horizontal, BV - base vertical,
CV - case vertical, CH - case horizontal
rated current in Amps
inductance in mH@ $I_{DC} = 0A$
sendust core outer diameter
product symbol

DIMENSIONS:




Part number	Type - core dimension ($\pm 10\%$)						Mounting version				
	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	V	H	BV	CV	CH
DTMSS-20/1,00/0,2	21,5	11,5	7,5	0,16	7,0	5,0	✓	✓	✓	✓	✓
DTMSS-20/0,68/0,3	21,5	11,5	7,5	0,2	7,0	5,0	✓	✓	✓	✓	✓
DTMSS-20/0,47/0,5	21,5	11,5	7,5	0,25	7,0	5,0	✓	✓	✓	✓	✓
DTMSS-20/0,33/0,8	21,5	11,5	7,5	0,32	7,0	5,0	✓	✓	✓	✓	✓
DTMSS-20/0,22/1,0	22,0	11,0	8,0	0,36	7,0	5,0	✓	✓	✓	✓	✓
DTMSS-20/0,15/1,6	22,0	9,5	8,5	0,45	8,0	5,5	✓	✓	✓	—	✓
DTMSS-20/0,10/2,4	22,5	9,5	9,0	0,75	8,0	6,0	✓	✓	✓	—	✓
DTMSS-20/0,068/4,0	23,5	8,5	9,5	1,0	8,0	7,0	✓	✓	—	—	—
DTMSS-20/0,047/6,0	23,5	8,0	10,0	1,15	9,0	7,0	✓	✓	—	—	—
DTMSS-20/0,033/8,0	24,0	6,5	10,5	1,5	9,0	8,5	✓	✓	—	—	—
DTMSS-20/0,022/10	24,5	5,5	10,5	1,55	9,0	9,0	✓	✓	—	—	—
DTMSS-20/0,015/15	25,5	5,5	11,5	1,9	10,0	9,0	✓	✓	—	—	—
DTMSS-20/0,010/20	26,5	3,0	13,0	2,4	10,0	10,5	✓	✓	—	—	—

ELECTRICAL PROPERTIES:


Part number	Lmax [μH]	Imax [A]	L@Imax [μH]	RDC [Ω]	Δt [°C]
DTMSS-20/1,00/0,2	1000	0,20	983	3,31	6,4
DTMSS-20/0,68/0,3	680	0,30	668	1,64	7,3
DTMSS-20/0,47/0,5	470	0,50	452	0,872	12,1
DTMSS-20/0,33/0,8	330	0,80	311	0,450	12,6
DTMSS-20/0,22/1,0	220	1,00	204	0,318	12,7
DTMSS-20/0,15/1,6	150	1,60	132	0,164	15,8
DTMSS-20/0,10/2,4	100	2,40	84,3	0,0834	17,7
DTMSS-20/0,068/4,0	68	4,0	52,7	0,0451	29,1
DTMSS-20/0,047/6,0	47	6,0	32,4	0,0308	32,8
DTMSS-20/0,033/8,0	33	8,0	20,8	0,0159	36,8
DTMSS-20/0,022/10	22	10,0	13,8	0,0114	37,0
DTMSS-20/0,015/15	15	15,0	7,98	0,0059	34,3
DTMSS-20/0,010/20	10	20,0	5,10	0,0042	46,9

CHARACTERISTICS:




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 08:40:22 2011

DTMSS-20/1/0,2




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 08:51:36 2011

DTMSS-20/0,68/0,3



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 08:53:32 2011


DTMSS-20/0,47/0,5



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:00:31 2011


DTMSS-20/0,33/0,8

CHARACTERISTICS:




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:02:28 2011

DTSS-20/0,22/1,0




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:03:42 2011

DTSS-20/0,15/1,6




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:05:22 2011

DTSS-20/0,1/2,4




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:06:46 2011

DTSS-20/0,068/4,0



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:08:35 2011


DTSS-20/0,047/6,0



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:10:36 2011


DTSS-20/0,033/8,0

CHARACTERISTICS:




CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:33:04 2011

DTMSS-20/0,022/10



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:36:54 2011

DTMSS-20/0,015/15



CREATED IN MICROMETALS ARNOLD POWDER CORES - DESIGN OF INDUCTORS FOR POWER FILTER APPLICATIONS Fri Nov 25 09:39:00 2011

DTMSS-20/0,01/20

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [Feryster](#) manufacturer:

Other Similar products are found below :

[MLZ1608M6R8WTD25](#) [MLZ1608N6R8LT000](#) [MLZ1608N3R3LTD25](#) [MLZ1608N3R3LT000](#) [MLZ1608N150LT000](#)

[MLZ1608M150WTD25](#) [MLZ1608M3R3WTD25](#) [MLZ1608M3R3WT000](#) [MLZ1608M150WT000](#) [MLZ1608A1R5WT000](#)

[MLZ1608N1R5LT000](#) [B82432C1333K000](#) [PCMB053T-1R0MS](#) [PCMB053T-1R5MS](#) [PCMB104T-1R5MS](#) [CR32NP-100KC](#) [CR32NP-](#)

[151KC](#) [CR32NP-180KC](#) [CR32NP-181KC](#) [CR32NP-1R5MC](#) [CR32NP-390KC](#) [CR32NP-3R9MC](#) [CR32NP-680KC](#) [CR32NP-820KC](#)

[CR32NP-8R2MC](#) [CR43NP-390KC](#) [CR43NP-560KC](#) [CR43NP-680KC](#) [CR54NP-181KC](#) [CR54NP-470LC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#)

[MGDQ4-00004-P](#) [MGDU1-00016-P](#) [MHL1ECTTP18NJ](#) [MHL1JCTTD12NJ](#) [PE-51506NL](#) [PE-53601NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-](#)

[62892NL](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#) [PM06-2N7](#) [PM06-39NJ](#) [HC2LP-R47-R](#) [HC2-R47-R](#) [HC3-2R2-R](#) [HC8-1R2-R](#)