




BOARD-TO-BOARD HEADERS & RECEPTACLES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

HDI RECP ASSY 3 ROW 210 POS

AMP-HDI | HDI

1-532431-1

TE Internal Number: 1-532431-1

5 of 6 EU RoHS/ELV Compliant

[Find Compliant Alternatives](#)

Connector Style **Receptacle**

Centerline **2.54 mm [.1 in]**

Number of Positions **210**

Packaging Method **Tube**

Contact Mating Area Plating Material **Gold**

Product Drawings

[HDI, 3 ROW, RECEPTACLE ASSEMBLY, 4.57 \[.180\] LONG SOLDER TAILS](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Product Specifications

Product Specification

[Connector, Interconnect, High Density](#)

PDF
English

Application Specification

[AMP-HDI Connectors](#)

PDF
English

Qualification Test Report

[AMP-HDI Connectors](#)

PDF
Japanese

[AMP-HDI Connectors](#)

PDF
English

[AMP-HDI Connectors](#)

TIF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMP-HDI High Density Interconnection Printed Circuit \(PC\) Board Connectors](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	PCB Mounting Orientation	Right Angle
	Row-to-Row Spacing	2.54 mm [.1 in]
	Product Type	Connector
	Boss	Without
	Make First / Break Last	No

Configuration Features	Number of Positions	210
	Center Guide	Without
	Number of Rows	3
	Stackable	No

Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µin)	30
	Contact Current Rating (A)	3
	Contact Type	Socket
	Contact Configuration	Four-Beam
	Solder Tail Contact Plating Material	Tin
	Contact Layout	Matrix
	Underplate Material	Nickel
Contact Base Material	Copper Alloy	

Termination Features	Termination Method to PC Board	Through Hole
	Termination Post Length	4.57 mm [.18 in]

Mechanical Attachment	Mating Alignment	Without
	Mating Alignment Type	Keyed
	PCB Mount Retention	Without

Housing Features	Centerline	2.54 mm [.1 in]
	Housing Material	Thermoplastic
	Housing Color	Natural

Dimensions	Tail Length	4.57 mm [.18 in]
	Height	9.14 mm [.36 in]
	PCB Thickness (Recommended)	2.36 – 3.18 mm [.093 – .125 in]
Usage Conditions	Housing Material Temperature	High
	Operating Temperature Range (°C)	-65 – 125
Operation/Application	Pick and Place Cover	Without
	Assembly Process Feature	None
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Tube
	Packaging Quantity	3

Product Compliance

[Statement of Compliance PDF](#)

[VIEW ALL PRODUCT COMPLIANCE](#)

Products - 3 Results

[View All](#)

Compare 0/10

Relation Type ▼


RELATIONSHIP

Connectors

Used to identify connector relationships to other potential product

[See All Connectors](#)

PRODUCT - CONNECTORS



Connectors - Board-to-Board Headers & Receptacles
AMP-HDI | HDI
**HDI PIN ASSY 3 ROW
210 POS - 1-532447-1**
TE INTERNAL NUMBER: 1-532447-1

✓ Active

Not EU RoHS or ELV Compliant

Connector Style **Plug**

Centerline **2.54 mm**

Number of Positions **210**

Packaging Method **Tube**

Contact Mating Area Plating


Material **Gold**

RELATIONSHIP

Connectors

Used to identify connector relationships to other potential product

[See All Connectors](#)



PRODUCT - CONNECTORS

Connectors - Board-to-Board Headers & Receptacles
AMP-HDI | HDI

**HDI PIN ASSY 3 ROW
210 POS - 1-532432-1**

TE INTERNAL NUMBER: 1-532432-1

✓ Active

Not EU RoHS or ELV Compliant

Connector Style **Plug**

Centerline **2.54 mm**

Number of Positions **210**

Packaging Method **Tube**

Contact Mating Area Plating

Material **Gold**




RELATIONSHIP

Connectors

Used to identify connector relationships to other potential product

[See All Connectors](#)



PRODUCT - CONNECTORS

Connectors - Board-to-Board Headers & Receptacles
AMP-HDI | HDI

**HDI PIN ASSY 3 ROW
210 POS - 1-532433-1**

TE INTERNAL NUMBER: 1-532433-1

✓ Active

5 of 6 EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **2.54 mm**

Number of Positions **210**

Packaging Method **Tube**

Contact Mating Area Plating

Material **Gold**



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIN 41612 Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[09231126901](#) [PCN10F-24P-2.54DS\(72\)](#) [004.767](#) [02221602702](#) [024069](#) [602427301412000](#) [013275](#) [691327-1](#) [74670-0732](#) [74680-0340](#)
[75880-0015](#) [76453-0014](#) [86093159ALF](#) [923454](#) [QLC260R](#) [120X10099X](#) [120X10019X](#) [120X10089X](#) [120X10129X](#) [121A10039X](#)
[121A10309X](#) [122A10019X](#) [122A10029X](#) [122A10249X](#) [122A10669X](#) [122A11089X](#) [122A13089X](#) [121B10409X](#) [122A10089X](#)
[122A10129X](#) [122A10349X](#) [122A13359X](#) [1377391-4](#) [DIN-048CPC-SR1-MH](#) [1393583-2](#) [1393726-7](#) [140X10059X](#) [140X10129X](#) [143-1913-](#)
[000](#) [143-1908-000](#) [1484472-1](#) [173052](#) [2110070-1](#) [2110070-2](#) [CBC20T00-008FDS5-0-1-002VR](#) [983-0SE12-12P6](#) [17041102202](#) [172699-](#)
[5036](#) [173051](#) [20 8457096 010 025](#)