


# ND.Q

Square end-caps for heavy loads



## technical informations

### Material

Glass-fibre reinforced polyamide based (PA) technopolymer. Resistant to solvents, oils, greases and other chemical agents.

### Colour

Black, matte finish.

### Bushing

Nickel-plated brass with threaded hole.

Elesa Standards		Main dimensions				Mounting hole		Tube dimensions			* Max static load	Weight
Code	Description	L	H	h <sub>1</sub>	l	d	h	External	Thickness	Internal	[N]	g
319102	ND.Q-30x1.5-M8	30	33	6	27.5	M8	15	30	1.5	27	17000	57
319103	ND.Q-30x1.5-M10	30	33	6	27.5	M10	15	30	1.5	27	17000	56
319104	ND.Q-30x1.5-M12	30	33	6	27.5	M12	18	30	1.5	27	17000	51
319106	ND.Q-30x1.5-M16	30	33	6	27.5	M16	20	30	1.5	27	17000	38
319262	ND.Q-40x2-M8	40	43	8	36.5	M8	15	40	2	36	18000	86
319263	ND.Q-40x2-M10	40	43	8	36.5	M10	15	40	2	36	18000	85
319264	ND.Q-40x2-M12	40	43	8	36.5	M12	18	40	2	36	18000	80
319266	ND.Q-40x2-M16	40	43	8	36.5	M16	20	40	2	36	18000	67
319352	ND.Q-50x2-M12	50	55	10	46.5	M12	18	50	2	46	20000	157
319354	ND.Q-50x2-M16	50	55	10	46.5	M16	20	50	2	46	20000	156
319356	ND.Q-50x2-M20	50	55	10	46.5	M20	30	50	2	46	20000	132
319362	ND.Q-50x2.5-M12	50	55	10	45.5	M12	18	50	2.5	45	20000	153
319364	ND.Q-50x2.5-M16	50	55	10	45.5	M16	20	50	2.5	45	20000	152
319366	ND.Q-50x2.5-M20	50	55	10	45.5	M20	30	50	2.5	45	20000	128

\* The max static load is the value above which the load applied to the element may cause some plastic material breakage, in particular conditions of use. Obviously, a factor that takes into consideration the importance and the safety level of the specific application must be applied to this value.



ELESA and GANTER models all rights reserved in accordance with the law. Always mention the source when reproducing our drawings.

STANDARD MACHINE ELEMENTS WORLDWIDE

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Mounting Fixings](#) category:*

*Click to view products by [Elesa & Ganter](#) manufacturer:*

Other Similar products are found below :

[5912235-2](#) [007310](#) [007541](#) [6-141-P](#) [620HA038NF09](#) [620HA038NF11](#) [CTJ420E028-513](#) [M81714/60-12-01](#) [M81714/60-22-01](#) [L/C](#)  
[MA1EAF1200](#) [70-584649-01P](#) [71-074914-006](#) [71-215091-8S](#) [712HA170B23128-N](#) [71-344699-4S](#) [71-441549-19S](#) [71-441864-5S](#) [71-](#)  
[490451-4H](#) [EX-13-3-B-16-325PN](#) [75-69116-8S](#) [75-69211-3P](#) [75-69220-27S](#) [75-69224-5S](#) [75-69614-2S](#) [770-006A109](#) [770-006A109R](#) [770-](#)  
[006A207](#) [770-006A208W1](#) [770-006A209](#) [770-006A306](#) [770-006A703W1](#) [770-006A704](#) [770-006A704W1](#) [770-006A705](#) [770-006A706](#)  
[770-006A706W1](#) [770-006A707](#) [770-006A709](#) [770-007A203](#) [770-007A203W1](#) [770-007A204W1](#) [770-007A207W1](#) [770-007A703](#) [770-](#)  
[007A704W1](#) [770-007A706](#) [770-007A707W1](#) [770-010Y208](#) [770-010Y308](#) [770-010Y705](#) [770-010Y706](#)