


Installation Notes

NLP250CJ Cover Accessory Kit NLP250CJ will fit the NLP250 power supplies.

MATERIALS

- One (1) cover
- Four (4) M3x8 mm countersunk screws

NLP250CJ Enclosure





Installation Instructions and Notes

- . Place the cover over the NLP250 as shown.
- 2. Align the cover to the U-bracket countersink holes.
- 3. Secure four (4) countersink screws provided with in kit as shown.
- 4. Overall dimensions: 7" (177.8 mm) x 4" (101.6 mm) x 1.6" (40.64 mm).
- When using this enclosure, ensure that relevant safety standards (e.g., EN60950) are complied with, in respect to creepage and clearance distances, and distances through insulation.
- 6. All dimensions are in inches (mm)



Mechanical Drawing





WORLDWIDE OFFICES

Americas

2900 S.Diablo Way Tempe, AZ 85282 USA +1 888 412 7832

Europe (UK)

Waterfront Business Park Merry Hill, Dudley West Midlands, DY5 1LX United Kingdom +44 (0) 1384 842 211

Asia (HK)

14/F, Lu Plaza 2 Wing Yip Street Kwun Tong, Kowloon Hong Kong +852 2176 3333



www.artesyn.com

For more information: www.artesyn.com/power For support: productsupport.ep@artesyn.com

NLP250CJ Enclosure Installation Notes 31May2017

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switching Power Supplies category:

Click to view products by Artesyn Embedded Technologies manufacturer:

Other Similar products are found below:

70841011 73-551-0005 AAD600S-4-OP R22095 KD0204 9021 S-15F-12 LDIN100150 LPM000-BBAR-01 LPX17S-C EVS57-10R6/R FDC40-24S12 FP80 FRV7000G 22929 CQM1IA121 40370121900 VI-PU22-EXX 40370121910 LDIN5075 432703037161 WRB01X-U LPX140-C 08-30466-1040G 09-160CFG 70841004 70841025 VPX3000-CBL-DC VI-LUL-IU LPM000-BBAR-05 LPM000-BBAR-08 LPM124-OUTA1-48 LPM000-BBAR-07 LPM109-OUTA1-10 LPM616-CHAS 08-30466-1055G 08-30466-2175G DMB-EWG TVQF-1219-18S 6504-226-2101 CQM1IPS01 XPFM201A+ MAP80-4000G LFP300F-24-TY SMP21-L20-DC24V-5A VI-MUL-ES 08-30466-0065G CME240P-24 VI-RU031-EWWX 08-30466-0028G