



## Cat.6 Patch Panel 24-Port STP, 19"

### Technical Features

Cat.6 24-Port Patch Panel, Shielded



Category 6 Class E 250MHz

24 shielded RJ45 jacks

Metal Housing, 19" Rack Mounting

Part no.	Color	Height	Standards	EAN Code
NP0053	RAL 7035 Light Grey	1U	ISO/IEC 11801 and TIA/EIA 568C.2	4052792040197
NP0055	RAL 9005 Black	1U	ISO/IEC 11801 and TIA/EIA 568C.2	4052792040203

### Technical Drawings



[www.logilink.de](http://www.logilink.de)



RoHS  
compliant



## Package Contents

Cat.6 Patch Panel 24-Port x 1

## Packaging Informations

Packing Dimension	520 x 130 x 50mm
Packing Weight	1.74kg
Carton Dimension	540 x 280 x 285mm
Carton Q'ty	10 pcs
Carton Weight	17.8kg



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:*

*Click to view products by [Logilink](#) manufacturer:*

Other Similar products are found below :

[RJE231881317T](#) [MP1010RX-1000](#) [MP44RX-1000](#) [GAX-3-66](#) [GAX-8-62](#) [93606-0253](#) [GD-A-44](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-A-88](#) [GDLX-N-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-N-44M](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT2-N-1010](#) [GMX-SMT2-N-64-50](#) [GMX-SMT2-S6-88](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GRT1-BT1-5](#) [GSGX-N-2-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-30](#) [GSX-NS-88-3.05-50](#) [GSX-NS-88-3.68](#) [1-1775629-2](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [1300500326](#) [1300500227](#) [1300530003](#) [1300570002](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1400000](#) [1413176](#) [1413235](#)