



















## Insulating bush

|   |   |   |   |  |
|---|---|---|---|--|
|    |    |    |   |   |
| <b>art. no.</b><br><b>IB 1 / IBT 1</b>  | <b>art. no.</b><br><b>IB 2 / IBT 2</b>  | <b>art. no.</b><br><b>IB 3 / IBT 3</b>  | <b>art. no.</b><br><b>IB 4 / IBT 4</b>  | <b>art. no.</b><br><b>IB 5</b>   |
|    |    |    |   |   |
| <b>art. no.</b><br><b>IB 6 / IBT 6</b>  | <b>art. no.</b><br><b>IB 7 / IBT 7</b>  | <b>art. no.</b><br><b>IB 8 / IBT 8</b>  | <b>art. no.</b><br><b>IB 9 / IBT 9</b>  | <b>art. no.</b><br><b>IB 10 / IBT 10</b>   |
|   |   |   |  |  |
| <b>art. no.</b><br><b>IB 11 / IBT 11</b>  | <b>art. no.</b><br><b>IB 12 / IBT 12</b>  | <b>art. no.</b><br><b>IB 13</b>   | <b>art. no.</b><br><b>IB 14 / IBT 14</b>  | <b>art. no.</b><br><b>IB 15 / IBT 15</b>   |
|  |  |  |   |  |
| <b>art. no.</b><br><b>IB 16</b>   | <b>art. no.</b><br><b>IB 17</b>   | <b>art. no.</b><br><b>IB 18 / IBT 18</b>  |   |  |

|                              | <b>IB 1 - IB 7 / 18</b>       | <b>IBT 1 - IBT 15 / 18</b> | <b>IB 8 - IB 17</b> |
|------------------------------|-------------------------------|----------------------------|---------------------|
| <b>material</b>              | polyamide 4.6, GF reinforced  | PTFE (teflon)              | thermoplastic resin |
| <b>form stability</b>        | -40°C ... +250°C<br>(1.8 MPa) | -260°C ... +250°C          | -40°C ... +200°C    |
| <b>dielectric strength</b>   | 30 kV/mm                      | 40 kV/mm                   | 38 kV/mm            |
| <b>class of flammability</b> |                               | UL 94 V-0                  |                     |

Mica wafers  
Thermal conductive material  
Mounting for TO 3 angle  
Insulating distance sleeves

→ E 19  
→ E 2 - 5  
→ A 125  
→ E 32 - 128

Aluminium oxide wafers  
Thermal conductive paste  
Thermal conductive glue  
Technical introduction

→ E 17 - 18  
→ E 21 - 22  
→ E 23 - 24  
→ A 2 - 8

**E 52**

A

B

C

D

E

F

G

H

I

K

L

M

N

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Thermal Interface Products](#) category:*

*Click to view products by [Fisher](#) manufacturer:*

Other Similar products are found below :

[63072-2-4013](#) [64442-1-7612](#) [FGN80-2](#) [PFM-172-60](#) [95778-1-5171](#) [A-40](#) [ACDIN4001-01-S](#) [APA502-80-001](#) [188761F00000G](#) [95779-1-5171](#) [9601-7](#) [9614-2-4013](#) [189790F00000](#) [189951F00000G](#) [2103-4-7320](#) [CN9565-000](#) [31570-2-4013](#) [LZ24-1](#) [4103G](#) [450-20-0025](#) [5300AC](#) [1.500G](#) [53-77-13ACG](#) [450-20-0017](#) [4949G](#) [08121](#) [08133](#) [08151](#) [08188](#) [08196](#) [10637-4-1040](#) [54476-2-4013](#) [71883-2-4053](#) [188651F00000G](#) [64445-1-7612](#) [66786-4-7320](#) [TP0001](#) [4952G](#) [4860](#) [450-20-0148](#) [88601-2-2929](#) [SC80-W2](#) [09450-M45](#) [09362-M45](#) [V6516C](#) [A17713-05](#) [A17690-06](#) [A17690-10](#) [A17690-05](#) [A17690-03](#) [A17775-05](#)