




## Miniature Toggle Switches

#### HOW TO ORDER SEE PAGE 1



#### SPECIFICATIONS:

Contact rating: see page 1 and 7

Electrical life: 50.000 make-and-break cycles at full load

Contact resistance:  $10m\Omega$  max. initial @ 2-4VDC 100mA for both

coin silver and gold plated contacts Insulation resistance:  $1.000M\Omega$  min.

Dielectric strength: 1.500V RMS @ sea level Operating temperature: -30  $^{\circ}$ C to 85  $^{\circ}$ C

MATERIALS:

Toggle handle: brass, chrome plated

Bushing: brass, nickel plated Housing: stainless steel

Case: diallyl phthalated (DAP) (UL 94V-0)

Terminal seal: epoxy


Switch support: brass, tin plated Contact materials: see page 1 and 7



#### SPDT\_TYPE\_1101T1B1M1RE




FUNCTION	SMITCH POSITION		
	Ŧ	À	å
1	ON	NONE	ON
2	ON	OFF	ON
3	ON	OFF	(0N)
4	(0N)	OFF	(0N)
5	ON	NONE	(0N)
TERM. CONN.	2-3	OPEN	2-1



### DPDT\_TYPE\_2101T1B1M1QE




FUNCTION	SWITCH	i POSITIO	
1	ON	NONE	ON
2	ON	OFF	ON
3	ON	OFF	(010)
4	(0N)	OFF	(00)
5	ON	NONE	(00)
TERM. CONN.	2-3, 5-6	OPEN	2-1, 5-4
6	ON	ON	ON
7	ON	ON	(0N)
8*	(0N)	ON	(010)



## 3PDT TYPE 3101T1B1M1RE



FUNCTION	SWITCH	i POSITIOI	
1	ON	NONE	ON
2	8	Ø#	8
3	8	≎ <del>F</del>	(0N)
4	(00)	OFF	(0N)
5	ON	NONE	(0N)
TERM. CONN.	2-3,5-6 8-9	OPEN	2-1,5-4 8-7





# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Toggle Switches category:

Click to view products by IC Switches manufacturer:

Other Similar products are found below:

A19HV 8A1-C-222 60012L 6006L 6663 7101MD9V30GE 7101SPDV30BE 7103SDV30BE 7105D 7108P3YAV2BE 71YY50282

7201MD9AVBE 7301K38 7306K36 7310K36 7314K36 7506K4 7592K6 7691K14 7700K1 8396K108 8824K14 8828K13 G2VX G3VX

PS83-121G A101MD9AB04 A101SD9AB04 A101SDCQ04 A103SD9AQ04 A107TZB04 A123P32YZQ A123S1YZG A127S1YCQ 1
1825192-0 A131S1YZQ A201SCWZB04 A207SYCB04 A208J61ZQ0004 A221K12KAG A221S1YZQ A221T1TCQ A232K12KZQ

A232M1YCQ A323S1CWZQ A423S1CWZG-M8 A423S1YZQ 12149A-3V 12156AX408 12147AGKX679