

Special unipolar flexible cables



Applications:
Special unipolar flexible cable for loudspeakers and Hi-Fi Car systems.
Cable with conductors composed of extremely thin elementary wires (from n° 504 to n° 1007 of Ø mm. 0,10) that are first bound up in beams and then stranded for a better transmission of the audio signal.

Characteristics:
Conductors: O.F.C. red copper
Insulation: Special PVC
Sheath colours: Red, Black, Transparent-red, Transparent-black

| Conductor Resistance Ω/Km ± 5% | Max rated Voltage AC - V | Operative Temperature °C |
|-----------------------------------|-----------------------------|-----------------------------|
| | | |
| 5 | 49 | -15 / +70 |
| 4 | 49 | -15 / +70 |

Special Transparent Red and Black flat cables



Applications:
Special transparent red and black flat cable for loudspeakers and Hi-Fi Car systems with more resistant sheath.
Cable with conductors composed of extremely thin elementary wires (from n° 122 to n° 360 of Ø mm. 0,12) that are first bound up in beams and then stranded for a better transmission of the audio signal.

Characteristics:
Conductors: O.F.C. red copper
Insulation: Special PVC
Sheath colour: Transparent-red/black

| Conductor Resistance Ω/Km ± 5% | Max rated Voltage AC - V | Operative Temperature °C |
|-----------------------------------|-----------------------------|-----------------------------|
| | | |
| 6 | 49 | -15 / +70 |

Extra-flex polarized flat cables



Applications:
Extra-flex polarized flat cables for loudspeakers and Hi-Fi Car systems.
Cables with soft sheaths and conductors composed of thin elementary wires (Ø mm. 0,15) that are first bound up in beams and then stranded for a better transmission of the audio signal.

Characteristics:
Conductors: O.F.C. red copper
Insulation: Soft PVC
Sheath colour: Black with a red band on one conductor

| Conductor Resistance Ω/Km ± 5% | Max rated Voltage AC - V | Operative Temperature °C |
|-----------------------------------|-----------------------------|-----------------------------|
| | | |
| 21 | 49 | -15 / +70 |
| 16 | 49 | -15 / +70 |
| 12 | 49 | -15 / +70 |

| tasker® Code | Cond. number | Nominal section mm² | Nominal section AWG | Cond. Format. mm. | External Cable Diameter mm. | Reel or Spool (* pag. II) | | |
|--------------|--------------|------------------------|------------------------|----------------------|--------------------------------|---------------------------|------|-----|
| | | | | | | mt. | Type | Kg. |
| C234 | 1 | 1 x 4,00 | 11 | 72x7x0,10 | 4,5 | 100 | B | 5,5 |
| C235 | | 1 x 6,00 | | 63x12x0,10 | 7,0 | 100 | B | 9,5 |
| C236 | | 1 x 8,00 | | 53x19x0,10 | 9,0 | 50 | B | 7,5 |

| tasker® Code | Cond. number | Nominal section mm² | Nominal section AWG | Cond. Format. mm. | External Cable Dimension mm. | Reel or Spool (* pag. II) | | |
|--------------|--------------|------------------------|------------------------|----------------------|---------------------------------|---------------------------|------|-----|
| | | | | | | mt. | Type | Kg. |
| TSK 1002 | 2 | 2 x 1,50 | 16 | 122x0,12 | 4,7 x 9,8 | 100 | B | 6,0 |
| TSK 1005 | | 2 x 4,00 | | 120x3x0,12 | 4,7 x 9,8 | 50 | B | 5,0 |

| tasker® Code | Cond. number | Nominal section mm² | Nominal section AWG | Cond. Format. mm. | External Cable Dimension mm. | Reel or Spool (* pag. II) | | |
|--------------|--------------|------------------------|------------------------|----------------------|---------------------------------|---------------------------|------|-----|
| | | | | | | mt. | Type | Kg. |
| TSK 1013 | 2 | 2 x 0,75 | 18 | 42x0,15 | 2,2 x 4,5 | 100 | B | |
| TSK 1014 | | 2 x 1,00 | | 56x0,15 | 2,8 x 5,7 | 100 | B | |
| TSK 1015 | | 2 x 1,50 | | 84x0,15 | 3,0 x 6,1 | 100 | B | |
| TSK 1016 | | 2 x 2,50 | | 140x0,15 | 3,7 x 7,5 | 100 | B | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Multi-Conductor Cables](#) category:

Click to view products by [Tasker](#) manufacturer:

Other Similar products are found below :

[89182-010-1000](#) [89705-008-500](#) [6000FE-877-1000](#) [CS2885-000](#) [M27500-20SP2S23](#) [6300FE-877-U1000](#) [6309UE-877-1000](#) [M3905-BK005](#)
[6502FE 8771000](#) [6541PA-008-U1000](#) [CV6807-000](#) [CW9530-000](#) [CX6543-000](#) [CXA-0066-20-4-9CS2973](#) [CXA-0078-16-1-9CS2405](#) [CXA-](#)
[0078-22-4-9CS2405](#) [CXA-0078-24-4-9CS2405](#) [CXA-0140-16-6/9-9CS2405](#) [CY0660-000](#) [720451-000](#) [752687-000](#) [768146-000](#) [773159-000](#)
[82841-877-5000](#) [83318E-009-500](#) [8348-060-500](#) [83559-002-1000](#) [83653-002-5000](#) [83659-002-1000](#) [83709-002-1000](#) [8404-060-500](#) [8469](#)
[060100](#) [858171-000](#) [8628-060-500](#) [868361-001](#) [8730-060-1000](#) [8737-060-U1000](#) [8747-060-100](#) [8747-060-1000](#) [8769-060-1000](#) [8775-060-](#)
[500](#) [877541-000](#) [8780-060-1000](#) [8782-001-U1000](#) [88444-002-1000](#) [9159-060-500](#) [9318-060-1000](#) [939870-000](#) [9423 060U500](#) [9444](#)
[060U1000](#)