


PRODUCT NO SEE TABLE		REV. 1 X																						
<p>NOTES:</p> <ol style="list-style-type: none"> 1 WELDING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR: BLUE. 2 TERMINAL MATERIAL, PHOSPHOR BRONZE. 3 1° MAX DRAFT PERMITTED ON ALL SURFACES. 4 SAME TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL. 5 1.8 MM/4 LBS MIN TENSILE PULL-OUT FORCE. 6 .13/.008 STEP AROUND MOUNTING HOLE. 7 RECOMMENDED MOUNTING SCREW SIZE 00-05 FILLISTER HEAD 4.75/.100 LONG FOR 1.67/.05 BOARD 5.47/.100 LONG FOR 2.47/.05, 3.107/.100 BOARD 8 ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION. 9 IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN 00-00-000. 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE. <p>11. plating option. maybe either Gold or GXT plating at manufacturer's option.</p>																								
<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 10%;">DATE</td> <td style="width: 10%;">REV</td> <td style="width: 10%;">BY</td> <td style="width: 10%;">CHK</td> <td style="width: 10%;">APP</td> <td style="width: 10%;">DATE</td> <td style="width: 10%;">REV</td> <td style="width: 10%;">BY</td> <td style="width: 10%;">CHK</td> <td style="width: 10%;">APP</td> <td style="width: 10%;">DATE</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>			DATE	REV	BY	CHK	APP	DATE	REV	BY	CHK	APP	DATE											
DATE	REV	BY	CHK	APP	DATE	REV	BY	CHK	APP	DATE														
<table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 15%;">CUSTOMER CMT</td> <td style="width: 85%;">FCJ www.fcjconnect.com</td> </tr> <tr> <td>LEADER, SLITCHES, SLIN LINE, VERTICAL</td> <td> </td> </tr> <tr> <td>DATE</td> <td>4/1/06</td> </tr> <tr> <td>QTY</td> <td>2</td> </tr> </table>			CUSTOMER CMT	FCJ www.fcjconnect.com	LEADER, SLITCHES, SLIN LINE, VERTICAL		DATE	4/1/06	QTY	2														
CUSTOMER CMT	FCJ www.fcjconnect.com																							
LEADER, SLITCHES, SLIN LINE, VERTICAL																								
DATE	4/1/06																							
QTY	2																							

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD		D			
-032							3.8/.15	RD	.75 μ /30 μ Au OVER 1.27 μ /50 μ Ni				
-033							17.15/.675	SO					
-034							2.67/.105	SO					
-035							3.8/.15	SO	3.81 μ /150 μ TIN				
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D			
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-038							3.8/.15	RD	.75 μ /30 μ Au OVER 1.27 μ /50 μ Ni				
-039							17.15/.675	SO					
-040							2.67/.105	SO					
-041							3.8/.15	SO	3.81 μ /150 μ TIN				
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-044							3.8/.15	RD	.75 μ /30 μ Au OVER 1.27 μ /50 μ Ni				
-045							17.15/.675	SO					
-046							2.67/.105	SO					
-047							3.8/.15	SO	3.81 μ /150 μ TIN				
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D			
-049	2X5	26.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A			
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				D			
-051	2X13	44.9/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500							
-052	2X17	54.6/2.15	48.8/1.92	45.64/1.600	50.29/1.980	48.26/1.900			.75 μ /30 μ GXT/GOLD FLASH				
-053	2X20	62.3/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200							
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D			
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C			
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D			
-057	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD	.75 μ /30 μ Au OVER 1.27 μ /50 μ Ni				
-058							3.8/.15	RD					
-059							17.15/.675	SO					
-060							2.67/.105	SO					
-061							3.8/.15	SO	3.81 μ /150 μ TIN				
-062							17.15/.675	SO					
-063							2.67/.105	RD					
-064							3.8/.15	RD	.75 μ /30 μ GXT/GOLD FLASH				
65692-065	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D			

REV	DESCRIPTION	BY	DATE

CUSTOMER COPY			
CODE IDENT 25890		 www.fcjconnect.com	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	


DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	
DATE 1/8/98	SIZE 1/8x98	WFLS HEADER, QUICKTE SLID LINE, VERTICAL	

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-101	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	3.8/.15	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-102	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	17.15/.675	SO						
-103	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD						
-104	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.8/.15	RD						
-105	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO						
-106	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD						
-107	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	3.8/.15	RD						
-108	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO			D			
-109	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	B			
-110							3.8/.15	RD						
-111							17.15/.675	SO						
-112							2.67/.105	SO	3.81 μ /150 μ * TIN					
-113							3.8/.15	SO						
-114							17.15/.675	SO						
-115							2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni					
-116							3.8/.15	RD						
-117							17.15/.675	SO						
-118							2.67/.105	RD	.76 μ /30 μ * GXT/GOLD FLASH					
-119							3.8/.15	RD						
65692-120	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		B				
65692-121	OBSOLETE													
65692-216	OBSOLETE													
65692-217	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-218							3.81/.150	RD						
-219							17.15/.675	SO						
-220							2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-221							3.81/.150	RD						
-222							17.15/.675	SO						
-223							2.67/.105	RD		.76 μ /30 μ * GXT/Au FLASH				
-224							3.81/.150	RD						
-225							17.15/.675	SO						
-226							2.67/.105	SO		3.81 μ /150 μ * TIN				
-227							3.81/.150	SO						
65692-228	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	17.15/.675	SO		D				

SHEET NO		TIME		DATE		CUSTOMER COPY		CODE IDENT		DATE		FCJ www.fcj.com
1		1		1		2285		1/8/99		1/8/99		
NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		TITLE HEADER, QUICKIE SLID L.I.N.E. VERTICAL
XXXX		XXXX		XXXX		XXXX		XXXX		XXXX		
TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		FORM SIZE 1/1
1		1		1		1		1		1		
NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		FORM NO
XXXX		XXXX		XXXX		XXXX		XXXX		XXXX		65692
NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		SHEET
XXXX		XXXX		XXXX		XXXX		XXXX		XXXX		6

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-229	2X15	49.5/1.95	43.7/1.72	35.96/1.400	45.21/1.780	43.18/1.700	2.67/.105	RD	.38µ/15µ*Au OVER 1.27µ/50µ*Ni	D				
-230							3.81/.150	RD						
-231							17.15/.675	SO						
-232							2.67/.105	RD						
-233							3.81/.150	RD	.76µ/30µ*Au OVER 1.27µ/50µ*Ni					
-234							17.15/.675	SO						
-235							2.67/.105	RD						
-236							3.81/.150	RD	.76µ/30µ*Au GRT/Au FLASH					
-237							17.15/.675	SO						
-238							2.67/.105	SO						
-239							3.81/.150	SO	3.81µ/150µ* TIN					
-240	2X15	49.5/1.95	43.7/1.72	35.96/1.400	45.21/1.780	43.18/1.700	17.15/.675	SO						
-241	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	2.67/.105	RD	.38µ/15µ*Au OVER 1.27µ/50µ*Ni					
-242							3.81/.150	RD						
-243							17.15/.675	SO						
-244							2.67/.105	RD						
-245							3.81/.150	RD	.76µ/30µ*Au OVER 1.27µ/50µ*Ni					
-246							17.15/.675	SO						
-247							2.67/.105	RD						
-248							3.81/.150	RD	.76µ/30µ*Au GRT/Au FLASH					
-249							17.15/.675	SO						
-250							2.67/.105	SO						
-251							3.81/.150	SO	3.81µ/150µ* TIN					
-252	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	17.15/.675	SO		D				
-253	2X5	24.1/1.95	18.3/1.72	18.16/1.400	19.81/1.780	17.78/1.700	2.67/.105	SO	.76µ/30µ*Au OVER 1.27µ/50µ*Ni	A				
-254	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	2.67/.105	SO		D				
-255	2X17	54.6/2.15	48.8/1.92	40.84/1.600	50.29/1.980	48.26/1.900	2.67/.105	SO		D				
-256	2X5	CUSTOMER RESTRICTED												
-257	2X10													
-258	2X20													
-259	2X10													
-260	2X17													
-261	2X20													
-262	2X17	CUSTOMER RESTRICTED												
65692-263	2X5													

REVISIONS			
REV	DESCRIPTION	BY	DATE
✓			

SHEET NO	TABLE NO	SCALE	DATE	DR	CHKD	APP'D	REV	DATE	BY	DATE	BY	DATE	
DO NOT SCALE DRAWING 1:1 1/8" = 1"			TOLERANCES FRACTIONS 0.000, 0.001, 0.002, 0.005, 0.010, 0.015, 0.030, 0.050, 0.063, 0.125, 0.250, 0.500, 1.000, 2.000, 5.000, 10.000 DECIMALS 0.000, 0.001, 0.002, 0.005, 0.010, 0.015, 0.030, 0.050, 0.063, 0.125, 0.250, 0.500, 1.000, 2.000, 5.000, 10.000 ANGLES 1/2°, 1°, 3°, 6°, 12°, 15°, 30°, 45°, 60°, 90°		PARTS LIST XXXXXX XXXXXX XXXXXX		DRAWING CODE XXXXXX XXXXXX XXXXXX		CUSTOMER COPY CODE IDENT SERIAL		 www.fcjconnect.com		
TITLE: HEADER, QUICKIE SLIM LINE, VERTICAL										SCALE: 1/8" = 1"		SHEET NO: D 65692 OF: 7	

THIS DRAWING IS THE PROPERTY OF FCJ CONNECT CORPORATION AND IS TO BE USED ONLY FOR THE PURPOSE AND INTENT OF THE ORIGINAL ORDER. IT IS TO BE RETURNED TO FCJ CONNECT CORPORATION UPON REQUEST.

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-264	2X5	CUSTOMER RESTRICTED								
65692-265	2X1J									

REV	DESCRIPTION	BY	DATE
V			

SHEET		TITLE		DATE		DRAWN		CHECKED		APPROVED		CUST. COPY		CODE		SERIAL		FCJ		www.falconconnect.com	
1		1		1		1		1		1		1		1		1		1		1	
SHEET		TITLE		DATE		DRAWN		CHECKED		APPROVED		CUST. COPY		CODE		SERIAL		FCJ		www.falconconnect.com	
1		1		1		1		1		1		1		1		1		1		1	

Use this grid as the number of and columns preliminary layout of the layout sheets.
The part of the layout sheet on this grid may be used to do any critical the critical corners of SHEET NUMBER, the following:

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [FCT Electronics](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)