

# spacer bolt


[ brass / steel, with self-tapping thread ]

- Tolerance for length dimensions: +/- 0.1 mm


- **Available from stock. Delivery times for intermediate lengths and special versions upon request.**



**EXECUTION DIA** [ Internal / external thread ]



**EXECUTION DIA** [ Internal / external thread without undercut (oF)]



## Standard range – spacer bolts [ Brass, nickel plated ]

Order No.	Execution	SW* (mm)	Thread size G1	Thread size G2	Standard lengths in mm
212ST2.2 x (length)	DIA	5	ST2.2	M2.5	8, 10, 12, 15, 20
214ST2.9 x	DIA	5.5	ST2.9	M3	8, 10, 12, 15, 20
214ST3.3 x	DIA	5.5	ST3.3	M3	8, 10, 12, 15, 20
215ST3.5 x	DIA	6	ST3.5	M3	8, 10, 12, 15, 20
216ST4.2 x	DIA	7	ST4.2	M4	8, 10, 12, 15, 20
218ST4.8 x	DIA	8	ST4.8	M5	8, 10, 12, 15, 20
219ST6.3 x	DIA	10	ST6.3	M6	10, 12, 15, 20

\*SW: width across flats

Please add the suffix „oF“ to the article No. to specify the variant without undercut

**Ordering example:** 212ST2.2 x 15oF = DIA / St / SW5 / M2.5 - St 2.2 x 15oF



- Tolerance for length dimensions: +/- 0.1 mm

- Available from stock. Delivery times for intermediate lengths and special versions upon request.




**External thread G1 [ mm ]**

Thread size	l3	d1	d2
ST2.2	5	2.1	1.6
ST2.9	6	2.8	2.1
ST3.3	6	3.2	2.3
ST3.5	7	3.4	2.6
ST4.2	8	4.1	3.0
ST4.8	8	4.7	3.5
ST6.3	10	6.1	4.8

**Internal thread G2 [ mm ]**

L (mm)	l2 (mm)
8	5
10	6
12	7
15	10
20	10



### Standard range – spacer bolts [ Steel, galvanised ]

Order No.	Execution	SW* (mm)	Thread size G1	Thread size G2	Standard lengths in mm
222ST2.2 x (length)	DIA	5	ST2.2	M2.5	8, 10, 12, 15, 20
224ST2.9 x	DIA	5.5	ST2.9	M3	8, 10, 12, 15, 20
224ST3.3 x	DIA	5.5	ST3.3	M3	8, 10, 12, 15, 20
225ST3.5 x	DIA	6	ST3.5	M3	8, 10, 12, 15, 20
226ST4.2 x	DIA	7	ST4.2	M4	8, 10, 12, 15, 20
228ST4.8 x	DIA	8	ST4.8	M5	8, 10, 12, 15, 20
229ST6.3 x	DIA	10	ST6.3	M6	10, 12, 15, 20

\*SW: width across flats

Please add the suffix „oF“ to the article No. to specify the variant without undercut

Ordering example: 222ST2.2 x 15oF = DIA / St / SW5 / M2.5 - St 2.2 x 15oF

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Standoffs & Spacers](#) category:*

*Click to view products by [Dremec](#) manufacturer:*

Other Similar products are found below :

[M0513-3-N](#) [M0516-3-N](#) [M0517-3-N](#) [M0518-3-N](#) [M0521-3-N](#) [M0524-3-N](#) [M0532-35-AL](#) [M0532-35-N](#) [M0543-4-AL](#) [M0544-35-N](#) [M0544-3-N](#) [M0545-3-AL](#) [M0553-3-N](#) [M0564-4-N](#) [M0608-5-SS](#) [M0609-5-SS](#) [M0610-35-AL](#) [M0613-3-N](#) [M0651-5-SS](#) [M0653-35-N](#) [M0654-4-SS](#) [M0655-5-AL](#) [M0655-5-N](#) [M0660-4-AL](#) [M0660-4-N](#) [M0670-35-N](#) [M0671-5-N](#) [M0671-5-SS](#) [M0722-5-N](#) [M0725-6-N](#) [M0731-4-N](#) [M0904-B-25-AL](#) [M1273-2545-AL](#) [M1273-3005-AL](#) [M1303-3506-AL](#) [M1307-3506-AL](#) [M1313-3005-N](#) [M1313-4007-AL](#) [M1314-3005-AL](#) [M1314-3005-SS](#) [M1315-3005-SS](#) [M1315-4007-N](#) [M1317-3506-AL](#) [M1317-4007-SS](#) [M1318-3005-SS](#) [M1320-3005-AL](#) [M1320-3005-N](#) [M1321-3005-SS](#) [M1321-4007-AL](#) [M1322-4007-N](#)