


datasheet for KLEPS 30
article number: 930113100



| | |
|--|---|
| product description: | order number: 930 113-100 |
| description: | Clamp-type test probe with rotating grip jaws and flexible shaft. The special form of the grip jaws allows clamping of pins and wires up to a maximum of 4mm diameter. 4mm diameter brass socket connection with side screw, grip jaws additionally tin-plated. |
| typ: | KLEPS 30 schwarz / black |
| system: | 4mm system |
| order number: | 930 113-100 |
| clamping range: | 4 mm |
| clamping typ: | rotating grip jaws |
| color | ● |
| other color versions: | ● ● |
| technical data | |
| measurement category acc. to IEC 61010: | CAT I |
| type of termination: | 4 mm socket (unsprung) screw |
| rated voltage: | 30 VAC / 60 VDC |
| rated current: Please consider derating curve! | 4 A |
| contact resistance: | 50 mOhm |
| material | |
| contact material: | grip jaws: spring steel socket: brass |
| contact surface material: | grip jaws: tin |
| housing material: | PF |
| environmental conditions: | |
| temperature range: | -25 °C to +80 °C |
| inflammable class: | |
| housing (basic material): | UL 94 V - 0 |
| drawing | |



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hand Tools](#) category:

Click to view products by [Hirschmann](#) manufacturer:

Other Similar products are found below :

[568681-1](#) [576786-2](#) [58061-1](#) [58176-1](#) [58177-1](#) [58177-2](#) [58284-1](#) [59085](#) [0031](#) [59737-5](#) [015-0339-000](#) [015-8755-001](#) [600-146-06](#) [M15570-25](#) [62200-5709](#) [6-304052-1](#) [63443-1002](#) [63443-3513](#) [63443-4025](#) [63443-7114](#) [6-354778-5](#) [6-354779-2](#) [63600-2995](#) [63810-0105](#) [M8196914-08](#) [M819698-07](#) [662508-1](#) [662908-1](#) [679994-1](#) [679994-2](#) [68764-0001](#) [69001-0105](#) [69002-5525](#) [690124-7](#) [690191-1](#) [690191-4](#) [690696-1](#) [691409-4](#) [691667-1](#) [692006-2](#) [692655-7](#) [692776-1](#) [692776-4](#) [693077-3](#) [693077-4](#) [693597-1](#) [D20418-137](#) [D20419-189](#) [ESR-17x17](#) [ET-LY10](#)