


FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
				RRH-25-8-40	2.50	
RRH-25-8-70	7.00	55	85			
RRH-30-10-30	3.00	3.00	1.00	25	47	
RRH-30-12-30			1.20	23	44	
RRH-30-10-40		4.00	1.00	32	51	
RRH-30-10-60	6.00	46		74		
RRH-35-8-35	3.50	3.50	0.80	37	62	
RRH-35-12-35			1.20	26	45	
RRH-35-18-35			1.80	19	37	
RRH-35-10-40	4.00	4.00	1.00	32	55	
RRH-35-12-40			1.20	31	46	
RRH-35-13-40			1.30	29	48	
RRH-35-15-40	4.50	4.50	1.50	25	43	
RRH-35-8-45			0.80	46	86	
RRH-35-8-47				4.70	77	
RRH-35-8-50	5.00	5.00	1.20	50	85	
RRH-35-12-50				37	55	
RRH-35-13-50				1.30	61	
RRH-35-15-50	3.50	5.00	1.50	33	51	
RRH-35-18-50			1.80	27	48	
RRH-35-8-60			6.00	0.80	57	92
RRH-35-10-60	1.00	53		75		
RRH-35-12-60	1.20	45		73		
RRH-35-13-60	4.00	6.00	1.30	43	64	
RRH-35-15-60			1.50	35	60	
RRH-35-18-60			1.80	28	54	
RRH-35-12-70	7.00	1.20	54	84	2,000	
RRH-35-8-75	7.50	0.80	69	114	2,000	
RRH-35-8-80	8.00		77	134	4,000	
RRH-35-10-80		1.00	78	111	2,000	
RRH-35-8-90	9.00	0.80	93	158	1,000	
RRH-35-13-90		1.30	62	80	2,000	
RRH-35-8-95	9.50	0.80	84	133	1,000	
RRH-35-8-140	14.00		144	212	2,000	
RRH-40-15-40	4.00	1.50	26	51	2,000	
RRH-40-20-40		2.00	24	48	4,000	
RRH-40-15-50	5.00	1.50	35	54	2,000	
RRH-40-20-50		2.00	28	51		
RRH-40-20-60			30	49		
RRH-40-20-70	7.00	2.00	40	64		
RRH-40-20-80			39	58		
RRH-40-15-100			0.05	65	91	
RRH-40-20-100	53	80				
RRH-40-20-120	12.00	2.00	52	76		
RRH-40-20-150			70	97		
RRH-40-20-170	17.00	79	116			

FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
				RRH-45-25-48	4.50	
RRH-45-25-70	7.00	32	55			
RRH-45-26-120	4.60	12.00	2.60	49	72	
RRH-46-20-110		11.00	2.00	65	104	
RRH-48-23-64		4.83	6.35	2.29	43	80
RRH-50-23-50	5.00	5.00	2.30	30	55	
RRH-50-16-62		6.20	1.60	56	91	
RRH-50-24-64		6.35	2.36	32	50	
RRH-50-23-100	5.70	10.00	2.30	51	72	
RRH-50-15-110		11.00	1.50	84	119	
RRH-50-22-120		12.00	2.15	69	108	
RRH-50-22-180	5.00	18.00	3.00	128	147	
RRH-50-15-200		20.00	1.50	158	221	
RRH-57-15-80	5.70	8.00	1.50	76	111	
RRH-60-30-100	6.00	10.00	3.00	52	90	
RRH-60-40-100		12.80	4.00	27	48	
RRH-60-40-128	6.35	18.00	3.15	100	155	
RRH-60-30-250		25.00	3.00	120	175	
RRH-64-33-127		12.70	3.30	55	80	
RRH-64-33-158	6.50	15.80	4.30	76	101	
RRH65-43-100		10.00	4.30	34	62	
RRH-65-43-110	11.00	4.30	38	63	1,000	
RRH-75-24-75	7.50	7.50	2.40	60	102	2,000
RRH-79-30-100	7.90	10.00	3.00	68	108	
RRH-79-40-128		12.80	4.00	66	107	
RRH-79-30-190		19.00	3.00	130	190	
RRH-80-60-90	8.00	9.00	6.00	23	47	
RRH-80-60-98		9.80	6.00	22	41	
RRH-80-40-100		10.00	4.00	48	71	
RRH-80-32-101	9.30	10.06	3.18	67	115	
RRH-80-60-120		12.00	6.00	25	45	
RRH-80-50-160		16.00	5.00	59	104	
RRH93-45-95	9.50	9.50	4.50	53	98	
RRH-93-58-110		11.00	5.80	37	62	
RRH-95-48-95	9.50	9.50	4.80	50	86	
RRH-95-52-95		5.20	45	76		
RRH-95-52-100		10.00	5.80	48	74	
RRH-95-58-100	9.50	10.40	5.00	53	81	
RRH-95-50-104		12.70	4.80	56	80	
RRH-95-48-127		14.50	5.00	75	121	
RRH-95-50-145	9.52	16.00	5.00	72	114	
RRH-95-50-160		19.00	5.00	95	135	
RRH-95-50-195		19.50	5.00	98	153	
RRH-96-51-159	9.52	15.88	5.08	74	103	500

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-98-8-114	9.80	11.40	0.80	167	256	200	
RRH-98-67-135		13.50	6.70	43	91	500	
RRH-98-67-191		19.05		51	88	300	
RRH-100-50-100	10.00	10.00	5.00	54	85	500	
RRH-100-60-100		10.00	6.00	38	66		
RRH-100-70-100			7.00	31	57		
RRH-100-60-140	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150	
RRH-105-55-250		25.00		106	173		
RRH-110-50-160	11.00	16.00	5.00	87	138	200	
RRH-110-50-185		18.50		113	178		
RRH-110-50-200		20.00		106	154		
RRH-110-50-250		25.00		145	230		400
RRH-115-50-185	11.50	18.50	4.30	101	146	100	
RRH-115-43-200		20.00		148	210		
RRH-115-43-260		26.00		190	270		
RRH-118-73-150	11.80	15.00	7.30	61	109	200	
RRH-120-70-120	12.00	12.00	7.00	46	76	300	
RRH-120-85-120		12.00	8.50	39	75	200	
RRH-120-56-150			5.60	79	124		
RRH-120-70-150		15.00	7.00	60	92	100	
RRH-120-85-150			8.50	45	85		
RRH-120-56-200		20.00	5.60	119	175	165	
RRH-120-73-200			7.30	69	108	100	
RRH-120-35-230			23.00	3.50	207		326
RRH-120-56-300		30.00	5.60	180	260	110	
RRH-122-79-203		12.20	23.00	7.90	67	108	100
RRH-123-70-200	12.30	20.00	7.00	72	137	165	
RRH-123-49-254	12.32	25.40	4.88	172	264	100	
RRH-125-80-125	12.50	12.50	8.00	42	72	200	
RRH-125-52-150		15.00	5.20	95	145		
RRH-127-79-127	12.70	12.70	7.90	43	60	200	
RRH-140-90-150	14.00	15.00	9.00	48	82	200	
RRH-142-64-150	14.20	15.00	6.35	92	146	100	
RRH-142-70-150			7.00	78	116		
RRH-142-80-150		8.00	63	107	110		
RRH-142-64-180		18.00	6.35	99		141	
RRH-142-70-235		23.50	7.00	127	204	110	
RRH-142-64-285			6.35	164	255		
RRH-142-70-285		28.50	7.00	143	243	110	
RRH-142-80-285			8.00	128	195		
RRH-149-70-190		14.99	19.00	6.99	107	171	128
RRH-149-70-279			27.94		151	237	110

FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHZ	100MHZ	
RRH-153-102-285	15.20	28.50	10.20	81	128	99
RRH-153-90-170	15.25	17.00	9.00	53	103	120
RRH-153-80-280		28.00	8.00	122	180	99
RRH-157-70-286	15.65	28.57	6.99	164	258	
RRH-158-79-160	15.80	16.00	7.90	84	132	100
RRH-159-79-286	15.88	28.57	7.87	148	241	99
RRH-160-90-200	16.00	2.00	9.00	98	124	112
RRH-160-80-160		16.00	8.00	77	116	100
RRH-160-90-170		17.00	9.00	61	115	120
RRH-160-43-175		17.50	4.30	92	213	126
RRH-160-70-200		20.00	7.00	111	163	96
RRH-160-70-280				174	247	
RRH-160-90-280		28.00	9.00	104	178	99
RRH-160-100-280			10.00	91	156	
RRH-160-90-285		28.50	9.00	105	195	88
RRH-171-88-254		17.07	25.40	8.76	122	
RRH-175-80-285	17.50	28.50	8.00	139	203	88
RRH-175-83-285			8.30	143	242	
RRH-175-95-285			9.50	115	170	
RRH-175-107-285			10.70	90	150	
RRH-175-95-350	35.00	9.50	152	253	100	
RRH-180-100-180	18.00	18.00	80	135		
RRH-180-100-280	18.00	28.00	124	209	88	
RRH-180-100-290		29.00	128	210		
RRH-186-102-250	18.67	25.00	10.16	115	178	77
RRH-186-102-286		28.57	117	171		
RRH-190-130-290	19.00	29.00	13.00	60	105	40
RRH-190-58-315		31.50	5.80	243	323	
RRH-190-58-350		35.00	272	340		
RRH-190-63-350		6.30	242	324	32	
RRH-259-128-286	25.91	28.57	12.83	127		195
RRH-280-160-280	28.00	28.00	16.00	110	169	32
RRH-285-138-286	28.50	28.57	13.77	158	250	24

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF




- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE		SHEET No. 2 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-25-8-40




RRH-25-8-70




RRH-30-10-30




RRH-30-10-40




RRH-30-10-60




RRH-30-12-30




RRH-35-8-35




RRH-35-8-45




RRH-35-8-47-K5B




RRH-35-8-50




RRH-30-8-60




RRH-35-8-75



RRH-35-8-80



RRH-35-8-90



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No. 06-055		SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
				SHEET No. 3 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No. 06-055	SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No. 06-055	SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No. 06-055	SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS	SHEET No. 6 OF 13		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-79-30-190




RRH-79-40-128




RRH-80-40-100




RRH-80-50-160




RRH-80-60-90




RRH-80-60-98




RRH-80-60-120




RRH-93-45-95




RRH-93-58-110




RRH-95-48-95




RRH-95-48-127




RRH-95-50-104



RRH-95-50-145



RRH-95-50-160



NOTES.

1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:

RRH Solid Ferrite Cores, Impedance Graphs.

DRG No:

06-055

SHEET SIZE

A3

DRN

NJB

DATE

19/06/06

CHKD

AS

DATE

19/06/06















SCALE

NTS

SHEET No.

7 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
SHEET No. 8 OF 13				

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-142-70-235




RRH-142-70-285




RRH-142-80-150




RRH-14280-285




RRH-149-70-190




RRH-149-70-279




RRH-153-102-285




RRH-153-80-280




RRH-153-90-170




RRH-157-70-286




RRH-158-79-160




RRH-159-79-286



RRH-160-43-175



RRH-160-70-200



NOTES.

1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:

RRH Solid Ferrite Cores, Impedance Graphs.

DRG No:

06-055

SHEET SIZE

A3

DRN

DATE

CHKD

DATE

SCALE

SHEET No.

NJB

19/06/06















AS

19/06/06

NTS

11 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
SHEET No. 13 OF 13				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ferrite Clamp On Cores](#) category:

Click to view products by [Richco](#) manufacturer:

Other Similar products are found below :

[CS28B0984](#) [CV28B1642](#) [RA33B4340](#) [AS20B2034](#) [IL25B0642K](#) [IL28B0642K](#) [SA28B0121](#) [SA33B4340](#) [SS33B2033](#) [FD33B2480](#)
[FF33B2480](#) [CF28B1642](#) [RA33B2480](#) [CS28B0642](#) [CS33B0984](#) [TC28B0937](#) [TC33B0984](#) [432703037561](#) [USB28B2034](#) [432202209491](#)
[4327 018 21641](#) [SA28B4340](#) [SE28B0121](#) [CF28B0642](#) [74271633](#) [74271733S](#) [SS33B2035](#) [TC28B2000](#) [431164281](#) [CF28B1937](#) [SS20B2037](#)
[TC28B0617](#) [RC28B3012](#) [SS33B2032](#) [FF28B2480](#) [TC20B1500](#) [SS25B2032](#) [SS20B2034](#) [RC33B2480](#) [RA25B2480](#) [PM28B3375](#)
[PM28B0686](#) [FA28B1265](#) [CV28B1984](#) [74271722S](#) [7427143](#) [RA20B1729](#) [CS33B4000](#) [TC33B0805](#) [SS33B2040](#)