


FERRITE MATERIAL:K5B (RMS-303)												
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK						
				25MHz	100MHz							
RRH-25-8-40	2.50	4.00	0.80	33	52	4,000						
RRH-25-8-70		7.00		55	85							
RRH-30-10-30	3.00	3.00	1.00	25	47		2,000					
RRH-30-12-30			1.20	23	44							
RRH-30-10-40		4.00	32	51	46			74				
RRH-30-10-60	6.00	1.00	46	74								
RRH-35-8-35	3.50	3.50	0.80	37	62			4,000				
RRH-35-12-35			1.20	26	45							
RRH-35-18-35			1.80	19	37							
RRH-35-10-40	4.00	4.00	1.00	32	55				2,000			
RRH-35-12-40			1.20	31	46							
RRH-35-13-40			1.30	29	48							
RRH-35-15-40	1.50	25	43	46	86	4,000						
RRH-35-8-45	4.50	0.80	46				77					
RRH-35-8-47	4.70	0.80	50	85	37		55			2,000		
RRH-35-8-50	5.00	5.00	1.20	37							55	
RRH-35-12-50			1.30	61	33		51					
RRH-35-13-50			1.50	61								
RRH-35-15-50	3.50	6.00	1.80	27	48		4,000					
RRH-35-18-50			1.80	27	48							
RRH-35-8-60			0.80	57	92			53	75		2,000	
RRH-35-10-60	1.00	53	75									
RRH-35-12-60	6.00	6.00	1.20	45	73	4,000						
RRH-35-13-60			1.30	43	64							
RRH-35-15-60			1.50	35	60							
RRH-35-18-60	1.80	28	54	1.20	54			2,000				
RRH-35-12-70	7.00	1.20	54						84			
RRH-35-8-75	7.50	0.80	69	114	77				134	4,000		
RRH-35-8-80	8.00	8.00	0.80	77			134					
RRH-35-10-80			1.00	78	111		0.80		93			158
RRH-35-8-90	9.00	9.00	0.80	93	158							
RRH-35-13-90			1.30	62	80		84		133		1,000	
RRH-35-8-95			9.50	0.80	84	133						
RRH-35-8-140	14.00	0.80	144	212	1.50	26	51		2,000			
RRH-40-15-40	4.00	4.00	1.50	26								51
RRH-40-20-40			2.00	24	48	1.50	35	54				4,000
RRH-40-15-50	5.00	5.00	1.50	35	54							
RRH-40-20-50			2.00	2.00	2.00	28	51					
RRH-40-20-60					30	49	40	64				
RRH-40-20-70	7.00	40	64	0.05	65	91				2,000		
RRH-40-20-80	8.00	39	58									
RRH-40-15-100	10.00	10.00	0.05	65	91	53	80	300				
RRH-40-20-100			53	80								
RRH-40-20-120			12.00	2.00	52	76	70		97			
RRH-40-20-150	15.00	2.00	70	97								
RRH-40-20-170	17.00	2.00	79	116								

FERRITE MATERIAL:K5B (RMS-303)										
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK				
				25MHz	100MHz					
RRH-45-25-48	4.50	4.80	2.50	21	41	2,000				
RRH-45-25-70		7.00		32	55					
RRH-45-26-120	4.60	12.00	2.60	49	72		1,000			
RRH-46-20-110		11.00	2.00	65	104					
RRH-48-23-64	4.83	6.35	2.29	43	80			500		
RRH-50-23-50	5.00	5.00	2.30	30	55					
RRH-50-16-62			6.20	1.60	56				91	
RRH-50-24-64			6.35	2.36	32				50	
RRH-50-23-100	5.00	5.00	10.00	2.30	51				72	1,000
RRH-50-15-110			11.00	1.50	84				119	
RRH-50-22-120			12.00	2.15	69	108				
RRH-50-22-180	5.70	8.00	18.00	3.00	128	147			500	
RRH-50-15-200			20.00	1.50	158	221				
RRH-57-15-80			8.00	1.50	76	111				
RRH-60-30-100	6.00	6.00	10.00	3.00	52	90	1,000			
RRH-60-40-100			4.00	27	48					
RRH-60-40-128	6.00	6.00	12.80	4.00	34	54		500		
RRH-60-32-180			18.00	3.15	100	155				
RRH-60-30-250			25.00	3.00	120	175				
RRH-64-33-127	6.35	6.35	12.70	3.30	55	80				1,000
RRH-64-33-158			15.80	3.30	76	101				
RRH65-43-100	6.50	6.50	10.00	4.30	34	62			2,000	
RRH-65-43-110			11.00	4.30	38	63				
RRH-75-24-75	7.50	7.50	2.40	60	102	1,000				
RRH-79-30-100	7.90	7.90	10.00	3.00	68		108			
RRH-79-40-128			12.80	4.00	66		107			
RRH-79-30-190	8.00	8.00	19.00	3.00	130		190	500		
RRH-80-60-90			9.00	6.00	23		47			
RRH-80-60-98			9.80	6.00	22		41			
RRH-80-40-100	8.00	8.00	10.00	4.00	48		71			300
RRH-80-32-101			10.06	3.18	67		115			
RRH-80-60-120			12.00	6.00	25		45			
RRH-80-50-160	9.30	9.30	16.00	5.00	59		104		500	
RRH93-45-95			9.50	4.50	53	98				
RRH-93-58-110			11.00	5.80	37	62				
RRH-95-48-95	9.50	9.50	4.80	50	86	300				
RRH-95-52-95			5.20	45	76					
RRH-95-52-100	10.00	10.00	5.80	48	74		500			
RRH-95-58-100			5.80	38	68					
RRH-95-50-104			10.40	5.00	53			81		
RRH-95-48-127	9.50	9.50	12.70	4.80	56			80		
RRH-95-50-145			14.50	75	121					
RRH-95-50-160	9.52	9.52	16.00	5.00	72			114	500	
RRH-95-50-190			19.00	95	135					
RRH-95-50-195			19.50	98	153					
RRH-96-51-159	9.52	15.88	5.08	74	103					

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

<b>RICHCO, INC.</b> WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE 
MATERIAL: <b>See Table</b>		COLOUR: <b>See Table</b>	
DESCRIPTION: <b>RRH Solid Ferrite Cores</b>		PART No: <b>See Table</b>	
DRG No: <b>06-055</b>	NPR No:	Mass:(g)	SHEET SIZE <b>A3</b>
DRN <b>NJB</b>	DATE <b>30/05/06</b>	CHKD <b>AS</b>	DATE <b>30/05/06</b>
SCALE <b>NTS</b>		SHEET No. <b>1 OF 13</b>	

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHZ	100MHZ			
RRH-98-8-114	9.80	11.40	0.80	167	256	200		
RRH-98-67-135		13.50	6.70	43	91	500		
RRH-98-67-191		19.05		51	88	300		
RRH-100-50-100	10.00	10.00	5.00	54	85	500		
RRH-100-60-100		10.00	6.00	38	66			
RRH-100-70-100		10.00	7.00	31	57			
RRH-100-60-140	14.00	6.00	45	73	200			
RRH-105-55-200	10.50	20.00	5.50	95	138	150		
RRH-105-55-250		25.00		106	173			
RRH-110-50-160	11.00	16.00	5.00	87	138	200		
RRH-110-50-185		18.50		113	178			
RRH-110-50-200		20.00		106	154			
RRH-110-50-250		25.00		145	230		400	
RRH-115-50-185	11.50	18.50	4.30	101	146	100		
RRH-115-43-200		20.00		148	210			
RRH-115-43-260		26.00		190	270			
RRH-118-73-150	11.80	15.00	7.30	61	109	200		
RRH-120-70-120	12.00	12.00	7.00	46	76	300		
RRH-120-85-120		12.00	8.50	39	75	200		
RRH-120-56-150		12.00	5.60	79	124			
RRH-120-70-150		12.00	7.00	60	92			
RRH-120-85-150		12.00	8.50	45	85	100		
RRH-120-56-200		12.00	5.60	119	175			
RRH-120-73-200		12.00	7.30	69	108			
RRH-120-35-230		12.00	23.00	3.50	207	326	110	
RRH-120-56-300		12.00	30.00	5.60	180	260		
RRH-122-79-203		12.20	23.00	7.90	67	108	100	
RRH-123-70-200	12.30	20.00	7.00	72	137	165		
RRH-123-49-254	12.32	25.40	4.88	172	264	100		
RRH-125-80-125	12.50	12.50	8.00	42	72	200		
RRH-125-52-150		12.50	15.00	5.20	95		145	
RRH-127-79-127	12.70	12.70	7.90	43	60	200		
RRH-140-90-150	14.00	15.00	9.00	48	82	200		
RRH-142-64-150	14.20	14.20	6.35	92	146	100		
RRH-142-70-150		14.20	7.00	78	116			
RRH-142-80-150		14.20	8.00	63	107			
RRH-142-64-180		14.20	18.00	6.35	99		141	
RRH-142-70-235		14.20	23.50	7.00	127		204	
RRH-142-64-285		14.20	28.50	6.35	164		255	
RRH-142-70-285		14.20	28.50	7.00	143		243	
RRH-142-80-285		14.20	28.50	8.00	128		195	
RRH-149-70-190		14.99	14.99	6.99	107		171	128
RRH-149-70-279			14.99	27.94	6.99		151	237

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280	15.25	28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175		16.00	17.50	4.30	92	213	126
RRH-160-70-200		16.00	20.00	7.00	111	163	96
RRH-160-70-280		16.00	28.00	7.00	174	247	99
RRH-160-90-280		16.00	28.00	9.00	104	178	
RRH-160-100-280		16.00	28.00	10.00	91	156	
RRH-160-90-285		16.00	28.50	9.00	105	195	88
RRH-171-88-254		17.07	25.40	8.76	122	180	
RRH-175-80-285	17.50	17.50	8.00	139	203	100	
RRH-175-83-285		17.50	8.30	143	242		
RRH-175-95-285		17.50	9.50	115	170		
RRH-175-107-285		17.50	10.70	90	150		
RRH-175-95-350	17.50	35.00	9.50	152	253	88	
RRH-180-100-180	18.00	18.00	8.00	80	135		
RRH-180-100-280	18.00	28.00	8.00	124	209	88	
RRH-180-100-290	18.00	29.00	8.00	128	210		
RRH-186-102-250	18.67	18.67	10.16	115	178	77	
RRH-186-102-286		18.67	28.57	10.16	117		171
RRH-190-130-290	19.00	19.00	13.00	60	105	40	
RRH-190-58-315		19.00	31.50	5.80	243		323
RRH-190-58-350		19.00	35.00	5.80	272		340
RRH-190-63-350	19.00	35.00	6.30	242	324	32	
RRH-259-128-286	25.91	28.57	12.83	127	195		
RRH-280-160-280	28.00	28.00	16.00	110	169	24	
RRH-285-138-286	28.50	28.57	13.77	158	250	24	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF




- NOTES.
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.			
<b>RICHCO, INC.</b> WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE 
MATERIAL: <b>See Table</b>		COLOUR: <b>See Table</b>	
DESCRIPTION: <b>RRH Solid Ferrite Cores</b>		PART No: <b>See Table</b>	
DRG No: <b>06-055</b>	NPR No:	Mass:(g)	SHEET SIZE <b>A3</b>
DRN <b>NJB</b>	DATE <b>30/05/06</b>	CHKD <b>AS</b>	DATE <b>30/05/06</b>
SCALE		SHEET No. <b>2 OF 13</b>	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-25-8-40




RRH-25-8-70




RRH-30-10-30




RRH-30-10-40




RRH-30-10-60




RRH-30-12-30




RRH-35-8-35




RRH-35-8-45




RRH-35-8-47-K5B




RRH-35-8-50




RRH-30-8-60




RRH-35-8-75



RRH-35-8-80



RRH-35-8-90



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No. 06-055		SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No. 06-055	SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS	SHEET No. 5 OF 13		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-79-30-190




RRH-79-40-128




RRH-80-40-100




RRH-80-50-160




RRH-80-60-90




RRH-80-60-98




RRH-80-60-120




RRH-93-45-95




RRH-93-58-110




RRH-95-48-95




RRH-95-48-127




RRH-95-50-104



RRH-95-50-145



RRH-95-50-160



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.















**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3		
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
SHEET No. 8 OF 13				



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



**NOTES.**  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-142-70-235




RRH-142-70-285




RRH-142-80-150




RRH-14280-285




RRH-149-70-190




RRH-149-70-279




RRH-153-102-285




RRH-153-80-280




RRH-153-90-170




RRH-157-70-286




RRH-158-79-160




RRH-159-79-286



RRH-160-43-175



RRH-160-70-200



**NOTES.**

1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:

RRH Solid Ferrite Cores, Impedance Graphs.

DRG No:

06-055

SHEET SIZE

A3

DRN

DATE

CHKD

DATE

SCALE

SHEET No.

NJB

19/06/06















AS

19/06/06

NTS

11 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: <b>06-055</b>		SHEET SIZE <b>A3</b>		
DRN <b>NJB</b>	DATE <b>19/06/06</b>	CHKD <b>AS</b>	SCALE <b>NTS</b>	SHEET No. <b>13 OF 13</b>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [richco manufacturer](#):*

Other Similar products are found below :

[KLB450ART](#) [RBS-5-BK](#) [DLMSPM-8-01](#) [ASK-6](#) [RRH-142-80-150](#) [RT-310-190-222](#) [RLCBSR-10-01](#) [OFST-1-L](#) [RFS1-15-7-A5](#) [RT-145-102-80](#) [RSH6-76100-50A](#) [RFP1-34-28-A5](#) [CAT-15-PP-BU](#) [CAT-32-PP](#) [RT-142-64-135](#) [FGPT-92](#) [RT-290-190-77](#) [RT-95-50-48](#) [BMS-SAX300MM](#) [RRH-110-50-250](#) [SHR-32-6NB](#) [RCP-040-T](#) [LEDS2M-440-01](#) [SHR-C2](#) [CBSS-8-01](#) [RRH-120-85-150](#) [RFS1-15-15-A5](#) [RT-280-160-75](#) [MB-1-156](#) [RFS2-34-12-2-A5](#) [RT-175-95-127](#) [RT-290-190-75](#) [SNGS-2](#) [SPGSG-2](#) [RT-100-70-50](#) [SP3-4-01](#) [RT-100-70-70](#) [RFP2-10-10-A5](#) [MFTH-2-01A-RT-M](#) [RRH-186-102-286](#) [VMCGN120-M3-L-K](#) [OFHB3-4-19A-RT](#) [RRH-140-90-150](#) [RT-160-120-80](#) [RRC-16-9-28-M2](#) [RSFS-450](#) [SHR-32-PPB](#) [MSPMST-10-01](#) [RFS2-26-15-A5](#) [MSFC-6KEA](#)