



General ordering data

Order No.	9019250000
Part designation	H10,0/28D R
Version	Wire-end ferrule, 10 mm ² , 18 mm, Colour code: DIN, red
EAN	4008190041410
Qty.	100 pc(s).

Technical data

Length	28 mm
Width	8.4 mm
Height	8.4 mm

Product data

Conductor rated cross-section	10 mm ²
AWG	7
Total length (L1)	28 mm
Contact surface length (L2)	18 mm
Contact surface diameter (D1)	4.5 mm
Collar diameter (D2)	7.6 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.4 mm

Approvals

Approvals institutes



Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01
eClass 5.1	27-40-02-01

Classifications

Similar products

Order No.	Part designation	Version
0534200000	H10,0/22 EB	Wire-end ferrule, 10 mm ² , 12 mm, Colour code: Weidmüller, Ivory
9019240000	H10,0/22D R	Wire-end ferrule, 10 mm ² , 12 mm, Colour code: DIN, red
9021150000	H10,0/22T BR	Wire-end ferrule, 10 mm ² , 12 mm, Colour code: Miscellaneous, brown
0565800000	H10,0/28 EB	Wire-end ferrule, 10 mm ² , 18 mm, Colour code: Weidmüller, Ivory
9021160000	H10,0/28T BR	Wire-end ferrule, 10 mm ² , 18 mm, Colour code: Miscellaneous, brown

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [66107-4-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#)