

Accessories



Weidmüller provides a comprehensive range of accessories.

Wire end ferrules

Using wire end ferrules guarantees long-term consistent quality of your electrical connection. The distinct advantages in assembly provide the additional benefit.

Weidmüller passes these utilization advantages directly on to the customer via its comprehensive product range. The product range includes wire end ferrules with or without plastic collars and all color versions commonly available on the market.

Crimping sets

Workshops and factories know the meaning of well-organized tool selections. Savings in searching and preparation time have a positive effect from the point of view of company economics.


Weidmüller has recognized these important aspects. The result is combinations of products that distinguish themselves for different customer requirements via their practicality. Our crimping sets for cutting, stripping and crimping of wire end ferrules provide you with practical works equipment.

Specialist tools

Please refer to the following catalogue pages for further **specialist tools** in the Weidmüller product range.

Accessories

Ferrules with plastic collars



	Nominal-cross section (mm ²)	AWG	Dimensions (mm)				Stripping-length		Qty.
			L 1	L 2	D 1	D 2	mm		
0.14	0.14	26	10	6	0.6	1.5	8	500	
	0.14	26	12	8	0.6	1.5	10	500	
0.25	0.25	24	10	6	0.8	1.8	8	500	
	0.25	24	12	8	0.8	1.8	10	500	
0.34	0.34	22	10	6	0.8	2	8	500	
	0.34	22	12	8	0.8	2	10	500	
0.5	0.5	20	10	6	1	2.6	8	500	
	0.5	20	12	6	1	2.6	8	500	
	0.5	20	14	8	1	2.6	10	500	
	0.5	20	14	8	1	2.6	10	5000	
0.75	0.75	20	16	10	1	2.6	12	500	
	0.75	18	12	6	1.2	2.8	8	500	
	0.75	18	14	8	1.2	2.8	10	500	
	0.75	18	14	8	1.2	2.8	10	5000	
1	0.75	18	16	10	1.2	2.8	12	500	
	0.75	18	18	12	1.2	2.8	14	500	
	1	17	12	6	1.4	3	8	500	
	1	17	14	8	1.4	3	10	500	
1.5	1	17	14	8	1.4	3	11	5000	
	1	17	16	10	1.4	3	12	500	
	1	17	18	12	1.4	3	15	500	
	1.5	16	14	8	1.7	3.5	10	500	
2.5	1.5	16	14	8	1.7	3.2	10	5000	
	1.5	16	14	8	1.7	3.2	10	500	
	1.5	16	16	10	1.7	3.5	12	500	
	1.5	16	18	12	1.7	3.5	15	500	
	1.5	16	24	18	1.7	3.5	20	500	
	2.5	14	14	8	2.2	4.2	10	500	
4	2.5	14	14	8	2.2	4	11	3000	
	2.5	14	14	8	2.2	4	11	500	
	2.5	14	18	12	2.2	4.2	14	500	
	2.5	14	24	18	2.2	4.2	20	500	
6	4	12	17	10	2.8	4.8	12	500	
	4	12	20	12	2.8	4.8	14	500	
	4	12	26	18	2.8	4.8	20	500	
10	6	10	20	12	3.5	6.3	14	100	
	6	10	26	18	3.5	6.3	20	100	
16	10	7	22	12	4.5	7.6	15	100	
	10	7	28	18	4.5	7.6	21	100	
25	16	6	24	12	5.8	8.8	15	100	
	16	6	28	18	5.8	8.8	21	100	
35	25	3	30	16	7.3	11.2	18	50	
	25	3	36	22	7.3	11.2	24	50	
	35	2	30	16	8.3	12.7	19	50	
50 ...	35	2	30	18	8.3	12.7	21	50	
	35	2	39	25	8.3	12.7	28	50	
	50	1	36	20	10.3	15	26	50	
	50	1	40	25	10.3	15	31	50	
	70	2/0	37	20	12.7	16	26	25	
95	3/0	44	25	14.7	18	31	25		
120	4/0	50	30	16.5	21	36	25		
150	300 MCM	54	32	18.5	23.5	38	25		

Weidmüller standard

Type	Colour	Cat. No.	Strip pack Cat. No.	Ferrules in strip form Cat. No.	Ferrules on reels Cat. No.
H 0.14/10	grey		9005180000		
H 0.14/12	grey		9028240000		
H 0.25/10	light blue	9025740000	9026050000		
H 0.25/12	light blue	9025760000	9025780000		
H 0.34/10	torquoise	9025750000	9026030000		
H 0.34/12	torquoise	9025770000	9025790000		
H 0.34/12	torquoise				9004390000
H 0.5/10	orange		9028260000		
H 0.5/12	orange	0409500000			
H 0.5/14	orange	0690700000	9026060000	9004270000	
H 0.5/14	orange				9005810000
H 0.5/16	orange	9025870000	9028270000		
H 0.75/12	white	0409600000	9028280000		
H 0.75/14	white	0462900000	9026070000	9004290000	
H 0.75/14	white				9005820000
H 0.75/16	white	9025860000	9028290000		
H 0.75/18	white	9025910000	9028300000		
H 1/12	yellow	0409700000	9028310000		
H 1/14	yellow	0463000000	9026080000	9004320000	
H 1/14	yellow				9005830000
H 1/16	yellow	9025950000	9028320000		
H 1/18	yellow	9025930000	9028340000		
H 1.5/14	red	0463100000	9026090000		
H 1.5/14	red				9005840000
H 1.5/14	red			9004340000	
H 1.5/16	red	0635100000	9028350000		
H 1.5/24	red	0565600000			
H 2.5/14 D	blue	9019160000	9026100000		
H 2.5/14 D	blue				9005850000
H 2.5/14 D	blue			9004360000	
H 2.5/18 D	blue	9019170000			
H 2.5/24 D	blue	9019180000			
H 4/17 D	grey	9019190000	9026010000*		
H 4/20 D	grey	9019200000			
H 4/26 D	grey	9019210000			
H 6/20	black	0533500000			
H 6/26	black	0565700000			
H 10/22	ivory	0534200000			
H 10/28	ivory	0565800000			
H 16/24	green	0565900000			
H 16/28	green	0566000000			
H 25/30	brown	0317000000			
H 25/36	brown	0317100000			
H 35/30	beige	0317200000			
H 35/39	beige	0317300000			
H 50/36	oliv	0444200000			
H 70/40	yellow	9028200000			
H 95/44	red	9028210000			
H 120/50	blue	9028220000			
H 150/54	yellow	9028230000			

Strip pack 5 x 100 ferrules
* 5 x 50 ferrules

DIN

Type	Colour	Cat. No.	Strip pack Cat. No.	Ferrules in strip form Cat. No.	Ferrules on reels Cat. No.	Military Designation VG 96933 and VG 96933 T 20...
H 0.5/12 D	○ white	9019000000				...A 001 A
H 0.5/14 D	○ white	9019010000	9019400000	9004280000		...A 002 A
H 0.5/14 D	○ white				9005860000	
H 0.5/16 D	○ white	9019020000				...A 003 A
H 0.75/12 D	● grey	9019030000				...A 004 A
H 0.75/14 D	● grey	9019040000	9019410000	9004300000		...A 005 A
H 0.75/14 D	● grey				9005870000	
H 0.75/16 D	● grey	9019050000				...A 006 A
H 0.75/18 D	● grey	9019060000				...A 007 A
H 1/12 D	● red	9019070000				...A 008 A
H 1/14 D	● red	9019080000	9019420000	9004330000		...A 009 A
H 1/14 D	● red				9005880000	
H 1/16 D	● red	9019100000				...A 010 A
H 1/18 D	● red	9019110000				...A 011 A
H 1.5/14 D	● black	9019120000	9019430000			
H 1.5/14 D	● black				9005890000	
H 1.5/14 D	● black			9004350000		...A 012 A
H 1.5/16 D	● black	9019130000				...A 013 A
H 1.5/18 D	● black	9019140000				...A 014 A
H 1.5/24 D	● black	9019150000	9004140000			...A 015 A
H 2.5/14 D	● blue	9019160000	9026100000*			...A 016 A
H 2.5/14 D	● blue				9005850000	
H 2.5/14 D	● blue			9004360000		
H 2.5/18 D	● blue	9019170000				...A 017 A
H 2.5/24 D	● blue	9019180000				...A 018 A
H 4/17 D	● grey	9019190000	9026010000*			...A 019 A
H 4/20 D	● grey	9019200000				...A 020 A
H 4/26 D	● grey	9019210000				...A 021 A
H 6/20 D	● yellow	9019220000				...A 022 A
H 6/26 D	● yellow	9019230000				...A 023 A
H 10/22 D	● red	9019240000				...A 024 A
H 10/28 D	● red	9019250000				...A 025 A
H 16/24 D	● blue	9019260000				...A 026 A
H 16/28 D	● blue	9019270000				...A 027 A
H 25/30 D	● yellow	9019280000				...A 028 A
H 25/36 D	● yellow	9019300000				...A 030 A
H 35/30 D	● red	9019310000				...A 031 A
H 35/30 D	● red	9019320000				...A 032 A
H 35/39 D	● red	9019330000				...A 033 A
H 50/36 D	● blue	9019340000				...A 034 A
H 50/40 D	● blue	9019350000				...A 035 A

Others


Type	Colour	Cat. No.	Strip pack Cat. No.	Ferrules in strip form Cat. No.	Ferrules on reels Cat. No.
H 0.14/10 T	● brown		9028250000		
H 0.25/10 T	● yellow	9021010000	9021210000		
H 0.25/12 T	● yellow	9021020000	9021220000		
H 0.5/12 D	● white	9019000000			
H 0.5/14 D	● white	9019010000	9019400000	9004280000	
H 0.5/14 D	● white				9005860000
H 0.5/16 D	● white	9019020000			
H 0.75/12 T	● light blue	9021030000			
H 0.75/14 T	● light blue	9021040000	9021230000	9004310000	
H 0.75/14 T	● light blue				9005900000
H 0.75/16 T	● light blue	9021050000			
H 0.75/18 T	● light blue	9021060000			
H 1/12 D	● red	9019070000			
H 1/14 D	● red	9019080000	9019420000	9004330000	
H 1/14 D	● red				9005880000
H 1/16 D	● red	9019100000			
H 1/18 D	● red	9019110000			
H 1.5/14 D	● black	9019120000	9019430000		
H 1.5/14 D	● black				9005890000
H 1.5/14 D	● black			9004350000	
H 1.5/16 D	● black	9019130000			
H 1.5/18 D	● black	9019140000			
H 1.5/24 D	● black	9019150000	9004140000		
H 2.5/14 T	● grey	9021070000	9021240000		9005910000
H 2.5/14 T	● grey			9004370000	
H 2.5/14 T	● grey				
H 2.5/18 T	● grey	9021080000			
H 2.5/24 T	● grey	9021090000			
H 4/17 T	● orange	9021100000	9021250000*		
H 4/20 T	● orange	9021110000			
H 4/26 T	● orange	9021120000			
H 6/20 T	● green	9021130000			
H 6/26 T	● green	9021140000			
H 10/22 T	● brown	9021150000			
H 10/28 T	● brown	9021160000			
H 16/24 T	● white	9021170000			
H 16/28 T	● white	9021180000			
H 25/30 T	● black	9021190000			
H 25/36 T	● black	9021200000			

Strip pack 5 x 100 ferrules
* 5 x 50 ferrules

Strip pack 5 x 100 ferrules
* 5 x 50 ferrules

Accessories

Twin ferrules with plastic collars




	Nominal-cross section (mm ²)	AWG	Dimensions (mm)			Stripping-length		mm	Qty.
			L 1	L 2	D 1	A/B			
0.5	0.5	20	15	8	1.4	5/3	11	500	
	0.5	20	16	10	1.4	5/3	13	500	
	0.5	20	19	12	1.4	5/3	15	500	
0.75	0.75	18	15	8	1.7	5.5/3	11	500	
	0.75	18	17	10	1.7	5.5/3	13	500	
	0.75	18	24	18	1.7	5.5/3	21	500	
1	1.0	17	16	8	2.2	6.5/3.6	12	500	
	1.0	17	15	8	2.0	5.8/3.2	12	500	
	1.0	17	19	12	2.0	5.8/3.2	16	500	
	1.0	17	25	18	2.0	5.8/3.2	22	500	
1.5	1.5	16	16	8	2.2	6.5/3.6	11	500	
	1.5	16	20	12	2.2	6.5/3.6	15	500	
	1.5	16	26	18	2.2	6.5/3.6	21	500	
2.5	2.5	14	19	10	2.8	8/4.5	13	500	
	2.5	14	19	10	2.8	8/4.5	13	250	
	2.5	14	21	12	2.8	8/4.5	15	500	
	2.5	14	21	12	2.8	8/4.5	15	250	
	2.5	14	27	18	2.8	8/4.5	21	500	
4	4.0	12	22	12	3.5	9/5.2	15	100	
	4.0	12	28	18	3.5	9/5.2	21	100	
6	6.0	10	25	12	4.5	11.4/6.2	20	100	
	6.0	10	29	18	4.5	11.4/6.2	24	100	
10	10.0	7	24	12	5.8	13.4/7.6	17	100	
	10.0	7	30	18	5.8	13.4/7.6	23	100	
	10.0	7	24	12	6.5	13.4/7.6	17	100	
	10.0	7	30	18	6.5	13.4/7.6	23	100	
16	16.0	6	29	16	8.3	17.2/9.5	20	50	
	16.0	6	38	25	8.3	17.2/9.5	29	50	

Weidmüller standard

Type	Colour	Cat. No.	Strip pack Cat. No.
H 0.5/15	orange	9037200000	9004440000*
H 0.5/16.5	orange	9037210000	
H 0.5/18.5	orange	9037220000	
H 0.75/15	white	9037230000	9018510000*
H 0.75/17	white	9037240000	9004900000*
H 0.75/24.5	white	9037250000	
H 1/15S	yellow	9018690000	9018650000*
H 1/15	yellow	9037260000	9018530000*
H 1/20	yellow	9037270000	9004910000*
H 1/25.6	yellow	9037280000	
H 1.5/16	red	9037290000	9004410000*
H 1.5/20	red	9037300000	9004920000*
H 1.5/25.6	red	9037310000	
H 2.5/18.5D	blue	9037500000	
H 2.5/18.5D	blue		9004430000**
H 2.5/20.5D	blue	9037510000	
H 2.5/20.5D	blue		9004740000**
H 2.5/26.5D	blue	9037520000	
H 4/22D	grey	9037530000	9004730000***
H 4/28D	grey	9037540000	
H 6/25	black	9037320000	9004930000***
H 6/29	black	9037330000	
H 10/26	ivory	9037340000	9004940000***
H 10/30	ivory	9037350000	
H 10/24 S	ivory	9018860000	
H 10/30 S	ivory	9018870000	
H 16/29	green	9037360000	
H 16/38	green	9037370000	

* 5 x 100 ** 5 x 50 *** 5 x 20

Ferrules for short-circuit-proof and earthing-proof conductors



	Nominal-cross section (mm ²)	AWG	Dimensions (mm)				Stripping-length		mm	Qty.	Type	Colour	Strip pack Cat. No.
			L 1	L 2	D 1	D 2							
1.5	1.5	16	17.5	8	1.8	6.8	13	100	H 1.5/17.5XS	black	9006590000		
	1.5	16	19.5	10	1.8	6.8	15	100	H 1.5/19.5XS	black	9006630000		
2.5	2.5	14	17.5	8	2.3	7.6	14	100	H 2.5/17.5XS	blue	9006670000		
	2.5	14	21.5	12	2.3	7.6	17	100	H 2.5/21.5XS	blue	9006710000		
4	4	12	19.5	10	2.9	7.8	14	100	H 4/19.5XS	grey	9006750000		
6	6	10	23	12	3.6	8.1	17	100	H 6/23XS	yellow	9006790000		
10	10	7	24	12	4.6	9.6	17	100	H 10/24.5XS	red	9006830000		
16	16	6	25.5	12	6	11.9	26	100	H 16/25.5XS	blue	9006870000		

DIN


Type	Colour	Cat. No.	Strip pack Cat. No.
H 0.5/15D	● white	9037380000	9004780000*
H 0.5/16.5D	● white	9037390000	
H 0.5/18.4D	● white	9037400000	
H 0.75/15D	● grey	9037410000	9018520000*
H 0.75/17D	● grey	9037420000	9004770000*
H 0.75/24.5D	● grey	9037430000	
H 1/15D	● red	9037440000	9018540000*
H 1/20D	● red	9037450000	9004760000*
H 1/25.6D	● red	9037460000	
H 1.5/16D	● black	9037470000	9004420000*
H 1.5/20D	● black	9037480000	9004750000*
H 1.5/25.6D	● black	9037490000	
H 2.5/18.5D	● blue	9037500000	
H 2.5/18.5D	● blue		9004430000**
H 2.5/20.5D	● blue	9037510000	
H 2.5/20.5D	● blue		9004740000**
H 2.5/26.5D	● blue	9037520000	
H 4/22D	● grey	9037530000	9004730000***
H 4/28D	● grey	9037540000	
H 6/25D	● yellow	9037550000	9004720000***
H 6/29D	● yellow	9037560000	
H 10/26D	● red	9037570000	9004710000***
H 10/30D	● red	9037580000	
H 10/24 DS	● red	9018880000	
H 10/30 DS	● red	9018890000	
H 16/29D	● blue	9037590000	
H 16/38D	● blue	9037600000	

Others

Type	Colour	Cat. No.	Strip pack Cat. No.
H 0.5/15	● orange	9037200000	
H 0.5/16.5	● orange	9037210000	
H 0.5/18.5	● orange	9037220000	
H 0.75/15T	● light blue	9037610000	9018570000*
H 0.75/17T	● light blue	9037620000	9005140000*
H 0.75/24.5T	● light blue	9037630000	
H 1/15D	● red	9037440000	9018540000*
H 1/20D	● red	9037450000	9004760000*
H 1/25.6D	● red	9037460000	
H 1.5/16D	● black	9037470000	9004420000*
H 1.5/20D	● black	9037480000	9004750000*
H 1.5/25.6D	● black	9037490000	
H 2.5/18.5T	● grey	9037640000	
H 2.5/18.5T	● grey		9018580000**
H 2.5/20.5T	● grey	9037650000	
H 2.5/20.5T	● grey		9005150000**
H 2.5/26.5T	● grey	9037660000	
H 4/22T	● orange	9037670000	9018590000***
H 4/28T	● orange	9037680000	
H 6/25T	● green	9037690000	9005160000***
H 6/29T	● green	9037700000	
H 10/26T	● brown	9037710000	9005170000***
H 10/30T	● brown	9037720000	
H 16/29T	● white	9037730000	
H 16/38T	● white	9037740000	

* 5 x 100 ** 5 x 50 *** 5 x 20

Ferrules with plastic collars special sizes




	Nominal-cross-section (mm ²)	AWG	Dimensions (mm)				Stripping-length mm	Qty.	Type	Colour	Cat. No.	Strip pack Cat. No.
			L 1	L 2	D 1	D 2						
0.5	0.5	20	14	8	1	2.9	10	500	H 0.5/14 S	● orange	9004560000	
	0.5	20	14	8	1	2.9	10	500	H 0.5/14 DS	● white	9004590000	
0.75	0.75	18	14	8	1.2	3.4	10	500	H 0.75/14 S	● white	9025960000	9025700000*
	0.75	18	14	8	1.2	3.4	10	500	H 0.75/14 TS	● light blue	9018550000	
1	1	17	14	8	1.4	3.5	10	500	H 1/14 S	● yellow	9025970000	9025710000*
	1	17	14	8	1.4	3.5	10	500	H 1/14 DS	● red	9018560000	
1.5	1.5	16	12	6	1.7	3.5	8	500	H 1.5/12 S	● red	9025690000	
	1.5	16	14	8	1.7	3.9	10	500	H 1.5/14 S	● red	9025980000	9025720000*
	1.5	16	14	8	1.7	3.9	10	500	H 1.5/14 DS	● black	9025240000	9028360000*
2.5	2.5	14	12	6	2.2	4.2	8	500	H 2.5/12 DS	● blue	9028490000	
	2.5	14	14	8	2.2	4	10	500	H 2.5/14 DS	● blue	1333100000	
	2.5	14	16	10	2.2	4.2	13	500	H 2.5/16 DS	● blue	9036220000	
	2.5	12	12	6	2.2	4.2	8	500	H 2.5/12 TS	● grey	9036200000	
	2.5	14	14	8	2.2	4.2	10	500	H 2.5/14 TS	● grey	9426770000	
2.5	14	14	16	10	2.2	4.2	13	500	H 2.5/16 TS	● grey	9036210000	
4.0	4.0	12	14	8	2.8	4.8	10	500	H 4.0/14 DS	● grey	9028520000	
	4.0	12	15	8	2.8	4.8	12	500	H 4.0/15 TS	● orange	9036230000	

* 5 x 100 ferrules


Accessories

Ferrules without plastic collars



		Nominal cross-section		Dimensions (mm)			Stripping-length		Type	Cat. No.
		(mm ²)	AWG	L 1	D 1	D 2	mm	Qty.		
0.25		0.25	24	5	0.7	1.65	5	1000	H 0.25/5	9018910000
0.5		0.5	20	6	1	2.1	6	1000	H 0.5/6	0282600000
		0.5	20	10	1	2.1	10	1000	H 0.5/10	9004050000
0.75		0.75	18	6	1.2	2.3	6	1000	H 0.75/6	0282700000
		0.75	18	10	1.2	2.3	10	1000	H 0.75/10	0542500000
1		1	17	6	1.4	2.5	6	1000	H 1/6	0372600000
		1	17	10	1.4	2.5	10	1000	H 1/10	0282800000
1.5		1.5	16	7	1.7	2.8	7	1000	H 1.5/7	0372700000
		1.5	16	10	1.7	2.8	10	1000	H 1.5/10	0186500000
		1.5	16	12	1.7	2.8	12	1000	H 1.5/12	9004060000
		1.5	16	18	1.7	2.8	18	1000	H 1.5/18	9004070000
2.5		2.5	14	7	2.2	3.4	7	1000	H 2.5/7	0373000000
		2.5	14	10	2.2	3.4	10	1000	H 2.5/10	9004080000
		2.5	14	12	2.2	3.4	12	1000	H 2.5/12	0186100000
		2.5	14	18	2.2	3.4	18	1000	H 2.5/18	9004090000
4		4	12	9	2.8	4	9	500	H 4/9	0373100000
		4	12	12	2.8	4	12	1000	H 4/12	0244100000
		4	12	15	2.8	4	15	1000	H 4/15	9004100000
		4	12	18	2.8	4	18	1000	H 4/18	9004110000
6		6	10	10	3.5	4.7	10	500	H 6/10	9004120000
		6	10	12	3.5	4.7	12	500	H 6/12	0191900000
		6	10	15	3.5	4.7	15	500	H 6/15	0124700000
		6	10	18	3.5	4.7	18	500	H 6/18	9004130000
10		10	7	12	4.5	5.8	12	500	H 10/12	0282900000
		10	7	15	4.5	5.8	15	500	H 10/15	0124800000
		10	7	18	4.5	5.8	18	500	H 10/18	0379300000
16		16	6	12	5.8	7.5	12	500	H 16/12	0492500000
		16	6	15	5.8	7.5	15	500	H 16/15	0124300000
		16	6	18	5.8	7.5	18	100	H 16/18	0375200000
		16	6	25	5.8	7.5	25	100	H 16/25	9004150000
		16	6	32	5.8	7.5	32	100	H 16/32	9004160000
25		25	3	15	7.3	9.5	15	250	H 25/15	0124400000
		25	3	18	7.3	9.5	18	100	H 25/18	0375300000
		25	3	25	7.3	9.5	25	100	H 25/25	9004170000
		25	3	32	7.3	9.5	32	100	H 25/32	9004180000
35		35	2	18	8.3	11	18	100	H 35/18	0368900000
		35	2	25	8.3	11	25	100	H 35/25	9004190000
		35	2	30	8.3	11	30	500	H 35/30 S	9451000000
		35	2	32	8.3	11	32	100	H 35/32	9004200000
50 ...		50	1	18	10.3	13	18	100	H 50/18	9004210000
		50	1	25	10.3	13	25	100	H 50/25	9025880000
		50	1	32	10.3	13	32	100	H 50/32	9004220000
		70	2/0	25	12.5	15	25	50	H 70/25	9004230000
		70	2/0	32	12.5	15	32	50	H 70/32	9004240000
		95	3/0	25	14.5	17	25	50	H 95/25	9004250000
		95	3/0	32	14.5	17	32	50	H 95/32	9004260000
		120	4/0	32	16.5	19	32	50	H 120/32	9036240000
		150	300 MCM	32	18.5	21	32	50	H 150/32	9036250000
		185	350 MCM	32	20	23.5	32	50	H 185/32	9036260000

Hook-shaped cable lugs in accordance with ESI 50-18 part 2



		Nominal-cross-section		Dimensions (mm)			Qty.	Type	Cat. No.
		(mm ²)	AWG	L 1	L 2	B			
		0.25...1.5	24	27.2	16.75	4.6	2	HB 1-17	9036290000
		1.0...2.5	24	27.2	16.75	3.0	2	HB 1-13	9036300000

Ferrule Boxes

- Weidmüller colour coding
- DIN colour coding



Ferrule Box

Box **filled** with ferrules with plastic collars in Weidmüller or DIN colour codes

- **0.5 ... 2.5 mm²**

Box **filled** with ferrules with plastic collars in Weidmüller or DIN colour codes

- **4.0 ... 16 mm²**

Box **filled** with ferrules with plastic collars in Weidmüller colour code

- **0.14 ... 0.75 mm²**

Box **filled** with ferrules with plastic collars in Weidmüller colour code

- **0.5 ... 2.5 mm²**

Ferrule Box - **Empty box** with 4 or 5 dividers

or

Ferrule Box - **Empty box** with 5 coloured dividers



Technical Data	
Diameter	92 mm
Height	40 mm
Weight filled	93 g

Ordering Data	
Type	Cat.No.
Box 0.5...2.5 mm ² Weidmüller colour code	9025900000
Box 0.5...2.5 mm ² DIN colour code	9025430000
Box 4.0...16 mm ² Weidmüller colour code	9025920000
Box 4.0...16 mm ² DIN colour code	9025400000
Box 0.14... 0.75 mm ² Weidmüller colour code	9025410000
Box 0.5...2.5 mm ² twin ferrules	
Weidmüller Colour code	9025390000
Empty box with 4 dividers	9025420000
Empty box with 5 dividers	9025680000
Empty box with 5 coloured dividers	9025940000

Inhalt		
Box 0.5...2.5 mm²	50 ferrules per box	H 0.5/14, H 2.5/14
	100 ferrules per box	H 0.75/14, H 1.0/14, H 1.5/14
Box 4.0...16 mm²	50 ferrules per box	H 4.0/17
	20 ferrules per box	H 6.0/20, H 10.0/22
	10 ferrules per box	H 16.0/24
Box 0.14 bis 0.75 mm²	30 ferrules per box	H 0.14/10, H 0.25/10, H 0.34/10, H 0.5/14, H 0.75/14
Box 0.5 bis 2.5 mm² Zwillings-Aderendhülsen	50 ferrules per box	H 0.5/15, H 0.75/15, H 1.0/15, H 1.5/16
	25 ferrules per box	H 2.5/18.5

Accessories

Crimp-Set PZ 4



Crimp Sets PZ 4

Crimp Sets for cutting, stripping and crimping ferrules up to 4.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (4 pieces) and insert box A7 (2 pieces)
- stripax® insulation stripping tool for conductors with PVC insulation 0.08...6.0 mm²
- PZ 4 crimping tool for ferrules 0.5...4.0 mm²
- Ferrules with plastic collars H 0.5...H 4.0

Crimp-Set PZ 3



Crimp Sets PZ 3

Crimp Sets for cutting, stripping and crimping ferrules up to 6.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (6 pieces) and insert box A7 (1 pieces)
- stripax® insulation stripping tool for conductors with PVC insulation 0.08...6.0 mm²
- PZ 3 crimping tool for ferrules 0.5...6.0 mm²
- Ferrules with plastic collars H 0.5...H 6.0

Crimp-Set PZ 6 roto



Crimp Sets PZ 6 roto

Crimp Sets for cutting, stripping and crimping ferrules up to 6.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (6 pieces) and insert box A7 (1 pieces)
- stripax® insulation stripping tool for conductors with PVC insulation 0.08...6.0 mm²
- PZ 6 roto crimping tool for ferrules 0.25...6.0 mm²
- Ferrules with plastic collars H 0.5...H 6.0

Type	Cat. No.
Crimp Set PZ 4	902580000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	1000
H 1.5/14	1000
H 2.5/14	500
H 4.0/17	250

Type	Cat. No.
Crimp Set PZ 4 D	9028630000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14D	1000
H 1.5/14D	1000
H 2.5/14D	500
H 4.0/17D	250

Type	Cat. No.
Crimp Set PZ 4 T	9028640000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	1000
H 1.5/14T	1000
H 2.5/14T	500
H 4.0/17T	250

Type	Cat. No.
Crimp Set PZ 3	9028650000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	500
H 1.5/14	500
H 2.5/14	500
H 4.0/17	250
H 6.0/20	250

Type	Cat. No.
Crimp Set PZ 3 D	9028660000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14D	500
H 1.5/14D	500
H 2.5/14D	500
H 4.0/17D	250
H 6.0/20D	250

Type	Cat. No.
Crimp Set PZ 3 T	9028670000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	500
H 1.5/14T	500
H 2.5/14T	500
H 4.0/17T	250
H 6.0/20T	250

Type	Cat. No.
Crimp Set PZ 6 roto	9028680000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	500
H 1.5/14	500
H 2.5/14	500
H 4.0/17	250
H 6.0/20	250

Type	Cat. No.
Crimp Set PZ 6 roto D	9028690000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14D	500
H 1.5/14D	500
H 2.5/14D	500
H 4.0/17D	250
H 6.0/20D	250

Type	Cat. No.
Crimp Set PZ 6 roto T	9028700000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	500
H 1.5/14T	500
H 2.5/14T	500
H 4.0/17T	250
H 6.0/20T	250

Crimp-Set PZ 6 HEX



Crimp-Set PZ 6/5



Crimp-Set stripax® plus



Crimp Sets PZ 6 HEX

Crimp Sets for cutting, stripping and crimping ferrules up to 6.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (6 pieces) and insert box A7 (1 pieces)
- stripax® insulation stripping tool for conductors with PVC insulation 0.08...6.0 mm²
- PZ 6 HEX crimping tool for ferrules 0.25...6.0 mm²
- Ferrules with plastic collar H 0.5...H 6.0

Crimp Sets PZ 6/5

Crimp Sets for cutting, stripping and crimping ferrules up to 6.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (6 pieces) and insert box A7 (1 pieces)
- stripax® insulation stripping tool for conductors with PVC insulation 0.08...6.0 mm²
- PZ 6/5 crimping tool for ferrules 0.25...6.0 mm²
- Ferrules with plastic collar H 0.5...H 6.0

Crimp Sets stripax® plus

Crimp Sets for cutting, stripping and crimping of ferrules in strip form up to 2.5 mm², consisting of

- Case PSC 01 neutral with foam insert
- Multifunctional tool stripax® plus for processing Weidmüller ferrules in strip form 0.5...2.5 mm²
- Ferrules with plastic collar H 0.5...H 2.5

Type	Cat. No.
Crimp Set PZ 6 HEX	9028710000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	500
H 1.5/14	500
H 2.5/14	500
H 4.0/17	250
H 6.0/20	250

Type	Cat. No.
Crimp Set PZ 6/5	9028740000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	500
H 1.5/14	500
H 2.5/14	500
H 4.0/17	250
H 6.0/20	250

Type	Cat. No.
Crimp Set stripax® plus	9028770000
ferrules Weidmüller - colour code	pieces
H 0.5/14	500
H 0.75/14	500
H 1.0/14	500
H 1.5/14	500
H 2.5/14	500

Type	Cat. No.
Crimp Set PZ 6 HEX D	9028720000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14T	500
H 1.5/14D	500
H 2.5/14D	500
H 4.0/17D	250
H 6.0/20D	250

Type	Cat. No.
Crimp Set PZ 6/5 D	9028750000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14T	500
H 1.5/14D	500
H 2.5/14D	500
H 4.0/17D	250
H 6.0/20D	250

Type	Cat. No.
Crimp Set PZ stripax® plus D	9028780000
ferrules DIN - colour code	pieces
H 0.5/14D	500
H 0.75/14D	500
H 1.0/14D	500
H 1.5/14D	500
H 2.5/14D	500

Type	Cat. No.
Crimp Set PZ 6 HEX T	9028730000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	500
H 1.5/14T	500
H 2.5/14T	500
H 4.0/17T	250
H 6.0/20T	250

Type	Cat. No.
Crimp Set PZ 6/5 T	9028760000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	500
H 1.5/14T	500
H 2.5/14T	500
H 4.0/17T	250
H 6.0/20T	250

Type	Cat. No.
Crimp Set PZ stripax® plus T	9028790000
ferrules other colour code	pieces
H 0.5/14T	500
H 0.75/14T	500
H 1.0/14T	500
H 1.5/14T	500
H 2.5/14T	500

Accessories

Crimp-Set PZ 16



Crimp Sets PZ 16

Crimp Sets for cutting, stripping and crimping ferrules up to 16.0 mm², consisting of

- Case PSC 01 neutral with insert box A8 (4 pieces) and insert box A7 (2 pieces)
- stripax® 16 insulation stripping tool for conductors with PVC insulation 6.0...16.0 mm²
- PZ 16 crimping tool for ferrules 6.0...16.0 mm²
- Ferrules with plastic collar H 6.0...H 16.0

Crimp-Set PZ 50



Crimp Sets PZ 50

Crimp Sets for cutting, stripping and crimping ferrules up to 50.0 mm², consisting of

- Case PSC 01 neutral with insert box A7 (4 pieces)
- AM 25 stripping tool for ferrules PVC-round cable up to 4.5...25.0 mm²
- PZ 50 crimping tool for ferrules 25.0, 35.0 und 50.0 mm²
- Ferrules with plastic collar H 25.0...H 50.0

Crimp-Set PZ ZH 16



Crimp Sets PZ ZH 16

Crimp Sets for cutting, stripping and crimping twin ferrules up to 16.0 mm², consisting of

- Case PSC 01 neutral with insert box A7 (4 pieces) and foam insert for the tools
- stripax® 16 insulation stripping tool for conductors with PVC insulation 6.0...16.0 mm²
- PZ ZH 16 crimping tool for twin ferrules 6.0...16.0 mm²
- Ferrules with plastic collar H 6.0...H 16.0

Type	Cat. No.
Crimp Set PZ 16	9025850000
ferrules Weidmüller - colour code	pieces
H 6.0/20	200
H 10.0/22	200
H 16.0/24	200
H 16.0/28	100

Type	Cat. No.
Crimp Set PZ 16 D	9028800000
ferrules DIN - colour code	pieces
H 6.0/20	200
H 10.0/22	200
H 16.0/24	200
H 16.0/28	100

Type	Cat. No.
Crimp Set PZ 16 T	9028810000
ferrules other colour code	pieces
H 6.0/20	200
H 10.0/22	200
H 16.0/24	200
H 16.0/28	100

Type	Cat. No.
Crimp Set PZ 50	9028850000
ferrules Weidmüller - colour code	pieces
H 25.0/30	50
H 25.0/36	50
H 35.0/30	50
H 50.0/36	25

Type	Cat. No.
Crimp Set PZ 50 D	9028870000
ferrules DIN - colour code	pieces
H 25.0/30D	50
H 25.0/36D	50
H 35.0/30D	50
H 50.0/36D	25

Type	Cat. No.
Crimp Set PZ 50 T	9028880000
ferrules other colour code	pieces
H 25.0/30T	50
H 25.0/36T	50
H 35.0/30T	50
H 50.0/36T	25

Type	Cat. No.
Crimp Set PZ ZH 16	9028820000
ferrules Weidmüller - colour code	pieces
H 6.0/25	100
H 6.0/29	100
H 10.0/26	100
H 16.0/29	50

Type	Cat. No.
Crimp Set PZ ZH 16 D	9028830000
ferrules DIN - colour code	pieces
H 6.0/25D	100
H 6.0/29D	100
H 10.0/26D	100
H 16.0/29D	50

Type	Cat. No.
Crimp Set PZ ZH 16 T	9028840000
ferrules other colour code	pieces
H 6.0/25T	100
H 6.0/29T	100
H 10.0/26T	100
H 16.0/29T	50

Crimp Set empty case



Crimp Set empty case

- Case PSC 01 neutral (without insert boxes)



Crimping tools for ferrules

	PZ 1.5	stripax® plus 2.5	PZ 3	PZ 4	PZ 6 roto	PZ 6 HEX	PZ 6/5	PZ 16	PZ 50
Cat. No.	9005990000	9020000000	0567300000	9012500000	9014350000	9013650000	9011460000	9012600000	9006450000
Page	27	26	28	28	29	27	28	29	30
AEH mm ²									
H 0.25	●				●	●	●		
H 0.34	●				●	●	●		
H 0.5	●	● ¹	●	●	●	●	●		
H 0.75	●	● ¹	●	●	●	●	●		
H 1.0	●	● ¹	●	●	●	●	●		
H 1.5	●	● ¹	●	●	●	●	●		
H 2.5		● ¹	●	●	●	●	●		
H 4.0			●	●	●	●	●		
H 6.0			●		●	●	●	●	
H 10.0								●	
H 16.0								●	
H 25.0									●
H 35.0									●
H 50.0									●

●¹ = ferrules in strip form only

Type	Cat. No.
Crimp Set empty case	9028860000

Accessories, individual combination possible	
Insert box A7	9028450000
Insert box A8	9028460000



Twin ferrules are to be crimped according to the following table:

Crimping tool		Ferrules								
	Cat. No.	H 0.5	H 0.75	H 1.0	H 1.5	H 2.5	H 4.0	H 6.0	H 10.0	H 16.0
PZ 1.5	9005990000	●	●							
PZ 3	0567300000	●	●	●	●	●				
PZ 4	9012500000	●	●	●	●	●				
PZ 6 roto	9014320000	●	●	●	●	●	●			
PZ 6/5	9011460000		●	●	●	●	●			
position		1.5 mm ²	1.5 mm ²	2.5 mm ²	2.5 mm ²	4 mm ²	6 mm ²			
PZ ZH 16	9013600000							●	●	●

Accessories

WAW 1 WAW 2 Notching tools



WAW 1

Tool for notching WQV 2.5 to WQV 35 cross-connections for the W series terminals

WAW 2

Tool for removing the cross-connection segment in the Weidmüller WTR 2.5 terminal partition

Also for the WSI 6 fuse terminal

RT 1 Cable tie tool



RT 1

The RT 1 is a pistol-shaped compact tool for fastening and cutting cable ties in one operation.

The tension is adjustable over a wide range, from small ties to standard ties.

The RT 1 is designed for bundles of 1.6 to 100 mm diameter.

RT 1 Cable tie tool



KT ZQV

Cutting tool for cutting cross-connections for the Weidmüller Z-series.

Technical data		
Type	WAW 1	WAW 2
Length	167 mm	205 mm
Weight	227 g	338 g

Ordering data	
Type	Cat. No.
WAW 1	9004500000
WAW 2	9004510000

Technical data	
Type	RT 1
Length	170 mm
Weight	260 g

Ordering data	
Type	Cat. No.
RT 1	1296000000

Technical data	
Type	KT ZQV
Length/width/height (tool closed)	215/66/28 mm
Weight	300 g

Ordering data	
Type	Cat. No.
KT ZQV	9002170000

Hexagon-socket offset screw key



Allan key

Single, with pivot, surface nickel-plated, made from toughened chromium vanadium steel, manufactured in accordance with DIN 6912.
Fits screws in accordance with DIN 6912.

Crimping tool for MS System CZ 22 E



Crimping tool HDC-CM 20



HDC-CM 20

Model suited to twisted contacts HE, HD and ConCept

Technical data	
Type	IS 4 mm Allen key DIN 6911 for Weidmüller terminal blocks type SAK 35 0476520000, 0476560000, 0582460000 (not shown)
	IS 6 mm Allen key DIN 6911 for Weidmüller terminal blocks type SAK 70 00340820000 (not shown)
	IS 8 mm Allen key DIN 6911 for Weidmüller terminal blocks type SAK 95 0550520000, 0662220000 (not shown)

Ordering data		
Type	Size	Cat. No.
IS	4	0485100000
IS	6	0407900000
IS	8	0235000000

Technical data	
Type	CZ 22 E Crimping tool for processing contacts C1 E/K and C 1 E/L (MS-System) 2 crimp profiles in one die for conductor cross-sections; 1. Crimp profile AWG 26-22 2. Crimp profile 0.5-1.5 mm ² and AWG 18/19

Ordering data		
Type	Cat. No.	Qty.
CZ 22 E	0560400000	1

Technical Data	
Type	HDC-CM-3 crimping tool for 1.5...10 mm ² cond. cross-section for ConCept Module CM-3
Type	HDC-CM-20 crimping tool for Ø 1.0 mm D-Sub contacts with 0.08...0.52 mm ² conductor cross-section of the ConCept Module CM-20

Ordering data		
Type	Cat. No.	Qty.
HDC-CM-3	1700890000	1
HDC-CM-20	1700900000	1

Accessories

Contact release tools

DW RSV 1.6

HDC-DW

M3/5/10

M20

M4



Contact release tool

for HD and ConCept contacts
or GB/GS and CB/CS contacts

Technical data

Type	DW RSV 1.6 Tool for dismantling punched HD sockets and pin contacts type CB/CS and GB/GS
	HDC-DW-M3 HDC-CM-3 contact release tool for ConCept Module
	HDC-DW-M5 HDC-CM-5 contact release tool for ConCept Module
	HDC-DW-M10* HDC-CM-10 contact release tool for ConCept Module
	HDC-DW-M20 HDC-CM-20 contact release tool for ConCept Module
	HDC-DW-M4 HDC-CM-HE-4 contact release tool for ConCept Module

Ordering data

Type	Cat. No.	Qty.
DW RSV 1.6	9004530000	1
HDC-DW-M3	1688240000	1
HDC-DW-M5	1688230000	1
HDC-DW-M10*	1688220000	1
HDC-DW-M20	1688210000	1
HDC-DW-M4	1760170000	1

* Tool for dismantling twisted HD contacts

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [weidmuller](#) manufacturer:

Other Similar products are found below :

[8924550000](#) [56956](#) [0133660000](#) [6720000227](#) [6720005111](#) [68676](#) [69718](#) [EXO24CH](#) [7940000218](#) [8005181001](#) [8008180000](#) [8432240000](#)
[8463580000](#) [8545830000](#) [8689870000](#) [8705640000](#) [8869870000](#) [9001080000](#) [9003720000](#) [9004250000](#) [9004780000](#) [9013260000](#)
[9014100000](#) [9019040000](#) [9026010000](#) [9028630000](#) [903708](#) [9037350000](#) [9046290000](#) [9129643500](#) [913155](#) [9159530000](#) [919656](#) [919764](#)
[9202230000](#) [9202850000](#) [9204260000](#) [9456750000](#) [9457913000](#) [980811](#) [980826](#) [9912800003](#) [9916080000](#) [9916280012](#) [9918380000](#)
[9919371205](#) [9919371224](#) [9925710000](#) [9926252005](#) [9927480024](#)