



General ordering data

Order No.	9037530000
Part designation	H4,0/22D ZH GR
Version	Wire end ferrule, 4 mm ² , 12 mm, Colour code: DIN, grey
EAN	4008190493103
Qty.	100 pc(s).

Technical data

Length	22 mm
Width	5.8 mm
Height	9.6 mm

Product data

Conductor rated cross-section	4 mm ²
AWG	12
Total length (L1)	22 mm
Contact surface length (L2)	12 mm
Collar height (A)	9 mm
Collar width (B)	5.2 mm
Contact surface diameter (D1)	3.5 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.5 mm

Approvals

Approvals institutes



Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

Classifications

eClass 5.1

27-40-02-01

Similar products

Order No.	Part designation	Version
9037670000	H4,0/22T ZH OR	Wire end ferrule, 4 mm ² , 12 mm, Colour code: Miscellaneous, Orange
9037540000	H4,0/28D ZH GR	Wire end ferrule, 4 mm ² , 18 mm, Colour code: DIN, grey
9037680000	H4,0/28T ZH OR	Wire end ferrule, 4 mm ² , 18 mm, Colour code: Miscellaneous, Orange

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [66107-4-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#)