
THIS DRAWING AND THE INFORMATION SET FORTH HEREON ARE THE PROPERTY OF TYCO ELECTRONICS AND ARE TO BE HELD IN TRUST AND CONFIDENT. PUBLICATION, DUPLICATION, DISCLOSURE, OR USE FOR ANY PURPOSE NOT EXPRESSLY AUTHORIZED IN WRITING BY TYCO ELECTRONICS IS PROHIBITED.

| REVISION | | | | | | |
|----------|---------------------|----------|------------|--|--|--|
| REV | DESCRIPTION | DATE | APPROVED | | | |
| 1.0 | PRELIMINARY RELEASE | 11/08/13 | S. GRAVANO | | | |



| | RECOVERED WALL THICKNESS | | | |
|------------------|-----------------------------|------------------|----------------------|-------------------------|
| MIL Spec No. | SIZE | ID Ø AS SUPPLIED | ID Ø AS RECOVERED | AFTER HEATING (NOMINAL) |
| AMS-DTL-23053/13 | | D MINIMUM | d MAXIMUM | RW-200 |
| -012 | 1/8 | 3.2 (.125) | 1.6 (.062) | 0.76 (.030) |
| -001 | 3/16 | 4.8 (.187) | 2.4 (.093) | 0.89 (.035) |
| -002 | 1/4 | 6.4 (.250) | 3.2 (.125) | 0.89 (.035) |
| -003 | 3/8 | 9.5 (.375) | 4.8 (.187) | 0.89 (.035) |
| -004 | 1/2 | 12.7 (.500) | 6.4 (.250) | 0.89 (.035) |
| -005 | 5/8 | 15.9 (.625) | 7.9 (.312) | 1.07 (.042) |
| -006 | 3/4 | 19.1 (.750) | 9.5 (.375) | 1.07 (.042) |
| -007 | 7/8 | 22.2 (.875) | 11.1 (.437) | 1.25 (.049) |
| -008 | 1 | 25.4 (1.000) | 12.7 (.500) | 1.25 (.049) |
| -009 | 1 1/4 | 31.8 (1.250) | 15.9 (.625) | 1.40 (.055) |
| -010 | 1 1/2 | 38.1 (1.500) | 19.1 (.750) | 1.40 (.055) |
| -011 | 2 | 50.8 (2.000) | 25.4 (1.000) | 1.65 (.065) |

NOTES

- 1. THIS PRODUCT IS DESIGNED FOR A WIDE RANGE OF APPLICATIONS.

 MEETS PERFORMANCE REQUIREMENTS OF TE SPECIFICATION RW-3037 AND AMS-DTL-23053/13.
- 2. PACKAGED AND SUPPLIED ON A SPOOL AND LABELED WITH (example RW-200-3/8-0), PART NUMBERING NUMBERING SYSTEM: RW-200 IS PART NUMBER, -3/8 IS ORDER SIZE, -0 IS BLACK (STANDARD COLOR).
- 3. ALWAYS ORDER THE LARGEST SIZE THAT WILL SHRINK SNUGLY OVER THE COMPONENT TO BE COVERED.
- 4. FOR MATERIAL AND FINISH INFORMATION REFER TO RW-3037 SPECIFICATION. FOR SPECIAL ORDER SIZES CONTACT TE CONNECTIVITY.

| | PR | FI | Raychem Harness and Components CUSTOMER DRAWING |
|--|--------------------------|-------------------------|--|
| TYCO ELECTRONICS RESERVES THE RIGHT TO CHANGE THIS DRAWING AT ANYTIME. USERS SHOULD EVALUATE | DRAWN: T. NGUYEN | DATE: 05NOV2013 | TE Connectivity |
| THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. | CHECKED: S. GRAVANO | DATE: 07NOV2013 | E IE Connectivity |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. | APPROVED: J. KUSTER | DATE: 08NOV2013 | TITLE: RW-200 TUBING - HEAT-SHRINKABLE, |
| METRIC DIMENSIONS ARE IN BRACKETS AS REFERENCE. | APPROVED: P. DIXON | DATE:// | CHEMICAL-RESISTANT, HIGH-TEMPERATURE |
| DECIMALS TOLERANCES: XXX ± .005 [0.13mm] XX ± .01 [0.25mm] | CAD FILE: RW-200_CD.DWG | THIRD ANGLE PROJECTION: | DOCUMENT NO: RW-200 |
| X ± .1 [0.50mm] ANGLES TOLERANCE: ± 1° | RPN: N/A | CAGE CODE: 06090 | © 2013 TYCO ELECTRONICS, ALL RIGHT RESERVED SIZE: SCALE: DO NOT SCALE 1 OF 1 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Tubing and Sleeves category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

770-006S102 5685710001 CR6145-000 CR8248-000 CR9960-000 603312-4 607381P039 611112-000 617867N001 6500750004 CZ1420-000 D-306-38 770-003S106W2 770-005S105W1 770-005S106W1 770-007A303 770-010Y106W1 770-010Y706W1 7771210001 MFP-1/4"-Clear MFP-3/64"-Clear 790-3012 MFT-MT2000-NO.14-0-SP MHHT-4-15K2-G-104 MIL-LT-1-1/2-4-SP MIL-LT-1-1/2-9-STK MIL-LT-1/2-2-STK MIL-LT-3/32-0-SP MIL-LT-3/32-6-SP MIL-LT-3/4-6-SP MIL-LT-3/8-0-SP 8159270001 839602-000 8423-6 FP301-116-6"-Black FP301-1/2-48"-Black FP301-12-48"-Black-Hdr FP301-1/4-48"-Black FP301-1/4-48"-White-Hdr FP301-18-48"-Black-Hdr FP301-1/8-6"-Black FP301-18-6"-Black FP301-18-6"-Black FP301-316-48"-Blue-Hdr FP301-316-6"-Clear FP301-332-6"-Black 912229N002 120-126-16BL 121-001-09 121-018-32