


ROHS-COMPLIANT

LTR	REV.	DESCRIPTION	DATE
1*2	B	EGR #110112-3 ADD POLYBAG,LABEL,EAN CODE	01/12/11'



NOTES:

1. CABLE: UL-2725 [28AWG(7/0.127 T.C)*1P INS: HD-PE ID: 0.8±0.05 +28AWG(7/0.127 T.C)*2C INS: PP ID: 0.63±0.05+AL-FOIL/MYLAR +DRAIN WIRE(7/0.127 T.C)+BRAID 85%] PVC JACKET OD: 3.8±0.15mm COLOR: BLACK(NK-K01) REV 2.0.(C2725695-1)
2. CONNECTORS:
P1: USB A TYPE MALE GOLD FLASH CONTACT, NICKEL PLATED SHELL.
P2: MICRO USB B TYPE MALE GOLD FLASH CONTACT, NICKEL PLATED SHELL.

PIN OUT

P1	P2
RED 1	1 VBUS
WHITE 2	2 D-
GREEN 3	3 D+
BLACK 4	5 GND
SHELL	BRAID
	SHELL

3. HOOD: MOLDED TYPE, PVC 45P, COLOR: BLACK(NK-K01)
4. TEST REQUEST:

- <1>.100% OPEN SHORT & MIS WIRE TEST.
- <2>.CONTACT RESISTANCE 3 Ohm MAX
- <3>.INSULATION RESISTANCE 10M Ohm MIN.
5. PACKING: SEE P-0210

- <1>EACH PC / POLYBAG + EAN CODE LABEL
- <2>EACH CARTON / ROHS LABEL(L*W=35*22mm)
6. EAN CODE: 4260113573778

Tolerance Inch	M/M		
.X	.015	.30	
.XX	.010	.10	
.XXX	.005	.05	
Draw	Title		
PLANNIE 01/12/11'	USB A/M - MICRO USB B/M CABLE		
Customer P/N: CU0034	Customer: E-DIR		
App' d	Scale	Units	Third Angle Projection
Engr	NONE	m/m	
Dwg. No. 170-4025	REV: B	Sheet 1/2	

2DIRECT GMBH



LTR	REV.	DESCRIPTION	DATE
1*2	B	ECR #110112-3 ADD POLYBAG,LABEL,EAN CODE	01/12/11'

POLYBAG



LABEL: PANTONE 2945C

LABEL POSITION IN THE MIDDLE

Tolerance Inch		M/M		Title	Customer P/N: CU0034	App'd	Customer: E-DIR
.X	.015	.30					
.XX	.010	.10		USB A/M - MICRO USB B/M CABLE			
.XXX	.005	.05		Drawn			
FANNIE 01/12/11'				Customer			
Check				App'd	Customer: E-DIR		
Engr				Scale	NONE	Units	m/m
				Dwg No.	170-4025	REV: B	Third Angle Projection
							Sheet 2/2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Cables / IEEE 1394 Cables category](#):

Click to view products by [Logilink manufacturer](#):

Other Similar products are found below :

[68768-0173](#) [FNY-W6003-01](#) [88764-0800](#) [13805532](#) [148700-1](#) [17-200621](#) [17-250051P](#) [954](#) [AC102012-2](#) [IP-USB1\(C10\)S-RW](#)
[CABLE/RTP/USB/DT](#) [0847290003](#) [10115240-12200LF](#) [RS232-GTD](#) [USBFTVX2SA2N03A](#) [USBFTV2SA2N03A](#) [1689404-1](#) [FTP-](#)
[629Y401](#) [FTP-628Y402](#) [943301-001](#) [FNY-W6022](#) [FNY-W6003-03](#) [1310-1015-05](#) [1310-1019-04](#) [0887283402](#) [UA-30AMFM-SL7B02](#) [UA-](#)
[30AMFM-SL7B01](#) [UA-30AFM-LD7B03](#) [UA-30AMFM-SL7B03](#) [USBAPSCC7202A](#) [UES-1001A160](#) [UES-1003A160](#)
[USBFTVX7SA2N20A](#) [USBFTVX2SA2N20A](#) [USBFTV2PEMSA2N10A](#) [FTP-629Y602](#) [USBCAMCM100](#) [USB A/F*2 to 2.54 2*5P-SH](#)
[L=400mm](#) [EP-CBUSB10P2FLT](#) [1310-1033-01](#) [1310-1037-04](#) [ASR-USB](#) [68784-0075](#) [17-241361](#) [17-230471](#) [217B-BC02](#) [USB-29](#) [19800-](#)
[010500-200-RS](#) [USB+MINI DIN 6P WITH BKT](#) [84729-0025](#)