



TECHNICAL DATA

Scapa 3160

Waterproof Cloth Tape

DESCRIPTION

Scapa 3160 is a standard grade, polyethylene laminated, waterproof cloth tape, coated with a pressure sensitive adhesive

Scapa 3160 is available in black, white and silver.

APPLICATIONS

- Designed as a general purpose waterproof cloth tape
- Used for sealing, bundling, short term masking and protecting
- Excellent for jointing polyethylene sheeting in asbestos removal applications
- Double glazing unit sealing
- Medium temperature duct sealing
- Carpet joining and edging

PRODUCT BENEFITS

- Good water resistance
- Excellent adhesion and strength
- Flexible and conformable
- Easy tear
- Good low temperature performance
- Good all purpose product
- Service Temperature -10 to +75°C

TECHNICAL PROPERTIES

	Unit	Nominal Value	Test Method
Thickness	mm	0.155	AFERA 5006*
Tensile Strength	N/cm	35	IEC 454-2
Adhesion to Steel	N/cm	5	IEC 454-2
Adhesion to Backing	N/cm	3	IEC 454-2

*Scapa Internal Test Method to measure thickness now replaced by the more rigorous AFERA method.

STANDARD PRESENTATION

- Roll Length: 25m, 50m
- Roll Width: 19mm, 25mm, 38mm, 50mm, 75mm, 100mm
- Core: Cardboard
- Packaging: Bulk packed using interleaving sheets between layers./Shrink wrapped in packs of 4 *

Note: Information on stock items, non-standard sizes and colours, and lead times is available on request

*Dependant on size/colour combination

RECOMMENDATIONS

The rolls should be stored flat on their cut edges in the original packaging, until required for use.

The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes.

Shelf life will vary with conditions of use and is affected by climatic environment, but should not be less than two years from date of manufacture, if stored in a moderate climate and good conditions.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Adhesive Tapes](#) category:

Click to view products by [Scapa](#) manufacturer:

Other Similar products are found below :

[PF24.0W](#) [4718](#) [4516-1/4x36](#) [56-YELLOW-34"X72YD](#) [00-021200-13972-7](#) [021200-64630](#) [60 TAPE \(1"\)](#) [62-GRAY-12"X36YD](#) [62-GRAY-1"X36YD](#) [69-1"X36YD](#) [764-1"x36yd-Red](#) [764-1"x36yd-White](#) [PG ASSY](#) [926-1/4X18YD](#) [967454-1](#) [1194-14"X36YD](#) [1181 19MM X 16,5 METERS](#) [1182-7.7X10](#) [1245-34"X18YD](#) [1267](#) [130C-1X15FT](#) [130-1x10FT](#) [1345-3/8x18yrd](#) [1380-2"X8"](#) [E39-RS1-CA](#) [1900-48mm](#) [22-1/2X36YD](#) [2229-P-2-1/2x3-3/4](#) [88-SUPER-34X44FT](#) [890103N001](#) [2670](#) [SJ3527N-Black-1.5"x50yd](#) [EVK-TA-TM047NBH01](#) [AD-UCUSB-DCAUD-SPL](#) [20-1"X60YDS](#) [2020-18mmx55m](#) [H150](#) [3900-Blue](#) [3939-24mmx55m](#) [396-1"x36yd](#) [4016-34"x36yd](#) [4462W-12"x72yd](#) [44-TAN-14"X90YD](#) [4504-34x18](#) [471-Trans-1"x36yd-Bulk](#) [5414 34X36](#) [C-22](#) [35-Gray-1/2](#) [371-Tan-48mmx50m](#) [4008-12"X36YD](#)