


A13-150



FEATURES

- * RATING: 16A 12V/24V DC Multi-Voltage.
- * MATERIAL
Housing: ABS (UL 94-HB) for A&B.
Nylon with glass fiber (UL 94-HB) for C&D.
Top contact : nickel plated metal.
Spring contact: nickel plated spring steel.
- * Heavy duty lighter plug.
- * With integrated, exchangeable fuses of 1A-15A charge, 12-24V DC.
- * With screwed terminals for cables up to 16AWG max.
- * Adapter can be firmly positioned by a bayonet catch.
- * A13-150A: Without LED indicator, without fuse.
- * A13-150B: LED indicator, without fuse.
- * A13-150C: 15A fuse, without LED indicator.
- * A13-150D: LED indicator, 1~15A fuse.

X-ON
Electronics

Authorized

Distributor

*Click to view
similar products*

for Modular

Connectors / Ethernet

Connectors

category:

PSLDCPLXBUC

17386012

5583411 1688586

1658118 1657261

950097881

5720140

424104170

09452451102

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [SCI manufacturer](#):

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600247N007](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#)
[6280-7SG-3DC](#) [6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6293](#) [6382-2PG-311](#) [6382-2PG-3DC](#)
[6382-2SG-321](#) [6382-2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [681-PMG](#) [CXC3106A1811S](#) [CXS3102A14S2P](#) [CXS3102A181S](#)
[CXS3106A14S6S](#) [D38999/20FC8SA L/C](#) [MB12P-1](#) [MB12R-6](#) [7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#)
[7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190011-03P](#) [75-190216-08S](#) [75-190218-10P](#) [75-214636-52P](#) [75-474118-10P](#) [75-474211-03P](#)