



A13-164

USB



FEATURES

* RATING:

Input: 12V/24V DC

USB Output:

A13-164 : 5V 2.1A max DC, 1 or 2 ports.

A13-164D: 5V 2.5A max DC, 1 or 2 ports.

* MATERIAL

Housing: ABS (UL 94-HB).

Top contact: nickel plated metal.

Spring contact: nickel plated metal.

* Features 2 horizontally built-in ports, charging two USB devices simultaneously.

* Heat sinks on the housing for efficient heat dissipation.

* Short circuit protection.

* Over voltage protection.


* Green LED indicator.

* Council directive 2004/108/EC (EN61000 6-1,EN61000 6-3) compliance.

* Car directive 2009/19/EC (ECE-R10) compliance.

* With mini blade fuse max.

* **Unavailable in UK market.**



X-ON
Electronics

Authorized
Distributor

*Click to view
similar products
for Modular
Connectors / Ethernet*

Connectors
category:

Other Similar
products are found

below :

68305000

7347231

857891003

85800301

PSLDCPLRBLC

PSLDCPLRGRC

PSLDCPLRIWC

PSLDCPLRYLC

PSLDCPLXBUC

PSLDCPLXIGC

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [SCI manufacturer](#):

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600247N007](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#)
[6280-7SG-3DC](#) [6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6293](#) [6382-2PG-311](#) [6382-2PG-3DC](#)
[6382-2SG-321](#) [6382-2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [681-PMG](#) [CXC3106A1811S](#) [CXS3102A14S2P](#) [CXS3102A181S](#)
[CXS3106A14S6S](#) [D38999/20FC8SA L/C](#) [MB12P-1](#) [MB12R-6](#) [7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#)
[7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190011-03P](#) [75-190216-08S](#) [75-190218-10P](#) [75-214636-52P](#) [75-474118-10P](#) [75-474211-03P](#)