


A13-49U



FEATURES

- * **RATING:**
Input: 10A 12V/24V DC
USB Output: 5V 2.1A max DC.
12V DC sockets 10A max.
Total output 10A max.
- * **MATERIAL OF SOCKET**
Housing: ABS (UL 94-HB).
Inner contact: nickel plated metal.
Contact: nickel plated metal.
- * **MATERIAL OF PLUG**
Housing: phenolic (UL 94V-1).
Top contact: nickel plated metal.
Spring contact: nickel plated spring steel.
- * Dual lighter sockets included one cigarette lighter socket with green light ring, easy to insert in the dark.
- * One USB port. suitable for most mobile phones, MP3, MP4 players and more.
- * 0° ~90° adjustable plug.
- * Fits with $\phi 21$ plugs.
- * With 10A glass tube fuse max.



X-ON
Electronics

Authorized
Distributor

*Click to view
similar products
for Modular
Connectors / Ethernet*

Connectors
category:

68305000

7347231

857891003

85800301

PSLDCPLRBLC

PSLDCPLRGRC

PSLDCPLRIWC

PSLDCPLRYLC

PSLDCPLXBUC

PSLDCPLXIGC

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [SCI manufacturer](#):

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600247N007](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#)
[6280-7SG-3DC](#) [6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6293](#) [6382-2PG-311](#) [6382-2PG-3DC](#)
[6382-2SG-321](#) [6382-2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [681-PMG](#) [CXC3106A1811S](#) [CXS3102A14S2P](#) [CXS3102A181S](#)
[CXS3106A14S6S](#) [D38999/20FC8SA L/C](#) [MB12P-1](#) [MB12R-6](#) [7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#)
[7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190011-03P](#) [75-190216-08S](#) [75-190218-10P](#) [75-214636-52P](#) [75-474118-10P](#) [75-474211-03P](#)