



H	H	File No.: E345352	 Unit: mm RoHS compliant	Angle	±5°	①	Drawn	Modification	Date	Name	 WSW/ components	Replace	Drawing-No. ASS 1050A CO	rev03	SHEET			
				DIM	TOL	②	Update	15.07.2009	Dean									
G	G	Customer-No. ASSMANN WSW-No. A-20040-LP/SMT-A	Scale	1:1	TOLERANCE	③	Correction	21.11.2011	Lucas	Approved	Date	Name	±0.10	Drawing-No. 22.01.2004	Helwig			
				.XX									±0.15			Drawn	21.11.2011	Helwig
				.X									±0.20			Helwig	22.01.2004	Helwig
				.XXX									±0.10			Helwig	21.11.2011	Helwig




NOTES:

ELECTRICAL:


- VOLTAGE RATING : 125 VAC.
- CURRENT RATING : 1.5 AMP.
- CONTACT RESISTANCE : 35 MILLIOHMS MAX.
- INSULATION RESISTANCE : 1000 MEGOHMS MIN. @ 500 VDC.
- DIELECTRIC STRENGTH : 1000 VAC 60Hz, 1MIN.

MECHANICAL:

- HOUSING MATERIAL : PA9T UL94V-0, COLOUR-BK.
- CONTACT MATERIAL : PHOSPHOR BRONZE t=0.35mm.
- PLATING : 6µ" GOLD PLATING OVER NICKEL.
- OPERATING LIFE : 750 CYCLES MIN.
- PCB RETENTION POST-SOLDER : 10 LBS MIN.
- ENVIRONMENTAL:
- STORAGE : -40°C TO +85°C.
- OPERATION TEMPERATURE : -40°C TO +85°C.
- REFLOW SOLDERING TEMPERATURE : 255°C-265°C (5-10 SECONDS).

PC Board Layout
Component Side Shown



Qty: 160 PCS per Reel

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:

Click to view products by [Assmann](#) manufacturer:

Other Similar products are found below :

[RJE231881317T](#) [MP1010RX-1000](#) [MP44RX-1000](#) [GAX-3-66](#) [GAX-8-62](#) [93606-0253](#) [GD-A-44](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-A-88](#) [GDLX-N-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-A-44](#) [GLX-N-1010M-BLK](#) [GLX-N-44M](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT2-N-1010](#) [GMX-SMT2-N-64-50](#) [GMX-SMT2-S6-88](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GRT1-BT1-5](#) [GSGX-N-2-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-30](#) [GSX-NS-88-3.05-50](#) [GSX-NS-88-3.68](#) [1-1775629-2](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [1300500326](#) [1300500227](#) [1300530003](#) [1300570002](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1400000](#) [1413176](#)