
CLIFF Series 1, 2, 3 & 4 Female Plastic 3 pin XLR Receptacles

The **CLIFF**[®] range of professional standard chassis and PCB mounting XLR receptacles is designed for use in numerous applications including professional and consumer audio, broadcast and industrial uses. The design offers an economical alternative to higher priced metal XLR connectors. Our products are manufactured to strict quality and performance standards. These components feature a tough nylon construction with special low noise machined or spring action wiping contacts for both hand solder, horizontal or vertical PCB mounting.




Cliff Electronic Components, Ltd. 76 Holmethorpe Avenue, Holmethorpe Ind. Est. Redhill, Surrey RH1 2PF. England Tel: +44 (0) 1737 771375 Fax: +44 (0) 1737 766012 Email: sales@cliffuk.co.uk



www.cliffuk.co.uk

CLIFF Series 1, 2, 3 & 4 Female Plastic 3 pin XLR Receptacles



Electrical Specifications:	Rated Current: 3 pin 5A nominal. 15A max. Rated Voltage: 250 Vac max. Operating Temperature: -30° C to $+80^{\circ}$ C. Contact Resistance (new): $<10m\Omega$. Contact Resistance (after 1000 insertions): $15m\Omega$ max. Dielectric Withstand: 1600 Vac between all contacts. Insulation Resistance: $>10^{9}\Omega$ @ 500 Vdc. Capacitance between contacts: $<5p$ F.
Mechanical Specifications:	Insertion Life (Minimum): >1000 insertions and removals. Insertion Force: <10N. Compatibility: Refer to list on our website.
Materials:	Housing: Polyamide. (GF on some models) Contacts: Brass, PbRz. Plating: 5μm. Silver over 5μm. of Nickel. Gold plating available.

Drawings available on request. Contact sales@cliffuk.co.uk

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for XLR Connectors category:

Click to view products by Cliff manufacturer:

Other Similar products are found below :

707-0300 8800235 91101181024 91201231 91214571 A3F01 A3M01 QGP3F HA16PRQ-3SE(71) AA3FL AAA4FWZ AAA4MWZ AC3-MIC AC4-MIC AC5FPZB AC6AFDZV AC7FDZB D4FB DE4MW DHNF-BAG E3MBAUSW NA2FP-UW NA3MP-UW NC3FBHR1-0 NC3FD-H-0 NC3FK-V NC3FX-1 NC3FXY-B NC3MDM3-H-B NC3MK-V NC3MXY NC4FD-LX-0 NC5FX-HD-B NC6FSXX-BAG NC6MD-LX-BAG NC6MSX-BAG 91210071096 SL05 99.265.0400.0 A3F04 AC3FG AC3MMG AC4-FCP AC4FPZ AQG4F 2504FP 30-498-2 R6MZ CXX-15 3FD-H-I