

REVISIONS	
REV	ECN, ERN NO.
F	PRODUCT DRAWING (EAR 14157) APR26/13 K.L.

CONTACT FINISH/GOLD THICKNESS
NO DIGIT=STANDARD 15 MICRONS
[0.38 MICRONS] GOLD ON
MATING AREA
G=50 MICRONS [1.27 MICRONS]
GOLD ON MATING AREA
MODIFIER
O=STANDARD









FILTER CAPACITANCE
D=50 pF
B=100 pF
6=1500 pF
T=220 pF
J=1500 pF
F=330 pF
E=2200 pF
9=5600 pF
L=380 pF
M=3 x 0.5 THREAD
6=M3 x 0.5 UNC
E=CODE 4 MOUNTING WITH #4-40 UNC
HEX JACK SOCKET SUPPLIED.
F=#4-40 UNC THREAD IN
#4-40 UNC THREADED D=SUB, ROHS

REFER TO AMPHENOL CATALOGUE FOR
FILTER PERFORMANCE CHARACTERISTICS
N=NO FILTERS
8=47000 pF
2=680 pF
4=820 pF

DATE	DESIGNED	CHECKED	L. E. APPRD.	Q. A. APPRD.	DWG. APPRD.
DEC19/05	S. BUENAVIDES	K. LAMBIE			

DRAWN: S. BUENAVIDES DEC19/05
 ENG. REL. NO. 12892
 REF. EAR 12892
 DIMENSIONS ARE IN INCHES [mm]
 CODE ID. NO. 0354
 SCALE 2/1
 WT. SURF. SHEET 1 OF 1

SIZE	STYLE	#.015	B#.005	C#.005	D#.005	E BSC.
E09	SOCKET	1.213	.643 [16.33]	.984 [24.99]	.432 [10.97]	
A15	SOCKET	1.541	.971 [24.66]	1.312 [7.56]	1.304 [19.20]	
B25	SOCKET	2.088	1.511 [38.38]	1.852 [47.04]	1.304 [33.12]	1.966 [49.68]
C37	SOCKET	2.729	2.159 [54.84]	2.500 [63.50]	1.966 [49.68]	



- NOTES:
- MATERIALS: ALL MATERIALS ARE ROHS COMPLIANT.
 - CONTACT RESISTANCE: 3000 MEGOHMS MINIMUM
 - INSULATION RESISTANCE: 15 MILLIOMHS MAXIMUM
 - CURRENT RATING: 5 AMPS MAXIMUM
 - OPERATING TEMPERATURE: -40°C TO 85°C
 - TOLERANCE ±.005 [0.13] UNLESS INDICATED OTHERWISE.
- 1) CONTACTS: PHOSPHOR BRONZE, GOLD PLATED OVER
 - 2) SHELL: STEEL, TIN PLATED
 - 3) INSULATOR: ENGINEERING THERMOPLASTIC, GLASS
 - 4) REINFORCED, UL FLAMMABILITY RATING 94V-0, COLOUR: BLACK
 - 5) BOARDLOCK: COPPER ALLOY, TIN PLATED
 - 6) MOUNTING HARDWARE, STEEL OR COPPER ALLOY, TIN OR NICKEL PLATED.

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub Standard Connectors](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[DCM37S732N](#) [DAM15P500](#) [DEV09S364GTLF](#) [DEM09P032N](#) [DDM50P732N](#) [DAM15S332N](#) [173109-2218](#) [173109-2466](#) [173109-2436](#)
[173109-2435](#) [56F706-005-LI](#) [56F711-015](#) [015-0341-000](#) [015-0372-008](#) [015-8544-011](#) [017041-0005](#) [020419-0104](#) [012-0515-000](#) [012-9507-](#)
[034](#) [012-9507-114](#) [012-9534-001](#) [020745-0008](#) [609-25P](#) [M24308/2-23Z](#) [M243082310F](#) [M243082410F](#) [M243082411F](#) [M24308/4-21](#)
[CT1A18-11PSA206](#) [CT1N36-5SC](#) [CT2-16S-17PS](#) [CT2-20-15PCAU](#) [CT2-24-12PS](#) [CT2-24-28PSF127A206](#) [CT2-32-9PC](#) [CT6F9767-14-4-](#)
[14S-5PC](#) [CT6FA10SL-4PS](#) [CT7-18-10SC](#) [CT7-18-10SCAU](#) [CT7-18-12SCAU](#) [CT7-18-1PC](#) [CT7-18-1PCAU](#) [CT7-18-21SCAU](#) [M83513/01-](#)
[FC](#) [M83723/76W24619 L/C](#) [M85049/48-3-2F](#) [69001-865](#) [6STD09PCM99B70X](#) [6STD09SCM99B30X](#) [6STD09SCT99S40X](#)