

NOTES

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]

2. DIMENSIONS APPEARING IN TABLE ARE AS FOLLOWS:

a - AS SUPPLIED  
b - AFTER UNRESTRICTED RECOVERY

3. COATING (ADHESIVE) IS OPTIONAL. AS SUPPLIED DIMENSIONS APPEARING IN TABLE ARE FOR UNCOATED PARTS. WHEN COATING IS ADDED, ENTRY DIAMETERS WILL BE REDUCED BY .06 MAX.

4. MOLDING PORTS ARE OPTIONAL. WHEN -00 MODIFICATION NUMBER IS SPECIFIED MOLDING PORTS WILL BE LOCATED AS SHOWN.





TABLE OF DIMENSIONS

PART NUMBER	H					J				
	Min -3,-4,-25 -100	Min d	Min d	Max b	Max	Min -3,-4,-25 -100	Min d	Min d	Max b	Max
202A111	.65	[16.5]	[16.5]	.65	.31	.65	[16.5]	[16.5]	.65	.47
202A121	.97	[24.6]	[22.6]	[9.9]	[24.6]	.97	[23.4]	[23.4]	[5.3]	.21
202A132	1.12	[28.4]	[26.2]	[14.2]	[28.4]	1.12	[20.3]	[26.7]	[6.6]	[51.3]
202A142	1.22	[31.0]	[28.8]	[17.8]	[31.0]	1.22	[25.4]	[31.0]	[7.4]	[66.8]
202A153	1.68	[42.7]	[36.0]	[21.9]	[36.0]	1.68	[27.2]	[42.7]	[9.4]	[99.1]
202A163	1.68	[42.7]	[42.7]	[27.4]	[42.7]	1.68	[27.2]	[42.7]	[9.4]	[99.1]
202A174	2.04	[51.8]	[48.3]	[2.04]	[51.8]	2.04	[48.3]	[51.8]	[5.13]	[130.3]
202A185	2.60	[66.0]	[66.0]	[2.60]	[66.0]	2.60	[66.0]	[66.0]	[2.13]	[54.1]
202A196	3.40	[86.4]	[86.4]	[3.40]	[86.4]	3.40	[86.4]	[86.4]	[2.81]	[71.4]

CUSTOMER DRAWING

Raychem Molded Parts

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN METRIC DIMENSIONS ARE IN BRACKETS.

DECIMAL TOLERANCES  
 .XXX ± 0.005 (0.13 mm)  
 .XX ± 0.01 (0.25 mm)  
 .X ± 0.1 (2.5 mm)

ANGLE TOLERANCE  
 X ± 1 DEG.

THIRD ANGLE PROJECTION

DATE: 05/21/2008  
 DRAWN: UNGUYEN  
 RPN:

TITLE: BOOT, STRAIGHT, OVEREXPANDED  
 SIZE: B  
 CODE IDENT. NO.: 06090  
 DWG. NO.: 202A111trn196

TE Connectivity

© 2015 Tyco Electronics Corporation. TE Connectivity Ltd. All rights reserved.

REVISIONS	DATE	DESCRIPTION	Y
	07/01/15	REVISED PER ECD-15-010088	

COMPATIBILITY CHART

MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING SPEC	COATING DESCRIPTION
-3	POLYOLEFIN, SEMI-RIGID	RT-301	/42; /86	S-1017; S-1048	ADHESIVE
-4	POLYOLEFIN, FLEXIBLE	RT-1304	/164; /86; /180	S-1017; S-1048; S-1030	ADHESIVE
-5	ELASTOMER, FLEXIBLE	RT-501	/42;	S-1017	ADHESIVE
-6	SILICONE	RT-602	N/A		
-12	FLUOROELASTOMER	RT-1312	N/A		
-25	ELASTOMER, FLUID RESISTANT	RW-2070	/42; /86; /225	S-1017; S-1048; S-1206	ADHESIVE
-100	POLYOLEFIN, SEMI-FLEXIBLE	RT-1323	/180; /184; /86	S-1030; S-1048	ADHESIVE
	ZEROHAL				

ORDERING INFORMATION

BASE PART NUMBER 202A1XX  
 MATERIAL DASH NUMBER (SEE COMPATIBILITY CHART) -XXX  
 MODIFICATION NUMBER -XX  
 ADHESIVE SLASH NUMBER /XX

(IF NECESSARY, SEE COMPATIBILITY CHART)

CUSTOMER DRAWING

SIZE	DWG. NO.	REV.	DWG. NO.	REV.
B	06090	Y	06090	Y

202A111thru196

DD NOT SCALE THIS DRAWING

1

2

3

4

1

2

3

4

A

B

C

D

A

B

C

D

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Boots](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[618235-000](#) [622A014-3-0](#) [CX4132-000](#) [879103-4](#) [879515-000](#) [889092](#) [982033-2](#) [R280576000](#) [1300830729](#) [MTPSRBCL-C](#) [1811481-1](#)  
[200W531-3-0](#) [202A121-386-0](#) [202A142-4-00/42-0](#) [202A163-4-0-CS5067](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#)  
[202C621710CS5361](#) [202D132-4-07/42-0](#) [202D221-4-0-CS5349](#) [202D221-4-26-0](#) [202D263-25-08-0](#) [202D263-4-22/42-0](#) [202D263-4-88-0](#)  
[202D921-2542-0](#) [202E336-71-0](#) [202F211-50-22-0-CS8474](#) [202F242-50-05-0](#) [202F242-51-04/164-0](#) [202K121-25-CS-1858-0](#) [202K121-25-](#)  
[CS-2062-0](#) [202K132-25-01/225-0CS8387](#) [202K153-3-0186-0](#) [202S132-25-UP-0](#) [203W301-3/42-0](#) [207W613-100/184-0-CS5657](#) [207W623-](#)  
[100-01/184-0](#) [207W634-100/184-0-CS5657](#) [207W656-100-01/184-0](#) [207W667-100-01/184-0](#) [207W667-100/184-0](#) [208A011-3-0](#) [208A021-3-](#)  
[0](#) [221A011-51164-0-CS7133](#) [222A121-2586](#) [222A152-342-0](#) [222A213-25-0-CS5613](#) [222D221-25-13/86-0](#) [222D232-4-61-0-CS5078](#)