Power Supply AK-B1-420





Technical specification

Product code	AK-B1-420
Type of the product	Power Supply ATX
Type of the power supply	Standard - Basic Series
Format	ATX 2.0
Input voltage	230V / 50Hz
Current on the +3.3V rail	30
Current on the +5V rail	26
The combined power of +3.3V and +5V	229
Current on the +12V rail	16
Maximum load on 12V line	192
Maximum DC output	420
Mainboard Power connector MPC (P1)	20+4 pin
Power connector ATX12V (P4)	Yes

Power connector PCI-E (6-pin)	0
Power connector Molex (4-pin)	2
Power connector mini-Molex (4-pin)	1
Power connector SATA	3
Power Factor Correction	No
Over Voltage Protection(OVP)	Yes
Over Current Protection(OCP)	Yes
Over Power Protection(OPP)	Yes
Over Temperature Protection (OTP)	Yes
Short Circuit Protection(SCP)	Yes
Fan class size	120
Fan adjustments	Automatic
Power wire	No
Box	Cardboard
Product dimensions (length * width * height)	150 x 140 x 85
Certification	CE, RoHS
EAN Code	5901720130310
	The very popular power supply of the Basic series. Both solid construction and a large 12cm fan which allows optimal cooling and quiet operation are noteworthy. In addition, LIPS has three SATA connectors and two connectors

Additional information

The very popular power supply of the Basic series. Both solid construction and a large 12cm fan which allows optimal cooling and quiet operation are noteworthy. In addition, UPS has three SATA connectors and two connectors MOLEX to allow connection of the drive and disks. It is valued because of the greater headroom compared to other basic models. It has a universal connector to the motherboard 20/24pin. Thanks to the high standards of quality and safety product is safe.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switching Power Supplies category:

Click to view products by Akyga manufacturer:

Other Similar products are found below :

 70841011
 73-551-0005
 AAD600S-4-OP
 R22095
 KD0204
 9021
 S-15F-12
 LDIN100150
 LPM000-BBAR-01
 LPX17S-C
 EVS57-10R6/R

 FDC40-24S12
 FP80
 FRV7000G
 22929
 CQM1IA121
 40370121900
 VI-PU22-EXX
 40370121910
 LDIN5075
 432703037161
 WRB01X-U

 LPX140-C
 08-30466-1040G
 09-160CFG
 70841004
 70841025
 VPX3000-CBL-DC
 VI-LUL-IU
 LPM000-BBAR-05
 LPM000-BBAR-08

 LPM124-OUTA1-48
 LPM000-BBAR-07
 LPM109-OUTA1-10
 LPM616-CHAS
 08-30466-1055G
 08-30466-2175G
 DMB-EWG
 TVQF

 1219-185
 6504-226-2101
 CQM1IPS01
 XPFM201A+
 MAP80-4000G
 LFP300F-24-TY
 SMP21-L20-DC24V-5A
 VI-MUL-ES
 08-30466

 0065G
 CME240P-24
 VI-RU031-EWWX
 08-30466-0028G
 08-30466-0028G
 08-30466-0028G