
## T1010156 1670: JUBI 192

## SPECIFICATION FOR APPROVAL



CK002 30101

窬

部

## バーズ SPECIFICATION FOR APPROVAL

TO:

2/2

형

					616
PART NAME		۲			4 Tour 6 A 2002 Box
ТҮРЕ	FYQ04A1	S	AMPLE DA	\TE	MAY.8.2012
MODEL NO					
3-1.RATED V 3-2.RATED C 3-3.OPERATI 3-4.LEAKAGE 250VAC 5 3-5.HIPOT RA LINE TO L LINE TO C 3-6.INSULATI 3-7.DIRECT C 3-8.OPERATI 4.SAFETY CON	NG FREQUENCY CURRENT:EACH OHZ ATING: (FOR ONE INE GROUND ON RESISTANCE CURRENT RESIST NG TEMPERATU IPLINCE: CE	HLINE TO GROUI MINUTE)	ND	250	125/250VAC 4 A 50/60Hz 0.6mA MAX 1450VDC 2250VDC VDC/100MOHM MIN 0.2 OHM MAX 25 TO +100°C
REPORTED BY	CHECKED BY	APPROVED BY	6	插座變更爲奇立捕	
RAR 78		5/8	5	端子孔橢圓形更正	E圓形
小不見  / ð	×.	la reiv	REV. 4	更正線路圖	

CK002 30101

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AC Power Entry Modules category:

Click to view products by QLT Power manufacturer:

Other Similar products are found below :

0098.0050 6-1609987-9 6167.0002 7-6609955-2 FN389-4-22 FN9233ER-12-06 FN9233S1-10-06 FN9233S1-8-06 FN9233S1B-8-06 FN9233S1R-1-06 FN9233S1R-12-06 FN9233SB-1-06 FN9233SB-12-06 FN9233SB-8-06 FN9233SR-10-06 FN9233SR-3-06 FN9244B-15-06HI FN9244EB-3-06 FN9244EB-8-06 FN9244ER-15-06 FN9244ER-8-06 FN9244ES1-8-06 FN9244ESB-8-06 FN9244EU-6-06 FN9244R-12-06 FN9244R-3-07 FN9244R-8-06 FN9244S1-10-06 FN9244S1-12-06 FN9244S1-3-06 FN9244S1B-6-06 FN9244S1R-3-06 FN9244S-6-06 FN9244SB-10-06 FN9244SB-6-06 FN9244SB-8-06 FN9244SR-10-06 FN9244SR-6-06 FN9244U-3-06 FN9244U-8-06 FN9260A-6-06 PE00SSSXB Fuse-H-EUR-1 Fuse-H-USA-1 PM00XD000 PS0SSDBX0 PS0SXSH3B A-0701-HT-H RAPC3FG 15EJMS8