


SECTION A-A


SCALE 2 : 3

HOLES(4) ARE DESIGNED FOR M4 PAN HEAD MACHINE SCREWS USE.

40mm	[1.575in]
6.50mm	[0.256in]
4mm	[0.157in]
3mm	[0.118in]






Four(4) M4X20mm PAN HEAD SCREWS.




HOLES(4) ARE DESIGNED FOR M3X4mm SELF-TAPPING SCREWS USE.

29mm	[1.142in]
29mm	[1.142in]




TOLERANCES: +/- 0.30 mm (+/- 0.012in)



SECTION B-B

SCALE 2 : 3



15mm	[0.591in]
2.50mm	[0.098in]

STOCK NO.	MATERIAL	BASE-COLOR	COVER-COLOR
G212MF	POLYCARBONATE UL94-HB	LIGHT GRAY(RAL7035)	LIGHT GRAY(RAL7035)
G212CMF	POLYCARBONATE UL94-HB	LIGHT GRAY(RAL7035)	CLEAR
G311MF	ABS UL94-HB	DARK GRAY(RAL7000)	DARK GRAY(RAL7000)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Enclosures, Boxes, & Cases](#) category:

Click to view products by [Gainta](#) manufacturer:

Other Similar products are found below :

[CR-425 PAINTED](#) [585-R-WH-PK](#) [M-10-PLATED](#) [60221-01](#) [60566-01-000](#) [HPL-9VB BATT DOOR](#) [M-16-LID-PLATED](#) [M18-PLTD](#) [M-21-LID-PLATED](#) [M-21-PLATED](#) [M-23-PLATED](#) [CU-281-MB](#) [6711GSKT](#) [71884-29-028](#) [LH45-100 Black](#) [7200B](#) [72868-510-000](#) [CNS-0000 Black](#) [72883-510-000](#) [CNS-0101 Black](#) [72906-510-000](#) [CNS-0407 Black](#) [73091-510-000](#) [CNM-0000-BLACK Kit](#) [73092-510-000](#) [CNM-0101 Black](#) [73108-510-000](#) [CNL-0303 Black](#) [73395-510-039](#) [CNS-0006 Bone](#) [74257-510-000](#) [CNL-0004](#) [MDC-1183-PLAIN-ALUM](#) [MDC-1183-PTD](#) [MDC-13104-PLAIN-ALUM](#) [MDC-211 - PAINTED IVORY/BEIGE](#) [MDC-321-PTD](#) [MDC-432-PLAIN-ALUM](#) [MDC-973-PTD](#) [76](#) [77153-01-028](#) [FLX6030](#) [83535-01-508](#) [PS-11296-G](#) [PS-11298-B](#) [116-508](#) [120-407](#) [120-412](#) [120-909](#) [120-455](#) [R272-100-000](#) [120-910](#) [R501-001-010](#) [R508-080-000](#) [R508-160-000](#) [R530-120-000](#) [R530-122-000](#) [R530-200-000](#) [R531-160-000](#) [R531-200-000](#) [R582-080-100](#)