



CABLE GLAND

KVR M25-MGM/or



KVR M25-MGM/or

Cable gland

Article number: 22762501

Cable gland for WKE 2-5, with strain relief, polyamide, M_ x 1.5 mm, with lock nut

IP68

Technical data



CABLE GLAND

KVR M25-MGM/or

Other attributes

Thread pitch:	1,5 mm
Werkstoff Kabelverschraubung:	Kunststoff
Glass fibre-reinforced:	No
shock-proof:	No
Bend-proofing of cable gland:	No
Explosion safety:	none
with lock nut:	Yes
Multiple sealing inserts:	No
Flat cable screwing:	No
Strain relief:	Yes
Type of sealing:	Membran
Divisible screw connection:	No
PVC-free:	Yes
Heavy metals-free:	Yes
Silicone-free:	Yes
Ingress protection:	IP68 - acc. to EN 60529 / DIN VDE 0470-1
Thread size metric/PG:	25
Width across flats:	30
Hexagon corner measurement:	33 mm
Suitable for cable diameter from/to:	9,0 - 16,0 mm
Thread length/mm:	11
Sealing area/mm:	9 - 16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:

Click to view products by [Spelsberg](#) manufacturer:

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)