


# GN 51.5

Retaining magnets



## technical informations

### Specification

Disc-shaped, with female thread, with rubber jacket

Steel part, zinc-plated

Rubber jacket, Elastomer (TPE), 73 shore, black

### Material of the magnet

Neodymium, iron, boron NdFeB ND, temperature resistant up to 80°C

### Features and applications

Retaining magnets GN 51.7 are a shielded magnetic system with rubber jacket.

The rubber jacket protects sensitive surfaces from being damaged by the magnet and also delivers a higher friction coefficient, resulting in high lateral adhesion forces.

Standard Elements	Main dimensions					Nominal adhesive forces	Weight
Description	d <sub>1</sub>	d <sub>2</sub>	h	t <sub>1</sub>	t <sub>2</sub>	in N	g
GN 51.5-ND-22	22	M 4	6	4.5	0.8	35	9
GN 51.5-ND-31	31	M 5	6	4.5	0.8	75	21

GN 51.5-ND-43	43	M 4	5.5	4	0.8	85	29
GN 51.5-ND-66	66	M 6	8.5	6	1.8	180	100
GN 51.5-ND-88	88	M 6	8.5	6	1.8	420	186

---



STANDARD MACHINE ELEMENTS WORLDWIDE

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Industrial Hall Effect/Magnetic Sensors](#) category:*

*Click to view products by [Elesa & Ganter](#) manufacturer:*

Other Similar products are found below :

[GT-13013](#) [GT-13040](#) [GT-14114](#) [GT-14123](#) [DRR-129\(62-68\)](#) [ATS682LSHTN-T](#) [SR4P2-C7](#) [GT-12076](#) [GT-13012](#) [GT-14049](#) [GT-14067](#) [GT-14132](#) [GT-18030](#) [103FW12-R3](#) [A1155LLHLT-T](#) [A1106EUA-T](#) [SMSA2P30CG](#) [P2D-000](#) [GN 55.2-SC-15-3](#) [GN 55.2-SC-5-3](#) [103FW41-R1](#) [KJR-D100AN-DNA-VE](#) [KJR-D100AN-DNIA-V2](#) [SR-10018](#) [ECC464558EU](#) [SC9641TS](#) [CS200BK](#) [QMC6308](#) [VSM025A/8mA](#) [M10-JB5020D](#) [M12-JB8002C](#) [M12-JB8002D](#) [M12-JK5002B](#) [M8-MJK](#) [M12-MJK](#) [MM18-70APS-ZCK](#) [103FW5-4](#) [ATS128LSETN-T](#) [TLE4906LHALA1](#) [TLE49452LHALA1](#) [MMA8452Q](#) [BU52013HFV-TR](#) [MRMS591A](#) [103SR14A-1](#) [MZT7-03VPS-KR0](#) [MZT7-03VPS-KW0](#) [MZT8-03VPS-KW0](#) [MZT8-28VPS-KP0](#) [MM12-60APO-ZUK](#) [A1326LLHLX-T](#)