

# **Asset Tracking External Antenna**

Mini GPS



## PRODUCT DESCRIPTION/TITLE

The Laird GPSU1575P or Mini GPS is a rugged, high performance, and cost effective solution for most GPS or asset tracking applications. The small form factor makes it easy to install on or in vehicles or buildings. It is designed to withstand impact as well as water and dust intrusion (IP67 rated). The antenna can be configured with different cable types, in varying lengths and with various connector types.

Laird has a full line of high performance, cost effective GPS antennas for any telematics or GPS application.

### **FEATURES AND BENEFITS**

- High performance in a small form factor
- IP67 rated for use in highly demanding environments and operating conditions
- Rugged impact resistant housing
- Various connector options

#### **MARKETS**

- Fleet and logistics management
- General automotive aftermarket
- Highway construction
- · Land Surveying and management
- · Asset visibility and tracking
- Warehouse management

SPECIFICATIONS	
Frequency Center	1575.42 MHz +/-3 MHz
Gain	28 dBi Typical 32dB (Max)
Polarization	RHCP
Output Impedance	50 Ohms
VSWR	2.0:1
Input Power	-30 dBm
Noise Figure	1.5 dB Max (@2.5~5 Vdc, 1575.42 MHz)
Supply Voltage	2.5 ~ 5 Vdc
Current Max	15 mA
Diameter	1.91"x0.67"
Radome Material	Lexan PC Impact UV Stabilized
Operating Temperature	-35°C to +75°C
Ingress Protection	IP - 67
Mounting method	Aluminum Stud $\&$ Base M12 X 1.5 Thread, stainless steel Lock Washer and Heavy Duty Nut.
Bandwidth	±2.0 [1573.42 – 1577.42 MHz]
Intersection Loss BW	3.5 dB Max
Attenuation Absolute Value	45 dB min. @ 1475.42 MHz
	25 dB min. @ 1525.42 MHz
	18 dB min. @ 1625.42 MHz

Americas: +1.847 839.6907

IAS-AmericasEastSales@lairdtech.com


Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com


www.lairdtech.com




# **Asset Tracking External Antenna**

Mini GPS





ORDERING INFORMATION	
GPS1575SP26-004	80" RG174 w/ RA MMCX
GPS1575SP26-005	80" RG17A w/ MCXM



## IAS-DS-GPSU1575P\_060715

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any laird materials or products for any specific or general uses. Laird shall not laible for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird, Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB24003NP TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M