

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GJ431CC81E105KA01	1uF	25	X6S		3216M/1206	1.8	+/-10%	Audio signal low distortion
GJ821BR71H105KA12	1uF	50	X7R		2012M/0805	1.35	+/-10%	Acoustic noise reduction
GJ8319R61H225KA12	2.2uF	50	X5R		3216M/1206	0.95	+/-10%	Acoustic noise reduction
GJ831CC81E105KA01	1uF	25	X6S		3216M/1206	1.8	+/-10%	Acoustic noise reduction
GJ831CR61E106KE83	10uF	25	X5R		3216M/1206	1.9	+/-10%	Acoustic noise reduction
GJ831CR71H475KA12	4.7uF	50	X7R		3216M/1206	1.8	+/-10%	Acoustic noise reduction
GJ832ER7YA106KA12	10uF	35	X7R		3225M/1210	2.7	+/-10%	Acoustic noise reduction
GRJ155R60J106ME11	10uF	6.3	X5R		1005M/0402	0.7	+/-20%	Resin external electrode
GRJ188C70J475KE11	4.7uF	6.3	X7S		1608M/0603	1	+/-10%	Resin external electrode
GRJ188C70J475ME11	4.7uF	6.3	X7S		1608M/0603	1	+/-20%	Resin external electrode
GRJ188R60J106ME11	10uF	6.3	X5R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R60J475KE11	4.7uF	6.3	X5R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R60J475ME11	4.7uF	6.3	X5R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R61A106ME11	10uF	10	X5R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R61A475KE11	4.7uF	10	X5R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R61A475ME11	4.7uF	10	X5R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R61C105KE11	1uF	16	X5R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R61C105ME11	1uF	16	X5R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R6YA105KE11	1uF	35	X5R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R70J225KE11	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R70J225ME11	2.2uF	6.3	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71C474KE11	0.47uF	16	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71C474ME11	0.47uF	16	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71E105KE11	1uF	25	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71E105ME11	1uF	25	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71E224KE11	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71E224ME11	0.22uF	25	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71E473KE11	47000pF	25	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71E473ME11	47000pF	25	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H102KE11	1000pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H102ME11	1000pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H103KE11	10000pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H103ME11	10000pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H104KE11	0.1uF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H104ME11	0.1uF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H222KE11	2200pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H222ME11	2200pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H223KE11	22000pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H223ME11	22000pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H224KE11	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H224ME11	0.22uF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H472KE11	4700pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H472ME11	4700pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R71H473KE11	47000pF	50	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R71H473ME11	47000pF	50	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A102KE11	1000pF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A102ME11	1000pF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A103KE11	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A103ME11	10000pF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A104KE11	0.1uF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A104ME11	0.1uF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A222KE11	2200pF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A222ME11	2200pF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A223KE11	22000pF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A223ME11	22000pF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ188R72A472KE11	4700pF	100	X7R		1608M/0603	0.9	+/-10%	Resin external electrode
GRJ188R72A472ME11	4700pF	100	X7R		1608M/0603	0.9	+/-20%	Resin external electrode
GRJ216R71H102KE01	1000pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H102ME01	1000pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R71H103KE01	10000pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H103ME01	10000pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R71H222KE01	2200pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H222ME01	2200pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R71H223KE01	22000pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H223ME01	22000pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R71H471KE01	470pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H471ME01	470pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R71H472KE01	4700pF	50	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R71H472ME01	4700pF	50	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R72A102KE01	1000pF	100	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R72A102ME01	1000pF	100	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R72A103KE01	10000pF	100	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R72A103ME01	10000pF	100	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R72A222KE01	2200pF	100	X7R		2012M/0805	0.7	+/-10%	Resin external electrode

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRJ216R72A222ME01	2200pF	100	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R72A223KE01	22000pF	100	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R72A223ME01	22000pF	100	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ216R72A472KE01	4700pF	100	X7R		2012M/0805	0.7	+/-10%	Resin external electrode
GRJ216R72A472ME01	4700pF	100	X7R		2012M/0805	0.7	+/-20%	Resin external electrode
GRJ219R72A221KE01	220pF	100	X7R		2012M/0805	0.95	+/-10%	Resin external electrode
GRJ219R72A221ME01	220pF	100	X7R		2012M/0805	0.95	+/-20%	Resin external electrode
GRJ219R72A471KE01	470pF	100	X7R		2012M/0805	0.95	+/-10%	Resin external electrode
GRJ219R72A471ME01	470pF	100	X7R		2012M/0805	0.95	+/-20%	Resin external electrode
GRJ21BC72A105KE11	1uF	100	X7S		2012M/0805	1.5	+/-10%	Resin external electrode
GRJ21BC72A105ME11	1uF	100	X7S		2012M/0805	1.5	+/-20%	Resin external electrode
GRJ21BR61E106KE01	10uF	25	X5R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71A106KE01	10uF	10	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71A106ME01	10uF	10	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71C475KE01	4.7uF	16	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71C475ME01	4.7uF	16	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71E105KE11	1uF	25	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71E105ME11	1uF	25	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71E225KE01	2.2uF	25	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71E225ME01	2.2uF	25	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H104KE01	0.1uF	50	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H104ME01	0.1uF	50	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H105KE01	1uF	50	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H105ME01	1uF	50	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H224KE01	0.22uF	50	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H224ME01	0.22uF	50	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H473KE01	47000pF	50	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H473ME01	47000pF	50	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H474KE01	0.47uF	50	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H474ME01	0.47uF	50	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR72A104KE01	0.1uF	100	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR72A104ME01	0.1uF	100	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR72A473KE01	47000pF	100	X7R		2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR72A473ME01	47000pF	100	X7R		2012M/0805	1.45	+/-20%	Resin external electrode
GRJ319R71H104KE11	0.1uF	50	X7R		3216M/1206	0.95	+/-10%	Resin external electrode
GRJ319R71H104ME11	0.1uF	50	X7R		3216M/1206	0.95	+/-20%	Resin external electrode
GRJ319R72A104KE11	0.1uF	100	X7R		3216M/1206	0.95	+/-10%	Resin external electrode
GRJ319R72A104ME11	0.1uF	100	X7R		3216M/1206	0.95	+/-20%	Resin external electrode
GRJ31CC71E106KE11	10uF	25	X7S		3216M/1206	2	+/-10%	Resin external electrode
GRJ31CC71E106ME11	10uF	25	X7S		3216M/1206	2	+/-20%	Resin external electrode
GRJ31CC72A475KE01	4.7uF	100	X7S		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CC72A475ME01	4.7uF	100	X7S		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CC8YA106KE01	10uF	35	X6S		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CC8YA106ME01	10uF	35	X6S		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR61E106KE11	10uF	25	X5R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR70J226KE12	22uF	6.3	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR70J226ME12	22uF	6.3	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71A106KE11	10uF	10	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71A106ME11	10uF	10	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71A226KE12	22uF	10	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71A226ME12	22uF	10	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71C106KE11	10uF	16	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71C106ME11	10uF	16	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71C475KE11	4.7uF	16	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71C475ME11	4.7uF	16	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71E106KE11	10uF	25	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71E106ME11	10uF	25	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71H105KE11	1uF	50	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71H105ME11	1uF	50	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71H225KE11	2.2uF	50	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71H225ME11	2.2uF	50	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR71H475KE11	4.7uF	50	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR71H475ME11	4.7uF	50	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CR72A105KE11	1uF	100	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CR72A105ME11	1uF	100	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31CZ72A475KE01	4.7uF	100	X7R		3216M/1206	1.9	+/-10%	Resin external electrode
GRJ31CZ72A475ME01	4.7uF	100	X7R		3216M/1206	1.9	+/-20%	Resin external electrode
GRJ31MR71C225KE11	2.2uF	16	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71C225ME11	2.2uF	16	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71E225KE11	2.2uF	25	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71E225ME11	2.2uF	25	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H104KE01	0.1uF	50	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H104ME01	0.1uF	50	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H105KE01	1uF	50	X7R		3216M/1206	1.35	+/-10%	Resin external electrode

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRJ31MR71H105ME01	1uF	50	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H224KE01	0.22uF	50	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H224ME01	0.22uF	50	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H474KE01	0.47uF	50	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H474ME01	0.47uF	50	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR72A224KE01	0.22uF	100	X7R		3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR72A224ME01	0.22uF	100	X7R		3216M/1206	1.35	+/-20%	Resin external electrode
GRJ32DC72A475KE11	4.7uF	100	X7S		3225M/1210	2.3	+/-10%	Resin external electrode
GRJ32DC72A475ME11	4.7uF	100	X7S		3225M/1210	2.3	+/-20%	Resin external electrode
GRJ32DR72A225KE11	2.2uF	100	X7R		3225M/1210	2.3	+/-10%	Resin external electrode
GRJ32DR72A225ME11	2.2uF	100	X7R		3225M/1210	2.3	+/-20%	Resin external electrode
GRJ32EC71E226KE11	22uF	25	X7S		3225M/1210	2.85	+/-10%	Resin external electrode
GRJ32EC71H106KE11	10uF	50	X7S		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32EC71H106ME11	10uF	50	X7S		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER70J476KE11	47uF	6.3	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER70J476ME11	47uF	6.3	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71A226KE11	22uF	10	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71A226ME11	22uF	10	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71A476KE11	47uF	10	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71A476ME11	47uF	10	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71C226KE11	22uF	16	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71C226ME11	22uF	16	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71E106KE11	10uF	25	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71E106ME11	10uF	25	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71H106KE11	10uF	50	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71H106ME11	10uF	50	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71H475KE11	4.7uF	50	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71H475ME11	4.7uF	50	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRJ32ER71K475KE11	4.7uF	80	X7R		3225M/1210	2.8	+/-10%	Resin external electrode
GRJ32ER71K475ME11	4.7uF	80	X7R		3225M/1210	2.8	+/-20%	Resin external electrode
GRM011R60G103KE01	10000pF	4	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60G332KE01	3300pF	4	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60G472KE01	4700pF	4	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60G682KE01	6800pF	4	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J102KE01	1000pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J102ME01	1000pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J103KE01	10000pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J103ME01	10000pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J152KE01	1500pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J152ME01	1500pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J222KE01	2200pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J222ME01	2200pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J332KE01	3300pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J332ME01	3300pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J472KE01	4700pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J472ME01	4700pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R60J682KE01	6800pF	6.3	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R60J682ME01	6800pF	6.3	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A101KE01	100pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A101ME01	100pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A151KE01	150pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A151ME01	150pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A221KE01	220pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A221ME01	220pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A331KE01	330pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A331ME01	330pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A471KE01	470pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A471ME01	470pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM011R61A681KE01	680pF	10	X5R		0201M/008004	0.138	+/-10%	Ultra-small
GRM011R61A681ME01	680pF	10	X5R		0201M/008004	0.138	+/-20%	Ultra-small
GRM022D80E104ME15	0.1uF	2.5	X6T		0402M/01005	0.22	+/-20%	Ultra-small
GRM022D80E224ME14	0.22uF	2.5	X6T		0402M/01005	0.22	+/-20%	Ultra-small
GRM022D80G104ME15	0.1uF	4	X6T		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G104ME15	0.1uF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G153KE15	15000pF	4	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G153ME15	15000pF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G223KE15	22000pF	4	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G223ME15	22000pF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G224ME14	0.22uF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G333KE15	33000pF	4	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G333ME15	33000pF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G473KE15	47000pF	4	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G473ME15	47000pF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G474ME15	0.47uF	4	X5R		0402M/01005	0.25	+/-20%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM022R60G683ME15	68000pF	4	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J102KE19	1000pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J102ME19	1000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J103KE19	10000pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J103ME19	10000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J104KE15	0.1uF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J104ME15	0.1uF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J152KE19	1500pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J152ME19	1500pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J153ME15	15000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J182KE19	1800pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J222KE19	2200pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J222ME19	2200pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J223KE15	22000pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J223ME15	22000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J224KE14	0.22uF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J224ME14	0.22uF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J332KE19	3300pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J332ME19	3300pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J333ME15	33000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J392KE19	3900pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J472KE19	4700pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J472ME19	4700pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J473ME15	47000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J474ME05	0.47uF	6.3	X5R		0402M/01005	0.22	+/-20%	General Purpose
GRM022R60J474ME15	0.47uF	6.3	X5R		0402M/01005	0.25	+/-20%	Ultra-small
GRM022R60J681KE19	680pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J681ME19	680pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J682KE19	6800pF	6.3	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J682ME19	6800pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J683ME15	68000pF	6.3	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A101KA01	100pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A101MA01	100pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A102KE19	1000pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A102ME19	1000pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A103KE19	10000pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A103ME19	10000pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A104ME01	0.1uF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A151KA01	150pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A151MA01	150pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A152KE19	1500pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A152ME19	1500pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A221KA01	220pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A221MA01	220pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A222KE19	2200pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A222ME19	2200pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A331KA01	330pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A331MA01	330pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A332KE19	3300pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A332ME19	3300pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A471KA01	470pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A471MA01	470pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A472KE19	4700pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A472ME19	4700pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A562KE19	5600pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A680KA01	68pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A680MA01	68pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A681KE19	680pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A681ME19	680pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A682KE19	6800pF	10	X5R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A682ME19	6800pF	10	X5R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A821KE19	820pF	10	X5R		0402M/01005	0.22	+/-10%	General Purpose
GRM022R71A101KA01	100pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A101MA01	100pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A102KA12	1000pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A102MA12	1000pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A121KA01	120pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A151KA01	150pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A151MA01	150pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A181KA01	180pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A221KA01	220pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A221MA01	220pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A331KA01	330pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A331MA01	330pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM022R71A471KA01	470pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A471MA01	470pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A680KA01	68pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A680MA01	68pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A681KA12	680pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A681MA12	680pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A821KA12	820pF	10	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A821MA12	820pF	10	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C101KE14	100pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C101ME14	100pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C102KE14	1000pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C102ME14	1000pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C151KE14	150pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C151ME14	150pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C221KE14	220pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C221ME14	220pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C271KE14	270pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C331KE14	330pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C331ME14	330pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C471KE14	470pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C471ME14	470pF	16	X7R		0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C681KE14	680pF	16	X7R		0402M/01005	0.22	+/-10%	Ultra-small
GRM032R60G105ME05	1uF	4	X5R		0603M/0201	0.22	+/-20%	Ultra-small
GRM032R60J104KE15	0.1uF	6.3	X5R		0603M/0201	0.22	+/-10%	Ultra-small
GRM032R60J105ME05	1uF	6.3	X5R		0603M/0201	0.22	+/-20%	Ultra-small
GRM033C71A104KE14	0.1uF	10	X7S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C71A104ME14	0.1uF	10	X7S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C71C104KE14	0.1uF	16	X7S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C71C104ME14	0.1uF	16	X7S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80E224ME15	0.22uF	2.5	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G104KE19	0.1uF	4	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G153KE01	15000pF	4	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G223KE01	22000pF	4	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G224ME15	0.22uF	4	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G224ME90	0.22uF	4	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G333KE01	33000pF	4	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G473KE01	47000pF	4	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104KE15	0.1uF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104KE84	0.1uF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104ME84	0.1uF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J105ME05	1uF	6.3	X6S		0603M/0201	0.39	+/-20%	Ultra-small
GRM033C80J153KE01	15000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J153ME01	15000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J223KE01	22000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J223ME01	22000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J224KE90	0.22uF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J224ME90	0.22uF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J333KE01	33000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J333ME01	33000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J473KE19	47000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J473ME19	47000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J683KE84	68000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J683ME84	68000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81A104KE14	0.1uF	10	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81A105ME05	1uF	10	X6S		0603M/0201	0.39	+/-20%	Ultra-small
GRM033C81A473KE05	47000pF	10	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81C104KE14	0.1uF	16	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81C104ME14	0.1uF	16	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81E103KE14	10000pF	25	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81E103ME14	10000pF	25	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81E104KE14	0.1uF	25	X6S		0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81E104ME14	0.1uF	25	X6S		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G105MEA2	1uF	4	X5R		0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60G155ME14	1.5uF	4	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G224ME15	0.22uF	4	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G225ME44	2.2uF	4	X5R		0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60G225ME47	2.2uF	4	X5R		0603M/0201	0.39	+/-20%	Ultra-small
GRM033R60G474ME90	0.47uF	4	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J103KA01	10000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J104KE19	0.1uF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J104KE84	0.1uF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J105MEA2	1uF	6.3	X5R		0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60J153KE01	15000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J155ME14	1.5uF	6.3	X5R		0603M/0201	0.33	+/-20%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM033R60J223KE01	22000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J224KE15	0.22uF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J224ME15	0.22uF	6.3	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J224ME90	0.22uF	6.3	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J225ME05	2.2uF	6.3	X5R		0603M/0201	0.33	+/-20%	General Purpose
GRM033R60J225ME15	2.2uF	6.3	X5R		0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60J225ME47	2.2uF	6.3	X5R		0603M/0201	0.39	+/-20%	Ultra-small
GRM033R60J273KE01	27000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J333KE01	33000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J473KE19	47000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J474KE90	0.47uF	6.3	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A103KA01	10000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A103MA01	10000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A104KE15	0.1uF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A104KE84	0.1uF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A104ME84	0.1uF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A105ME15	1uF	10	X5R		0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61A105ME44	1uF	10	X5R		0603M/0201	0.35	+/-20%	Ultra-small
GRM033R61A123KE84	12000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A123ME84	12000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A152KA01	1500pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A153KE84	15000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A153ME84	15000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A182KA01	1800pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A183KE84	18000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A183ME84	18000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A222KA01	2200pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A223KE84	22000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A223ME84	22000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A224KE90	0.22uF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A224ME90	0.22uF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A225KE47	2.2uF	10	X5R		0603M/0201	0.39	+/-10%	Ultra-small
GRM033R61A225ME47	2.2uF	10	X5R		0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61A273KE84	27000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A273ME84	27000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A332KA01	3300pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A333KE84	33000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A333ME84	33000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A393KE84	39000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A393ME84	39000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A472KA01	4700pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A472MA01	4700pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A473KE84	47000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A473ME84	47000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A682KA01	6800pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A682MA01	6800pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A683KE84	68000pF	10	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A683ME84	68000pF	10	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C103KA12	10000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C103MA12	10000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104KE14	0.1uF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104KE18	0.1uF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104KE84	0.1uF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104ME14	0.1uF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104ME18	0.1uF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104ME84	0.1uF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C105ME15	1uF	16	X5R		0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61C153KE84	15000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C153ME84	15000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C223KE84	22000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C223ME84	22000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C224KE14	0.22uF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C224ME14	0.22uF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C333KE84	33000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C333ME84	33000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C473KE84	47000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C473ME84	47000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C683KE84	68000pF	16	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C683ME84	68000pF	16	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E101KA01	100pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E102KA01	1000pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E103KA12	10000pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E103MA12	10000pF	25	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E104KE14	0.1uF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM033R61E104ME14	0.1uF	25	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E151KA01	150pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E221KA01	220pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E331KA01	330pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E471KA01	470pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E472KA12	4700pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E472MA12	4700pF	25	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E681KA01	680pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E682KA12	6800pF	25	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E682MA12	6800pF	25	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61H471KA12	470pF	50	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R6YA104KE14	0.1uF	35	X5R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R6YA104ME14	0.1uF	35	X5R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R70J103KA01	10000pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J152KA01	1500pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J222KA01	2200pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J332KA01	3300pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J472KA01	4700pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J682KA01	6800pF	6.3	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A103KA01	10000pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A103MA01	10000pF	10	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A122KA01	1200pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A152KA01	1500pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A222KA01	2200pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A272KA01	2700pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A332KA01	3300pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A472KA01	4700pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A472MA01	4700pF	10	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A562KA01	5600pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A682KA01	6800pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A682MA01	6800pF	10	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A822KA01	8200pF	10	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C101KA01	100pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C102KA01	1000pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C103KE14	10000pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C103ME14	10000pF	16	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71C151KA01	150pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C152KA01	1500pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C182KA88	1800pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C221KA01	220pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C222KA88	2200pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C271JA01	270pF	16	X7R		0603M/0201	0.33	+/-5%	Ultra-small
GRM033R71C271KA01	270pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C331KA01	330pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C332KA88	3300pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C471KA01	470pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C472KE14	4700pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C472ME14	4700pF	16	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71C681KA01	680pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C682KE14	6800pF	16	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C682ME14	6800pF	16	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E101KA01	100pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E102KA01	1000pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E103KE14	10000pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E103ME14	10000pF	25	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E121KA01	120pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E151KA01	150pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E152KA01	1500pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E182KA12	1800pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E221KA01	220pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E222KA12	2200pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E222MA12	2200pF	25	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E331KA01	330pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E332KA12	3300pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E332MA12	3300pF	25	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E471KA01	470pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E472KE14	4700pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E472ME14	4700pF	25	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E681KA01	680pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E682KE14	6800pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E682ME14	6800pF	25	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E821KA01	820pF	25	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H101KA12	100pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H101MA12	100pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM033R71H102KA12	1000pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H102MA12	1000pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H151KA12	150pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H151MA12	150pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H152KA12	1500pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H152MA12	1500pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H221KA12	220pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H221MA12	220pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H331KA12	330pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H331MA12	330pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H471KA12	470pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H471MA12	470pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H561KA12	560pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H681KA12	680pF	50	X7R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H681MA12	680pF	50	X7R		0603M/0201	0.33	+/-20%	Ultra-small
GRM035R60G475ME15	4.7uF	4	X5R		0603M/0201	0.55	+/-20%	Ultra-small
GRM035R60J475ME15	4.7uF	6.3	X5R		0603M/0201	0.55	+/-20%	Ultra-small
GRM152C80G104KE19	0.1uF	4	X6S		1005M/0402	0.22	+/-10%	General Purpose
GRM152C80G104ME19	0.1uF	4	X6S		1005M/0402	0.22	+/-20%	General Purpose
GRM152C80G224KE19	0.22uF	4	X6S		1005M/0402	0.22	+/-10%	General Purpose
GRM152C80G224ME19	0.22uF	4	X6S		1005M/0402	0.22	+/-20%	General Purpose
GRM152C80J104KE19	0.1uF	6.3	X6S		1005M/0402	0.22	+/-10%	General Purpose
GRM152C80J104ME19	0.1uF	6.3	X6S		1005M/0402	0.22	+/-20%	General Purpose
GRM152C80J224KE19	0.22uF	6.3	X6S		1005M/0402	0.22	+/-10%	General Purpose
GRM152C80J224ME19	0.22uF	6.3	X6S		1005M/0402	0.22	+/-20%	General Purpose
GRM152D70E104KE19	0.1uF	2.5	X7T		1005M/0402	0.22	+/-10%	General Purpose
GRM152D70E104ME19	0.1uF	2.5	X7T		1005M/0402	0.22	+/-20%	General Purpose
GRM152D70E224KE19	0.22uF	2.5	X7T		1005M/0402	0.22	+/-10%	General Purpose
GRM152D70E224ME19	0.22uF	2.5	X7T		1005M/0402	0.22	+/-20%	General Purpose
GRM152D70G104KE15	0.1uF	4	X7T		1005M/0402	0.22	+/-10%	General Purpose
GRM152D70G104ME15	0.1uF	4	X7T		1005M/0402	0.22	+/-20%	General Purpose
GRM152D70G224KE15	0.22uF	4	X7T		1005M/0402	0.22	+/-10%	General Purpose
GRM152D70G224ME15	0.22uF	4	X7T		1005M/0402	0.22	+/-20%	General Purpose
GRM152D80G105ME15	1uF	4	X6T		1005M/0402	0.22	+/-20%	General Purpose
GRM152D80G474ME15	0.47uF	4	X6T		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60G105ME15	1uF	4	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J104KE19	0.1uF	6.3	X5R		1005M/0402	0.22	+/-10%	General Purpose
GRM152R60J104ME19	0.1uF	6.3	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J105ME15	1uF	6.3	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J224KE19	0.22uF	6.3	X5R		1005M/0402	0.22	+/-10%	General Purpose
GRM152R60J224ME19	0.22uF	6.3	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J225ME05	2.2uF	6.3	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J474ME15	0.47uF	6.3	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R61A104KE19	0.1uF	10	X5R		1005M/0402	0.22	+/-10%	General Purpose
GRM152R61A104ME19	0.1uF	10	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM152R61A224KE19	0.22uF	10	X5R		1005M/0402	0.22	+/-10%	General Purpose
GRM152R61A224ME19	0.22uF	10	X5R		1005M/0402	0.22	+/-20%	General Purpose
GRM153D80G105ME95	1uF	4	X6T		1005M/0402	0.33	+/-20%	General Purpose
GRM153D80J105ME95	1uF	6.3	X6T		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G105ME95	1uF	4	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G225ME95	2.2uF	4	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G475ME15	4.7uF	4	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J105ME95	1uF	6.3	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J225ME95	2.2uF	6.3	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J475ME15	4.7uF	6.3	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM153R61A105ME95	1uF	10	X5R		1005M/0402	0.33	+/-20%	General Purpose
GRM155C70J225KE11	2.2uF	6.3	X7S		1005M/0402	0.7	+/-10%	General Purpose
GRM155C70J225ME11	2.2uF	6.3	X7S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C71A105KE11	1uF	10	X7S		1005M/0402	0.6	+/-10%	General Purpose
GRM155C71A225KE11	2.2uF	10	X7S		1005M/0402	0.7	+/-10%	General Purpose
GRM155C71A225ME11	2.2uF	10	X7S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C71H104KE19	0.1uF	50	X7S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H333KE19	33000pF	50	X7S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H333ME19	33000pF	50	X7S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C71H473KE19	47000pF	50	X7S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H473ME19	47000pF	50	X7S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C71H683KE19	68000pF	50	X7S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H683ME19	68000pF	50	X7S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80E106ME44	10uF	2.5	X6S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C80G105KE19	1uF	4	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G154KE01	0.15uF	4	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G154ME01	0.15uF	4	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80G224KE01	0.22uF	4	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G224ME01	0.22uF	4	X6S		1005M/0402	0.55	+/-20%	General Purpose



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM155C80G334KE01	0.33uF	4	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G334ME01	0.33uF	4	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80G474KE01	0.47uF	4	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G474ME01	0.47uF	4	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J105KE15	1uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J106ME11	10uF	6.3	X6S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C80J154KE01	0.15uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J154ME01	0.15uF	6.3	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J224KE01	0.22uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J224ME01	0.22uF	6.3	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J225KE95	2.2uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J225ME95	2.2uF	6.3	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J334KE01	0.33uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J334ME01	0.33uF	6.3	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J474KE19	0.47uF	6.3	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J474ME19	0.47uF	6.3	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J475MEAA	4.7uF	6.3	X6S		1005M/0402	0.65	+/-20%	General Purpose
GRM155C81A105KA12	1uF	10	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81A105MA12	1uF	10	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81A225KE11	2.2uF	10	X6S		1005M/0402	0.7	+/-10%	General Purpose
GRM155C81A225ME11	2.2uF	10	X6S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C81A225ME44	2.2uF	10	X6S		1005M/0402	0.6	+/-20%	General Purpose
GRM155C81C105KE11	1uF	16	X6S		1005M/0402	0.6	+/-10%	General Purpose
GRM155C81C105KE15	1uF	16	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81C105ME11	1uF	16	X6S		1005M/0402	0.6	+/-20%	General Purpose
GRM155C81C225KE11	2.2uF	16	X6S		1005M/0402	0.7	+/-10%	General Purpose
GRM155C81C225ME11	2.2uF	16	X6S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C81C474KE01	0.47uF	16	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81C474ME01	0.47uF	16	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81E104KA12	0.1uF	25	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81E104MA12	0.1uF	25	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81E105KE11	1uF	25	X6S		1005M/0402	0.6	+/-10%	General Purpose
GRM155C81E105ME11	1uF	25	X6S		1005M/0402	0.6	+/-20%	General Purpose
GRM155C81E224KE01	0.22uF	25	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81E224ME01	0.22uF	25	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81E225KE11	2.2uF	25	X6S		1005M/0402	0.7	+/-10%	General Purpose
GRM155C81E225ME11	2.2uF	25	X6S		1005M/0402	0.7	+/-20%	General Purpose
GRM155C81E683KA12	68000pF	25	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104KE14	0.1uF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104KE19	0.1uF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104ME14	0.1uF	50	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H333KE14	33000pF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H333ME14	33000pF	50	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H473KE14	47000pF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H473KE19	47000pF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H473ME14	47000pF	50	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H683KE14	68000pF	50	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H683ME14	68000pF	50	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155C8YA224KE01	0.22uF	35	X6S		1005M/0402	0.55	+/-10%	General Purpose
GRM155C8YA224ME01	0.22uF	35	X6S		1005M/0402	0.55	+/-20%	General Purpose
GRM155D71A225ME11	2.2uF	10	X7T		1005M/0402	0.65	+/-20%	General Purpose
GRM155D71C225ME11	2.2uF	16	X7T		1005M/0402	0.65	+/-20%	General Purpose
GRM155D80E475ME47	4.7uF	2.5	X6T		1005M/0402	0.6	+/-20%	General Purpose
GRM155D80G225KE95	2.2uF	4	X6T		1005M/0402	0.55	+/-10%	General Purpose
GRM155D80G225ME95	2.2uF	4	X6T		1005M/0402	0.55	+/-20%	General Purpose
GRM155D80J225KE95	2.2uF	6.3	X6T		1005M/0402	0.55	+/-10%	General Purpose
GRM155D80J225ME95	2.2uF	6.3	X6T		1005M/0402	0.55	+/-20%	General Purpose
GRM155D81C225ME11	2.2uF	16	X6T		1005M/0402	0.65	+/-20%	General Purpose
GRM155D81E225ME11	2.2uF	25	X6T		1005M/0402	0.65	+/-20%	General Purpose
GRM155R60E106ME16	10uF	2.5	X5R		1005M/0402	0.7	+/-20%	General Purpose
GRM155R60G105ME01	1uF	4	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60G106ME15	10uF	4	X5R		1005M/0402	0.65	+/-20%	General Purpose
GRM155R60G106ME44	10uF	4	X5R		1005M/0402	0.7	+/-20%	General Purpose
GRM155R60G106ME47	10uF	4	X5R		1005M/0402	0.5	+/-20%	General Purpose
GRM155R60G475ME47	4.7uF	4	X5R		1005M/0402	0.6	+/-20%	General Purpose
GRM155R60J104KA01	0.1uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J104MA01	0.1uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J105KE19	1uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J105ME19	1uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J106ME15	10uF	6.3	X5R		1005M/0402	0.65	+/-20%	General Purpose
GRM155R60J106ME47	10uF	6.3	X5R		1005M/0402	0.5	+/-20%	General Purpose
GRM155R60J154KE01	0.15uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J154ME01	0.15uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J224KE01	0.22uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM155R60J224ME01	0.22uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J334KE01	0.33uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J334ME01	0.33uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J474KE19	0.47uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J474ME19	0.47uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J475ME47	4.7uF	6.3	X5R		1005M/0402	0.6	+/-20%	General Purpose
GRM155R60J684KE19	0.68uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J684ME19	0.68uF	6.3	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J824KE19	0.82uF	6.3	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A104KA01	0.1uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A104MA01	0.1uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A105KE01	1uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A105KE15	1uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A105ME01	1uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A124KE19	0.12uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A154KE19	0.15uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A154ME19	0.15uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A184KE19	0.18uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A224KE19	0.22uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A224ME19	0.22uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A333KA01	33000pF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A334KE15	0.33uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A334ME15	0.33uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A393KA01	39000pF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A473KA01	47000pF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A474KE15	0.47uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A474ME15	0.47uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A475MEAA	4.7uF	10	X5R		1005M/0402	0.65	+/-20%	General Purpose
GRM155R61A683KA01	68000pF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A684KE15	0.68uF	10	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A684ME15	0.68uF	10	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C103KA01	10000pF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C104KA88	0.1uF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C105KA12	1uF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C105MA12	1uF	16	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C223KA01	22000pF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C224KA12	0.22uF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C224MA12	0.22uF	16	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C225KE11	2.2uF	16	X5R		1005M/0402	0.7	+/-10%	General Purpose
GRM155R61C225KE44	2.2uF	16	X5R		1005M/0402	0.6	+/-10%	General Purpose
GRM155R61C225ME11	2.2uF	16	X5R		1005M/0402	0.7	+/-20%	General Purpose
GRM155R61C333KA01	33000pF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C473KA01	47000pF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C474KE01	0.47uF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C474ME01	0.47uF	16	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C683KA88	68000pF	16	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E102KA01	1000pF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E104KA87	0.1uF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E104MA87	0.1uF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E105KA12	1uF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E105MA12	1uF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E222KA01	2200pF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E224KE01	0.22uF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E224ME01	0.22uF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E225KE11	2.2uF	25	X5R		1005M/0402	0.7	+/-10%	General Purpose
GRM155R61E225ME11	2.2uF	25	X5R		1005M/0402	0.7	+/-20%	General Purpose
GRM155R61E225ME15	2.2uF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E472KA01	4700pF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E474KE01	0.47uF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E474ME01	0.47uF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E683KA87	68000pF	25	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E683MA87	68000pF	25	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H102KA01	1000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104KE14	0.1uF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104KE19	0.1uF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104ME14	0.1uF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H105ME05	1uF	50	X5R		1005M/0402	0.6	+/-20%	General Purpose
GRM155R61H222KA01	2200pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333KE14	33000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333KE19	33000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333ME14	33000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H333ME19	33000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H472KA01	4700pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H473KE14	47000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM155R61H473KE19	47000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H473ME14	47000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H473ME19	47000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H474KE11	0.47uF	50	X5R		1005M/0402	0.6	+/-10%	General Purpose
GRM155R61H474ME11	0.47uF	50	X5R		1005M/0402	0.6	+/-20%	General Purpose
GRM155R61H683KE14	68000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H683KE19	68000pF	50	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H683ME14	68000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H683ME19	68000pF	50	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R62A104KE14	0.1uF	100	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA105KE11	1uF	35	X5R		1005M/0402	0.6	+/-10%	General Purpose
GRM155R6YA105ME11	1uF	35	X5R		1005M/0402	0.6	+/-20%	General Purpose
GRM155R6YA224KE01	0.22uF	35	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA224ME01	0.22uF	35	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R6YA225ME11	2.2uF	35	X5R		1005M/0402	0.7	+/-20%	General Purpose
GRM155R6YA474KE01	0.47uF	35	X5R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA474ME01	0.47uF	35	X5R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R70G105KA12	1uF	4	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R70G105MA12	1uF	4	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R70J104KA01	0.1uF	6.3	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R70J105KA12	1uF	6.3	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R70J105MA12	1uF	6.3	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R70J223KA01	22000pF	6.3	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A104KA01	0.1uF	10	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A104MA01	0.1uF	10	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A224KE01	0.22uF	10	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A224ME01	0.22uF	10	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A333MA01	33000pF	10	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A474KE01	0.47uF	10	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A474ME01	0.47uF	10	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A683KA01	68000pF	10	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A683MA01	68000pF	10	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C102KA01	1000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C103KA01	10000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C103MA01	10000pF	16	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C104KA88	0.1uF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C153KA01	15000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C154KA12	0.15uF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C183KA01	18000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C223KA01	22000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C223MA01	22000pF	16	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C224KA12	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C333KA01	33000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C472KA01	4700pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C473KA01	47000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C563KA88	56000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C683KA88	68000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C823KA88	82000pF	16	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E103KA01	10000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E104KE14	0.1uF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E104ME14	0.1uF	25	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71E123KA61	12000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E153KA61	15000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E222KA01	2200pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E223KA61	22000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E273KA88	27000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E333KA88	33000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E472KA01	4700pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E473KA88	47000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E562KA01	5600pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E682KA01	6800pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E683KE14	68000pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E683ME14	68000pF	25	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71E822KA01	8200pF	25	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H102KA01	1000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H102MA01	1000pF	50	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H103KA88	10000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H104KE14	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H104ME14	0.1uF	50	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H122KA01	1200pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H152KA01	1500pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H153KA12	15000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H182KA01	1800pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H221KA01	220pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM155R71H222KA01	2200pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H223KA12	22000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H271KA01	270pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H272KA01	2700pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H331KA01	330pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H332KA01	3300pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H333KE14	33000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H333ME14	33000pF	50	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H391KA01	390pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H392KA01	3900pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H393KE14	39000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H471KA01	470pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H472KA01	4700pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H473KE14	47000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H473ME14	47000pF	50	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H561KA01	560pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H562KA88	5600pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H681KA01	680pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H682KA88	6800pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H683KE14	68000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H683ME14	68000pF	50	X7R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H821KA01	820pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H823KE14	82000pF	50	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A102KA01	1000pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A152KA01	1500pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A221KA01	220pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A222KA01	2200pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A331KA01	330pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A332KA01	3300pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A471KA01	470pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A472KA01	4700pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A681KA01	680pF	100	X7R		1005M/0402	0.55	+/-10%	General Purpose
GRM15XR61A153KA86	15000pF	10	X5R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR61A153MA86	15000pF	10	X5R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR61A223KA86	22000pF	10	X5R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR61A223MA86	22000pF	10	X5R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR61A333KA86	33000pF	10	X5R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR61A333MA86	33000pF	10	X5R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71C103KA86	10000pF	16	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71C103MA86	10000pF	16	X7R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71C332KA86	3300pF	16	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71C332MA86	3300pF	16	X7R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71C472KA86	4700pF	16	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71C472MA86	4700pF	16	X7R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71C682KA86	6800pF	16	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71C682MA86	6800pF	16	X7R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71E222KA86	2200pF	25	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71E222MA86	2200pF	25	X7R		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR71H102KA86	1000pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71H152KA86	1500pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71H221KA86	220pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71H331KA86	330pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71H471KA86	470pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR71H681KA86	680pF	50	X7R		1005M/0402	0.3	+/-10%	General Purpose
GRM185C80J105KE26	1uF	6.3	X6S		1608M/0603	0.5	+/-10%	General Purpose
GRM185C80J475ME11	4.7uF	6.3	X6S		1608M/0603	0.55	+/-20%	General Purpose
GRM185C81A105KE36	1uF	10	X6S		1608M/0603	0.5	+/-10%	General Purpose
GRM185C81A475KE11	4.7uF	10	X6S		1608M/0603	0.55	+/-10%	General Purpose
GRM185C81A475ME11	4.7uF	10	X6S		1608M/0603	0.55	+/-20%	General Purpose
GRM185D70J475ME11	4.7uF	6.3	X7T		1608M/0603	0.55	+/-20%	General Purpose
GRM185D71A105KE36	1uF	10	X7T		1608M/0603	0.5	+/-10%	General Purpose
GRM185R60G106ME15	10uF	4	X5R		1608M/0603	0.5	+/-20%	General Purpose
GRM185R60J105KE26	1uF	6.3	X5R		1608M/0603	0.5	+/-10%	General Purpose
GRM185R60J106ME15	10uF	6.3	X5R		1608M/0603	0.5	+/-20%	General Purpose
GRM185R60J225KE26	2.2uF	6.3	X5R		1608M/0603	0.5	+/-10%	General Purpose
GRM185R61A475KE11	4.7uF	10	X5R		1608M/0603	0.55	+/-10%	General Purpose
GRM185R61A475ME11	4.7uF	10	X5R		1608M/0603	0.55	+/-20%	General Purpose
GRM185R61C105KE44	1uF	16	X5R		1608M/0603	0.5	+/-10%	General Purpose
GRM185R61C105ME44	1uF	16	X5R		1608M/0603	0.5	+/-20%	General Purpose
GRM185R61C475KE11	4.7uF	16	X5R		1608M/0603	0.55	+/-10%	General Purpose
GRM185R61C475ME11	4.7uF	16	X5R		1608M/0603	0.55	+/-20%	General Purpose
GRM185R61E105KA12	1uF	25	X5R		1608M/0603	0.5	+/-10%	General Purpose
GRM185R61E105MA12	1uF	25	X5R		1608M/0603	0.5	+/-20%	General Purpose
GRM186R60G226ME15	22uF	4	X5R		1608M/0603	0.6	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM186R60J226ME15	22uF	6.3	X5R		1608M/0603	0.6	+/-20%	General Purpose
GRM187R60J226ME15	22uF	6.3	X5R		1608M/0603	0.8	+/-20%	General Purpose
GRM187R61A226ME15	22uF	10	X5R		1608M/0603	0.8	+/-20%	General Purpose
GRM188C60J226MEA0	22uF	6.3	X5S		1608M/0603	1	+/-20%	General Purpose
GRM188C70G225KE20	2.2uF	4	X7S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C70G225ME20	2.2uF	4	X7S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C70J225KE20	2.2uF	6.3	X7S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C70J225ME20	2.2uF	6.3	X7S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C71A475KE11	4.7uF	10	X7S		1608M/0603	0.95	+/-10%	General Purpose
GRM188C71A475ME11	4.7uF	10	X7S		1608M/0603	0.95	+/-20%	General Purpose
GRM188C71C225KE11	2.2uF	16	X7S		1608M/0603	1	+/-10%	General Purpose
GRM188C71C225ME11	2.2uF	16	X7S		1608M/0603	1	+/-20%	General Purpose
GRM188C71C475KE21	4.7uF	16	X7S		1608M/0603	1	+/-10%	General Purpose
GRM188C71C475ME21	4.7uF	16	X7S		1608M/0603	1	+/-20%	General Purpose
GRM188C71C684MA12	0.68uF	16	X7S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C71E225KE11	2.2uF	25	X7S		1608M/0603	1	+/-10%	General Purpose
GRM188C71E225ME11	2.2uF	25	X7S		1608M/0603	1	+/-20%	General Purpose
GRM188C80E106ME47	10uF	2.5	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C80E476ME05	47uF	2.5	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C80G105MA01	1uF	4	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C80G106KE47	10uF	4	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C80G106ME47	10uF	4	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C80G226ME15	22uF	4	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C80G226MEA0	22uF	4	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C80G475KE19	4.7uF	4	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C80G475ME19	4.7uF	4	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C80J225KE19	2.2uF	6.3	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C80J225ME19	2.2uF	6.3	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C80J475KE15	4.7uF	6.3	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C80J475ME15	4.7uF	6.3	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C81A105KA12	1uF	10	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81A106MA73	10uF	10	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C81A225KAAD	2.2uF	10	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81A225KE34	2.2uF	10	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81A225ME34	2.2uF	10	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C81C105KA12	1uF	16	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81C105MA12	1uF	16	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C81C106MA73	10uF	16	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C81C225KA12	2.2uF	16	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81C225MA12	2.2uF	16	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C81C475KE11	4.7uF	16	X6S		1608M/0603	0.95	+/-10%	General Purpose
GRM188C81C475ME11	4.7uF	16	X6S		1608M/0603	0.95	+/-20%	General Purpose
GRM188C81E105KA12	1uF	25	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81E105KAAD	1uF	25	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C81E105MAAD	1uF	25	X6S		1608M/0603	0.9	+/-20%	General Purpose
GRM188C81E225KE11	2.2uF	25	X6S		1608M/0603	1	+/-10%	General Purpose
GRM188C81E225ME11	2.2uF	25	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C81E475KE11	4.7uF	25	X6S		1608M/0603	1	+/-10%	General Purpose
GRM188C81E475ME11	4.7uF	25	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188C8YA105KAAL	1uF	35	X6S		1608M/0603	0.9	+/-10%	General Purpose
GRM188C8YA225KE11	2.2uF	35	X6S		1608M/0603	1	+/-10%	General Purpose
GRM188C8YA225ME11	2.2uF	35	X6S		1608M/0603	1	+/-20%	General Purpose
GRM188D70J106MA73	10uF	6.3	X7T		1608M/0603	1	+/-20%	General Purpose
GRM188D71A106MA73	10uF	10	X7T		1608M/0603	1	+/-20%	General Purpose
GRM188R60E476ME15	47uF	2.5	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R60G106ME47	10uF	4	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R60G226MEA0	22uF	4	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R60G476ME15	47uF	4	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R60J105KA01	1uF	6.3	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R60J105MA01	1uF	6.3	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R60J106ME47	10uF	6.3	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R60J106ME84	10uF	6.3	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R60J225KE19	2.2uF	6.3	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R60J226MEA0	22uF	6.3	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R60J474KA01	0.47uF	6.3	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R60J475KE19	4.7uF	6.3	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R60J475ME19	4.7uF	6.3	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R60J475ME84	4.7uF	6.3	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R60J476ME15	47uF	6.3	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61A105KA61	1uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A105MA61	1uF	10	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61A106KAAL	10uF	10	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A106KE69	10uF	10	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A106MAAL	10uF	10	X5R		1608M/0603	0.95	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM188R61A106ME69	10uF	10	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61A224KA01	0.22uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A225KE34	2.2uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A225ME34	2.2uF	10	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61A226ME15	22uF	10	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61A334KA61	0.33uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A334MA61	0.33uF	10	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61A335KE15	3.3uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A474KA61	0.47uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A475KAAJ	4.7uF	10	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A475KE15	4.7uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A475MAAJ	4.7uF	10	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61A475ME15	4.7uF	10	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61A684KA61	0.68uF	10	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61A684MA61	0.68uF	10	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61C104KA01	0.1uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C105KA12	1uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C105KA93	1uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C105MA12	1uF	16	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61C105MA93	1uF	16	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61C106KAAL	10uF	16	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C106MA73	10uF	16	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61C106MAAL	10uF	16	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C224KA88	0.22uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C225KAAD	2.2uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C225KE15	2.2uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C474KA12	0.47uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C474KA93	0.47uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C474MA12	0.47uF	16	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61C474MA93	0.47uF	16	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61C475KAAJ	4.7uF	16	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C475KE11	4.7uF	16	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C475MAAJ	4.7uF	16	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C475ME11	4.7uF	16	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C684KA75	0.68uF	16	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61C684MA75	0.68uF	16	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61E104KA01	0.1uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E105KA12	1uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E105KAAD	1uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E105MA12	1uF	25	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61E106MA73	10uF	25	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61E224KA88	0.22uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E225KA12	2.2uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E225MA12	2.2uF	25	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61E474KA12	0.47uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E474MA12	0.47uF	25	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61E475KE11	4.7uF	25	X5R		1608M/0603	0.95	+/-10%	General Purpose
GRM188R61E475KE15	4.7uF	25	X5R		1608M/0603	1	+/-10%	General Purpose
GRM188R61E475ME11	4.7uF	25	X5R		1608M/0603	0.95	+/-20%	General Purpose
GRM188R61E475ME15	4.7uF	25	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61E684KA75	0.68uF	25	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61E684MA75	0.68uF	25	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61H102KA01	1000pF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H103KA01	10000pF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H105KAAL	1uF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H105MAAL	1uF	50	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61H222KA01	2200pF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H223KA01	22000pF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H224KAC4	0.22uF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H225KE11	2.2uF	50	X5R		1608M/0603	1	+/-10%	General Purpose
GRM188R61H225ME11	2.2uF	50	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R61H472KA01	4700pF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H474KA12	0.47uF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R61H474MA12	0.47uF	50	X5R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R61H684KA75	0.68uF	50	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R6YA105KA12	1uF	35	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R6YA105KAAL	1uF	35	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R6YA106MA73	10uF	35	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R6YA225KA12	2.2uF	35	X5R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R6YA475KE15	4.7uF	35	X5R		1608M/0603	1	+/-10%	General Purpose
GRM188R6YA475ME15	4.7uF	35	X5R		1608M/0603	1	+/-20%	General Purpose
GRM188R70J104KA01	0.1uF	6.3	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R70J105KA01	1uF	6.3	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R70J105MA01	1uF	6.3	X7R		1608M/0603	0.9	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM188R70J224KA88	0.22uF	6.3	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R70J225KE15	2.2uF	6.3	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R70J474KA01	0.47uF	6.3	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A105KA61	1uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A154KA01	0.15uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A224JA01	0.22uF	10	X7R	1608M/0603	0.9	+/-5%	General Purpose
GRM188R71A224KA01	0.22uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A225KE15	2.2uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A225ME15	2.2uF	10	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71A334KA61	0.33uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A334MA61	0.33uF	10	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71A474KA61	0.47uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A474MA61	0.47uF	10	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71A684KA61	0.68uF	10	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71A684MA61	0.68uF	10	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71C104KA01	0.1uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C104MA01	0.1uF	16	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71C105KA12	1uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C105KE15	1uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C105MA12	1uF	16	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71C105ME15	1uF	16	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71C154KA01	0.15uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C224KA01	0.22uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C224MA01	0.22uF	16	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71C334KA01	0.33uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C473JA01	47000pF	16	X7R	1608M/0603	0.9	+/-5%	General Purpose
GRM188R71C474KA88	0.47uF	16	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71C474MA88	0.47uF	16	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E102KA01	1000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E103KA01	10000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E103MA01	10000pF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E104KA01	0.1uF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E104MA01	0.1uF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E105KA12	1uF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E105MA12	1uF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E152KA01	1500pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E153KA01	15000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E154KA01	0.15uF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E222KA01	2200pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E222MA01	2200pF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E223KA01	22000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E223MA01	22000pF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E224KA88	0.22uF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E224MA88	0.22uF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E272KA01	2700pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E332KA01	3300pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E333KA01	33000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E472KA01	4700pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E472MA01	4700pF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E473KA01	47000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E473MA01	47000pF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E474KA12	0.47uF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E474MA12	0.47uF	25	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71E682KA01	6800pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E683KA01	68000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71E823KA01	82000pF	25	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H102KA01	1000pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H102MA01	1000pF	50	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H103JA01	10000pF	50	X7R	1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H103KA01	10000pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H103MA01	10000pF	50	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H104KA93	0.1uF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H104MA93	0.1uF	50	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H123JA01	12000pF	50	X7R	1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H123KA01	12000pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H152KA01	1500pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H153JA01	15000pF	50	X7R	1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H153KA01	15000pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H154KAC4	0.15uF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H154MAC4	0.15uF	50	X7R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H182KA01	1800pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H183KA01	18000pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H221KA01	220pF	50	X7R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H221MA01	220pF	50	X7R	1608M/0603	0.9	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM188R71H222JA01	2200pF	50	X7R		1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H222KA01	2200pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H222MA01	2200pF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H223KA01	22000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H223MA01	22000pF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H224KAC4	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H224MAC4	0.22uF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H273KA61	27000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H331KA01	330pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H332KA01	3300pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H333KA61	33000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H392KA01	3900pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H393KA61	39000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H471JA01	470pF	50	X7R		1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H471KA01	470pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H471MA01	470pF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H472JA01	4700pF	50	X7R		1608M/0603	0.9	+/-5%	General Purpose
GRM188R71H472KA01	4700pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H472MA01	4700pF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H473KA61	47000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H473MA61	47000pF	50	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R71H562KA01	5600pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H681KA01	680pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H682KA01	6800pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H683KA93	68000pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R71H822KA01	8200pF	50	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A102KA01	1000pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A102MA01	1000pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A104KA35	0.1uF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A104MA35	0.1uF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A152KA01	1500pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A153KAC4	15000pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A153MAC4	15000pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A221KA01	220pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A221MA01	220pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A222KA01	2200pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A222MA01	2200pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A223KAC4	22000pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A223MAC4	22000pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A331KA01	330pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A332KA01	3300pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A471KA01	470pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R72A471MA01	470pF	100	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R72A681KA01	680pF	100	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R7YA105KA12	1uF	35	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R7YA105MA12	1uF	35	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188R7YA474KE05	0.47uF	35	X7R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R7YA474ME05	0.47uF	35	X7R		1608M/0603	0.9	+/-20%	General Purpose
GRM188Z71A106KA73	10uF	10	X7R		1608M/0603	1	+/-10%	General Purpose
GRM188Z71C225KE43	2.2uF	16	X7R		1608M/0603	1	+/-10%	General Purpose
GRM188Z71C475KE21	4.7uF	16	X7R		1608M/0603	1	+/-10%	General Purpose
GRM188Z71C475ME21	4.7uF	16	X7R		1608M/0603	1	+/-20%	General Purpose
GRM216C81C105KA12	1uF	16	X6S		2012M/0805	0.7	+/-10%	General Purpose
GRM216D71C105KA12	1uF	16	X7T		2012M/0805	0.7	+/-10%	General Purpose
GRM216D71C105MA12	1uF	16	X7T		2012M/0805	0.7	+/-20%	General Purpose
GRM216R61C105KA88	1uF	16	X5R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R61E105KA12	1uF	25	X5R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R71H103KA01	10000pF	50	X7R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R71H123KA01	12000pF	50	X7R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R71H223KA01	22000pF	50	X7R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R71H223MA01	22000pF	50	X7R		2012M/0805	0.7	+/-20%	General Purpose
GRM216R71H472KA01	4700pF	50	X7R		2012M/0805	0.7	+/-10%	General Purpose
GRM216R71H682KA01	6800pF	50	X7R		2012M/0805	0.7	+/-10%	General Purpose
GRM219C71C475KE21	4.7uF	16	X7S		2012M/0805	1	+/-10%	General Purpose
GRM219C71C475ME21	4.7uF	16	X7S		2012M/0805	1	+/-20%	General Purpose
GRM219C71E475KE21	4.7uF	25	X7S		2012M/0805	1	+/-10%	General Purpose
GRM219C71E475ME21	4.7uF	25	X7S		2012M/0805	1	+/-20%	General Purpose
GRM219C80G106KE19	10uF	4	X6S		2012M/0805	0.95	+/-10%	General Purpose
GRM219C80G106ME19	10uF	4	X6S		2012M/0805	0.95	+/-20%	General Purpose
GRM219C80J106KE39	10uF	6.3	X6S		2012M/0805	0.95	+/-10%	General Purpose
GRM219C80J106ME39	10uF	6.3	X6S		2012M/0805	0.95	+/-20%	General Purpose
GRM219C80J475KE19	4.7uF	6.3	X6S		2012M/0805	0.95	+/-10%	General Purpose
GRM219C81A475KE34	4.7uF	10	X6S		2012M/0805	0.95	+/-10%	General Purpose
GRM219C81A475ME34	4.7uF	10	X6S		2012M/0805	0.95	+/-20%	General Purpose



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM219C81C225KA12	2.2uF	16	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81C475KA73	4.7uF	16	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81C475MA73	4.7uF	16	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C81E225KE15	2.2uF	25	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81E225ME15	2.2uF	25	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C81E475KE21	4.7uF	25	X6S	2012M/0805	1	+/-10%	General Purpose
GRM219C81E475ME21	4.7uF	25	X6S	2012M/0805	1	+/-20%	General Purpose
GRM219C8YA225KE15	2.2uF	35	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C8YA225ME15	2.2uF	35	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C8YA475KE21	4.7uF	35	X6S	2012M/0805	1	+/-10%	General Purpose
GRM219C8YA475ME21	4.7uF	35	X6S	2012M/0805	1	+/-20%	General Purpose
GRM219D71A475KE15	4.7uF	10	X7T	2012M/0805	0.95	+/-10%	General Purpose
GRM219D71A475ME15	4.7uF	10	X7T	2012M/0805	0.95	+/-20%	General Purpose
GRM219D71C225KA12	2.2uF	16	X7T	2012M/0805	0.95	+/-10%	General Purpose
GRM219D71C225MA12	2.2uF	16	X7T	2012M/0805	0.95	+/-20%	General Purpose
GRM219D80E476ME44	47uF	2.5	X6T	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60G226ME66	22uF	4	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60G476ME44	47uF	4	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J106KE19	10uF	6.3	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R60J106ME19	10uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J226ME47	22uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J226MEA0	22uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J475KE19	4.7uF	6.3	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R60J476ME44	47uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A105KA01	1uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A106KE44	10uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A106ME44	10uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A106ME47	10uF	10	X5R	2012M/0805	1	+/-20%	General Purpose
GRM219R61A225KA01	2.2uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A226MEA0	22uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A335KE19	3.3uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A475KE34	4.7uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A475ME34	4.7uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61C106KA73	10uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61C106MA73	10uF	16	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61C225KA88	2.2uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61C226ME15	22uF	16	X5R	2012M/0805	1	+/-20%	General Purpose
GRM219R61C475KE15	4.7uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E106KA12	10uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E106MA12	10uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61E225KA12	2.2uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E225MA12	2.2uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61E475KA73	4.7uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E475MA73	4.7uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61H105KA73	1uF	50	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61H105MA73	1uF	50	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61H225KE15	2.2uF	50	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61H225ME15	2.2uF	50	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R6YA475KA73	4.7uF	35	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R6YA475MA73	4.7uF	35	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71A225KE15	2.2uF	10	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71A225ME15	2.2uF	10	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71C225KE15	2.2uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C225ME15	2.2uF	16	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71C334KA88	0.33uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C474KA01	0.47uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C684KA01	0.68uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E104KA01	0.1uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E104MA01	0.1uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E105KA88	1uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E224MA01	0.22uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E474KA88	0.47uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E474MA88	0.47uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E683KA01	68000pF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E684KA88	0.68uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H103KA01	10000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H103MA01	10000pF	50	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71H153KA01	15000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H153MA01	15000pF	50	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71H223KA17	22000pF	50	X7R	2012M/0805	1	+/-10%	General Purpose
GRM219R71H223MA17	22000pF	50	X7R	2012M/0805	1	+/-20%	General Purpose
GRM219R71H333KA01	33000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H334KA88	0.33uF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R72A103KA01	10000pF	100	X7R	2012M/0805	0.95	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM219R72A103MA01	10000pF	100	X7R		2012M/0805	0.95	+/-20%	General Purpose
GRM219R72A682KA01	6800pF	100	X7R		2012M/0805	0.95	+/-10%	General Purpose
GRM219R7YA105KA12	1uF	35	X7R		2012M/0805	0.95	+/-10%	General Purpose
GRM21AR72A224KAC5	0.22uF	100	X7R		2012M/0805	1	+/-10%	General Purpose
GRM21AR72A224MAC5	0.22uF	100	X7R		2012M/0805	1	+/-20%	General Purpose
GRM21AR72A334KAC5	0.33uF	100	X7R		2012M/0805	1	+/-10%	General Purpose
GRM21BC70G106KE45	10uF	4	X7S		2012M/0805	1.4	+/-10%	General Purpose
GRM21BC71C106KE11	10uF	16	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71C106ME11	10uF	16	X7S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71E106KE11	10uF	25	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71E106ME11	10uF	25	X7S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71E475KE11	4.7uF	25	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71E475ME11	4.7uF	25	X7S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71H475KE11	4.7uF	50	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71H475ME11	4.7uF	50	X7S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC72A105KE01	1uF	100	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC7YA475KE11	4.7uF	35	X7S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC7YA475ME11	4.7uF	35	X7S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80E107ME15	100uF	2.5	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80G106KE01	10uF	4	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC80G106ME19	10uF	4	X6S		2012M/0805	1.35	+/-20%	General Purpose
GRM21BC80G107ME15	100uF	4	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80G226ME39	22uF	4	X6S		2012M/0805	1.4	+/-20%	General Purpose
GRM21BC80G476ME15	47uF	4	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80J106KE19	10uF	6.3	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC80J106ME19	10uF	6.3	X6S		2012M/0805	1.35	+/-20%	General Purpose
GRM21BC80J226ME51	22uF	6.3	X6S		2012M/0805	1.4	+/-20%	General Purpose
GRM21BC81A106KE18	10uF	10	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81A106ME18	10uF	10	X6S		2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81A226ME44	22uF	10	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81C106KA73	10uF	16	X6S		2012M/0805	1.4	+/-10%	General Purpose
GRM21BC81C106KE15	10uF	16	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81C106MA73	10uF	16	X6S		2012M/0805	1.4	+/-20%	General Purpose
GRM21BC81C106ME15	10uF	16	X6S		2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81C226ME44	22uF	16	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81C475KA88	4.7uF	16	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E106KE11	10uF	25	X6S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC81E106ME11	10uF	25	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81E225KA12	2.2uF	25	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E475KA12	4.7uF	25	X6S		2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E475MA12	4.7uF	25	X6S		2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81H475KE11	4.7uF	50	X6S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC81H475ME11	4.7uF	50	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC8YA106KE11	10uF	35	X6S		2012M/0805	1.45	+/-10%	General Purpose
GRM21BC8YA106ME11	10uF	35	X6S		2012M/0805	1.45	+/-20%	General Purpose
GRM21BC8YA225KA73	2.2uF	35	X6S		2012M/0805	1.4	+/-10%	General Purpose
GRM21BC8YA225MA73	2.2uF	35	X6S		2012M/0805	1.4	+/-20%	General Purpose
GRM21BC8YA475KE51	4.7uF	35	X6S		2012M/0805	1.4	+/-10%	General Purpose
GRM21BD70J226ME44	22uF	6.3	X7T		2012M/0805	1.45	+/-20%	General Purpose
GRM21BD71A226ME44	22uF	10	X7T		2012M/0805	1.45	+/-20%	General Purpose
GRM21BD71C475KA12	4.7uF	16	X7T		2012M/0805	1.35	+/-10%	General Purpose
GRM21BD71C475MA12	4.7uF	16	X7T		2012M/0805	1.35	+/-20%	General Purpose
GRM21BE70G226ME51	22uF	4	X7U		2012M/0805	1.4	+/-20%	General Purpose
GRM21BE71C475KA12	4.7uF	16	X7U		2012M/0805	1.35	+/-10%	General Purpose
GRM21BE71C475MA12	4.7uF	16	X7U		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR60G107ME11	100uF	4	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60G476ME01	47uF	4	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60J106KE19	10uF	6.3	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR60J106ME19	10uF	6.3	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR60J107ME15	100uF	6.3	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60J225KA01	2.2uF	6.3	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR60J226ME39	22uF	6.3	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR60J475KA11	4.7uF	6.3	X5R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR60J475MA11	4.7uF	6.3	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR60J476ME01	47uF	6.3	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61A105KA01	1uF	10	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A106KE19	10uF	10	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A106ME19	10uF	10	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61A225KA01	2.2uF	10	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A225MA01	2.2uF	10	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61A226ME44	22uF	10	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61A226ME51	22uF	10	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR61A475KA73	4.7uF	10	X5R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR61A475MA73	4.7uF	10	X5R		2012M/0805	1.4	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM21BR61A476ME15	47uF	10	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61C105KA01	1uF	16	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C106KE15	10uF	16	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C106ME15	10uF	16	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61C225KA88	2.2uF	16	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C226ME44	22uF	16	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61C475KA88	4.7uF	16	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61D106KE15	10uF	20	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61D106ME15	10uF	20	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61E106KA73	10uF	25	X5R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR61E106MA73	10uF	25	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR61E225KA12	2.2uF	25	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61E226ME44	22uF	25	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61E475KA12	4.7uF	25	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61E475MA12	4.7uF	25	X5R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61H105KA12	1uF	50	X5R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61H225KA73	2.2uF	50	X5R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR61H225MA73	2.2uF	50	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR61H475KE51	4.7uF	50	X5R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR61H475ME51	4.7uF	50	X5R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR6YA106KE43	10uF	35	X5R		2012M/0805	1.45	+/-10%	General Purpose
GRM21BR6YA106ME43	10uF	35	X5R		2012M/0805	1.45	+/-20%	General Purpose
GRM21BR70J106KA73	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR70J106KE76	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR70J106ME76	10uF	6.3	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR70J225KA01	2.2uF	6.3	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A105KA01	1uF	10	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A106KA73	10uF	10	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71A106KE51	10uF	10	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71A106MA73	10uF	10	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71A106ME51	10uF	10	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71A225KA01	2.2uF	10	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A225MA01	2.2uF	10	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71A475KA73	4.7uF	10	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71A475MA73	4.7uF	10	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71C105KA01	1uF	16	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C224KA01	0.22uF	16	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C224MA01	0.22uF	16	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C225KA12	2.2uF	16	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C225MA12	2.2uF	16	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C474MA01	0.47uF	16	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C475KA73	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71C475KE51	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71C475MA73	4.7uF	16	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71E104JA01	0.1uF	25	X7R		2012M/0805	1.35	+/-5%	General Purpose
GRM21BR71E104KA01	0.1uF	25	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E104MA01	0.1uF	25	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71E105KA99	1uF	25	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71E154KA01	0.15uF	25	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E224KA01	0.22uF	25	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E224MA01	0.22uF	25	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71E225KA73	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71E225KE11	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71E225ME11	2.2uF	25	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71E334KA01	0.33uF	25	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E475KA73	4.7uF	25	X7R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR71E475MA73	4.7uF	25	X7R		2012M/0805	1.4	+/-20%	General Purpose
GRM21BR71H104KA01	0.1uF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H104MA01	0.1uF	50	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H105KA12	1uF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H154KA01	0.15uF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H224KA01	0.22uF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H224MA01	0.22uF	50	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H473KA01	47000pF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H473MA01	47000pF	50	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H474KA88	0.47uF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H474MA88	0.47uF	50	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H683KA01	68000pF	50	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A103KA01	10000pF	100	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A103MA01	10000pF	100	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A104KAC4	0.1uF	100	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A104MAC4	0.1uF	100	X7R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A153KA01	15000pF	100	X7R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A223KA01	22000pF	100	X7R		2012M/0805	1.35	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM21BR72A223MA01	22000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A333KA01	33000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A473KA01	47000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A473MA01	47000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A474KA73	0.47uF	100	X7R	2012M/0805	1.4	+/-10%	General Purpose
GRM21BR72A474MA73	0.47uF	100	X7R	2012M/0805	1.4	+/-20%	General Purpose
GRM21BR72A683KAC4	68000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A683MAC4	68000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BZ71E106KE15	10uF	25	X7R	2012M/0805	1.45	+/-10%	General Purpose
GRM316C81C225KA12	2.2uF	16	X6S	3216M/1206	0.7	+/-10%	General Purpose
GRM316D71C225KA12	2.2uF	16	X7T	3216M/1206	0.7	+/-10%	General Purpose
GRM316D71C225MA12	2.2uF	16	X7T	3216M/1206	0.7	+/-20%	General Purpose
GRM316R61A475KE19	4.7uF	10	X5R	3216M/1206	0.7	+/-10%	General Purpose
GRM316R61C225KA88	2.2uF	16	X5R	3216M/1206	0.7	+/-10%	General Purpose
GRM316R61E225KA12	2.2uF	25	X5R	3216M/1206	0.7	+/-10%	General Purpose
GRM319C80J106KE19	10uF	6.3	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C80J106ME19	10uF	6.3	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C80J226ME15	22uF	6.3	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81A106KA12	10uF	10	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C81A106MA12	10uF	10	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81C106KA12	10uF	16	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C81C106MA12	10uF	16	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81C475KA12	4.7uF	16	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C8YA225KA12	2.2uF	35	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C8YA225MA12	2.2uF	35	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319D71C475KA12	4.7uF	16	X7T	3216M/1206	0.95	+/-10%	General Purpose
GRM319D71C475MA12	4.7uF	16	X7T	3216M/1206	0.95	+/-20%	General Purpose
GRM319R60J106KE19	10uF	6.3	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R60J226ME15	22uF	6.3	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A105KA01	1uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A106KE19	10uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A106ME19	10uF	10	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A225KA01	2.2uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A226ME15	22uF	10	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A475KA01	4.7uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C105KAA3	1uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C106KE15	10uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C106ME15	10uF	16	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61C226ME15	22uF	16	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61C335KA12	3.3uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C475KA88	4.7uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E105KC36	1uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E106KA12	10uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E106MA12	10uF	25	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61E475KA12	4.7uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H225KA12	2.2uF	50	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H225MA12	2.2uF	50	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61H475KA12	4.7uF	50	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H475MA12	4.7uF	50	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R6YA106KA12	10uF	35	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R6YA106MA12	10uF	35	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R71A105KA01	1uF	10	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71C105KAA3	1uF	16	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71E334KA01	0.33uF	25	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71E474KA01	0.47uF	25	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H104JA01	0.1uF	50	X7R	3216M/1206	0.95	+/-5%	General Purpose
GRM319R71H153KA01	15000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H223KA01	22000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H334KA01	0.33uF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H683KA01	68000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A104KA01	0.1uF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A153KA01	15000pF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A222KA01	2200pF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM31CC70G226ME01	22uF	4	X7S	3216M/1206	1.8	+/-20%	General Purpose
GRM31CC70J226KE15	22uF	6.3	X7S	3216M/1206	1.8	+/-10%	General Purpose
GRM31CC71C226ME11	22uF	16	X7S	3216M/1206	1.9	+/-20%	General Purpose
GRM31CC72A475KE11	4.7uF	100	X7S	3216M/1206	1.9	+/-10%	General Purpose
GRM31CC72A475ME11	4.7uF	100	X7S	3216M/1206	1.9	+/-20%	General Purpose
GRM31CC80E157ME11	150uF	2.5	X6S	3216M/1206	1.9	+/-20%	General Purpose
GRM31CC80E227ME11	220uF	2.5	X6S	3216M/1206	1.9	+/-20%	General Purpose
GRM31CC80G157ME11	150uF	4	X6S	3216M/1206	1.9	+/-20%	General Purpose
GRM31CC80G226KE19	22uF	4	X6S	3216M/1206	1.8	+/-10%	General Purpose
GRM31CC80G226ME19	22uF	4	X6S	3216M/1206	1.8	+/-20%	General Purpose
GRM31CC80G227ME11	220uF	4	X6S	3216M/1206	1.9	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM31CC80J226KE19	22uF	6.3	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC80J226ME19	22uF	6.3	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CC81A226KE19	22uF	10	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC81A226ME19	22uF	10	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CC81A476ME44	47uF	10	X6S		3216M/1206	1.9	+/-20%	General Purpose
GRM31CC81C106KA12	10uF	16	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC81C106KE19	10uF	16	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC81C106MA12	10uF	16	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CC81C226KE15	22uF	16	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC81C226ME15	22uF	16	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CC81E106KE15	10uF	25	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC81E106MA12	10uF	25	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CC81E226ME11	22uF	25	X6S		3216M/1206	1.9	+/-20%	General Purpose
GRM31CC8YA106KA12	10uF	35	X6S		3216M/1206	1.8	+/-10%	General Purpose
GRM31CC8YA106MA12	10uF	35	X6S		3216M/1206	1.8	+/-20%	General Purpose
GRM31CD70J226KE19	22uF	6.3	X7T		3216M/1206	1.8	+/-10%	General Purpose
GRM31CD70J226ME19	22uF	6.3	X7T		3216M/1206	1.8	+/-20%	General Purpose
GRM31CD71A226KE15	22uF	10	X7T		3216M/1206	1.8	+/-10%	General Purpose
GRM31CD71A226ME15	22uF	10	X7T		3216M/1206	1.8	+/-20%	General Purpose
GRM31CD80G107ME39	100uF	4	X6T		3216M/1206	1.9	+/-20%	General Purpose
GRM31CD80G476ME19	47uF	4	X6T		3216M/1206	1.8	+/-20%	General Purpose
GRM31CD80J107ME39	100uF	6.3	X6T		3216M/1206	1.9	+/-20%	General Purpose
GRM31CE70G107ME39	100uF	4	X7U		3216M/1206	1.9	+/-20%	General Purpose
GRM31CE70G476ME15	47uF	4	X7U		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR60E227ME11	220uF	2.5	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60G107ME39	100uF	4	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60G157ME11	150uF	4	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60G227ME11	220uF	4	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60J106KA01	10uF	6.3	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR60J106MC01	10uF	6.3	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR60J107ME39	100uF	6.3	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60J157ME11	150uF	6.3	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60J226KE19	22uF	6.3	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR60J226ME19	22uF	6.3	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR60J227ME11	220uF	6.3	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR60J475KA01	4.7uF	6.3	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR60J476KE19	47uF	6.3	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR60J476ME19	47uF	6.3	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61A106KA01	10uF	10	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61A107ME05	100uF	10	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR61A226KE19	22uF	10	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61A226ME19	22uF	10	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61A475KA01	4.7uF	10	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61A476KE15	47uF	10	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61A476ME15	47uF	10	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61C106KA88	10uF	16	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61C106KC31	10uF	16	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61C226KE15	22uF	16	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61C226ME15	22uF	16	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61C475KA01	4.7uF	16	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61C475MA01	4.7uF	16	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61C476ME44	47uF	16	X5R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CR61E106KA12	10uF	25	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61E106MA12	10uF	25	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61E226KE15	22uF	25	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61E226ME15	22uF	25	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61E335KA88	3.3uF	25	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61E475KA88	4.7uF	25	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61H106KA12	10uF	50	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR61H106MA12	10uF	50	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR61H225KA88	2.2uF	50	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR6YA106KA12	10uF	35	X5R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR6YA106MA12	10uF	35	X5R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR70J106KA01	10uF	6.3	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR70J226KE19	22uF	6.3	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR70J226ME19	22uF	6.3	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71A106KA01	10uF	10	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71A106MA01	10uF	10	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71A226KE15	22uF	10	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71A226ME15	22uF	10	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71A475KA01	4.7uF	10	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71C106KA12	10uF	16	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71C106KAC7	10uF	16	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71C106MA12	10uF	16	X7R		3216M/1206	1.8	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM31CR71C106MAC7	10uF	16	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71C475KA01	4.7uF	16	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71C475MA01	4.7uF	16	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71E106KA12	10uF	25	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71E106MA12	10uF	25	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR71E475KA88	4.7uF	25	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71H225KA88	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71H475KA12	4.7uF	50	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR71H475MA12	4.7uF	50	X7R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR72A105KA01	1uF	100	X7R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR72A225KA73	2.2uF	100	X7R		3216M/1206	1.9	+/-10%	General Purpose
GRM31CR72A225MA73	2.2uF	100	X7R		3216M/1206	1.9	+/-20%	General Purpose
GRM31CZ72A475KE11	4.7uF	100	X7R		3216M/1206	1.9	+/-10%	General Purpose
GRM31CZ72A475ME11	4.7uF	100	X7R		3216M/1206	1.9	+/-20%	General Purpose
GRM31MC81A106KE19	10uF	10	X6S		3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81A106ME19	10uF	10	X6S		3216M/1206	1.25	+/-20%	General Purpose
GRM31MC81C106KA12	10uF	16	X6S		3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81C685KA12	6.8uF	16	X6S		3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81C685MA12	6.8uF	16	X6S		3216M/1206	1.25	+/-20%	General Purpose
GRM31MC81E106KA12	10uF	25	X6S		3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81E106MA12	10uF	25	X6S		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR61A106KE19	10uF	10	X5R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61A225KA01	2.2uF	10	X5R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C105KA01	1uF	16	X5R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C106KA12	10uF	16	X5R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C225KA35	2.2uF	16	X5R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR61E106KA12	10uF	25	X5R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61E106MA12	10uF	25	X5R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71A225KA01	2.2uF	10	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71C105KA01	1uF	16	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71C105MA01	1uF	16	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71C225KA35	2.2uF	16	X7R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR71C225MA35	2.2uF	16	X7R		3216M/1206	1.3	+/-20%	General Purpose
GRM31MR71E105KA01	1uF	25	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71E105MC01	1uF	25	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71E225KA93	2.2uF	25	X7R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR71E474KA01	0.47uF	25	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H105KA88	1uF	50	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H154KA01	0.15uF	50	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H224KA01	0.22uF	50	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H224MA01	0.22uF	50	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71H474JA01	0.47uF	50	X7R		3216M/1206	1.25	+/-5%	General Purpose
GRM31MR71H474KA01	0.47uF	50	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H474MA01	0.47uF	50	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71H684KA88	0.68uF	50	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A154KA01	0.15uF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A223KA01	22000pF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A223MA01	22000pF	100	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR72A224KA01	0.22uF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A333KA01	33000pF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A473KA01	47000pF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A473MA01	47000pF	100	X7R		3216M/1206	1.25	+/-20%	General Purpose
GRM31MR72A474KA35	0.47uF	100	X7R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR72A474MA35	0.47uF	100	X7R		3216M/1206	1.3	+/-20%	General Purpose
GRM31MR72A683KA01	68000pF	100	X7R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A684KA35	0.68uF	100	X7R		3216M/1206	1.3	+/-10%	General Purpose
GRM32AR61C106KAB7	10uF	16	X5R		3225M/1210	1	+/-10%	General Purpose
GRM32CR72A105KA35	1uF	100	X7R		3225M/1210	1.8	+/-10%	General Purpose
GRM32CR72A105MA35	1uF	100	X7R		3225M/1210	1.8	+/-20%	General Purpose
GRM32CR72A684KA01	0.68uF	100	X7R		3225M/1210	1.8	+/-10%	General Purpose
GRM32DC72A475KE01	4.7uF	100	X7S		3225M/1210	2.2	+/-10%	General Purpose
GRM32DC72A475ME01	4.7uF	100	X7S		3225M/1210	2.2	+/-20%	General Purpose
GRM32DC81E106KA12	10uF	25	X6S		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR60J226MA01	22uF	6.3	X5R		3225M/1210	2.2	+/-20%	General Purpose
GRM32DR60J336ME19	33uF	6.3	X5R		3225M/1210	2.2	+/-20%	General Purpose
GRM32DR61C106KA01	10uF	16	X5R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR61E106KA12	10uF	25	X5R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR61E106MA12	10uF	25	X5R		3225M/1210	2.2	+/-20%	General Purpose
GRM32DR71A106KA01	10uF	10	X7R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR71C106KA01	10uF	16	X7R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR71E106KA12	10uF	25	X7R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR71E475KA61	4.7uF	25	X7R		3225M/1210	2.2	+/-10%	General Purpose
GRM32EC70G107ME15	100uF	4	X7S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC70J107ME15	100uF	6.3	X7S		3225M/1210	2.7	+/-20%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM32EC80E227ME05	220uF	2.5	X6S		3225M/1210	2.8	+/-20%	General Purpose
GRM32EC80E337ME05	330uF	2.5	X6S		3225M/1210	2.8	+/-20%	General Purpose
GRM32EC80G107KE20	100uF	4	X6S		3225M/1210	2.7	+/-10%	General Purpose
GRM32EC80G107ME20	100uF	4	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC80G227ME05	220uF	4	X6S		3225M/1210	2.8	+/-20%	General Purpose
GRM32EC80J107ME20	100uF	6.3	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC80J476KE64	47uF	6.3	X6S		3225M/1210	2.7	+/-10%	General Purpose
GRM32EC80J476ME64	47uF	6.3	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC81A476KE19	47uF	10	X6S		3225M/1210	2.7	+/-10%	General Purpose
GRM32EC81A476ME19	47uF	10	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC81C476KE15	47uF	16	X6S		3225M/1210	2.7	+/-10%	General Purpose
GRM32EC81C476ME15	47uF	16	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32EC81E226KE15	22uF	25	X6S		3225M/1210	2.7	+/-10%	General Purpose
GRM32EC81E226ME15	22uF	25	X6S		3225M/1210	2.7	+/-20%	General Purpose
GRM32ED70J476KE20	47uF	6.3	X7T		3225M/1210	2.7	+/-10%	General Purpose
GRM32ED70J476ME20	47uF	6.3	X7T		3225M/1210	2.7	+/-20%	General Purpose
GRM32ED71A476KE15	47uF	10	X7T		3225M/1210	2.7	+/-10%	General Purpose
GRM32ED71A476ME15	47uF	10	X7T		3225M/1210	2.7	+/-20%	General Purpose
GRM32EE70G107ME19	100uF	4	X7U		3225M/1210	2.7	+/-20%	General Purpose
GRM32EE70J107ME15	100uF	6.3	X7U		3225M/1210	2.7	+/-20%	General Purpose
GRM32EE70J476KE20	47uF	6.3	X7U		3225M/1210	2.7	+/-10%	General Purpose
GRM32EE70J476ME20	47uF	6.3	X7U		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER60E337ME05	330uF	2.5	X5R		3225M/1210	2.8	+/-20%	General Purpose
GRM32ER60G227ME05	220uF	4	X5R		3225M/1210	2.8	+/-20%	General Purpose
GRM32ER60G337ME05	330uF	4	X5R		3225M/1210	2.8	+/-20%	General Purpose
GRM32ER60J107ME20	100uF	6.3	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER60J227ME05	220uF	6.3	X5R		3225M/1210	2.8	+/-20%	General Purpose
GRM32ER60J476KE64	47uF	6.3	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER60J476ME20	47uF	6.3	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER60J476ME64	47uF	6.3	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61A106KA01	10uF	10	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER61A107ME20	100uF	10	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61A476KE20	47uF	10	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER61A476ME20	47uF	10	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61C226ME20	22uF	16	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61C476KE15	47uF	16	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER61C476ME15	47uF	16	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61E226KE15	22uF	25	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER61E226ME15	22uF	25	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER61H106KA12	10uF	50	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER61H106MA12	10uF	50	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER6YA106KA12	10uF	35	X5R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER6YA106MA12	10uF	35	X5R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER70J476KE20	47uF	6.3	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER70J476ME20	47uF	6.3	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71A226ME20	22uF	10	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71A476KE15	47uF	10	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER71A476ME15	47uF	10	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71C226KEA8	22uF	16	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER71C226MEA8	22uF	16	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71E226ME15	22uF	25	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71H475KA88	4.7uF	50	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER71J106KA12	10uF	63	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER71J106MA12	10uF	63	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER71K475KE14	4.7uF	80	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER71K475ME14	4.7uF	80	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER72A225KA35	2.2uF	100	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER72A225MA35	2.2uF	100	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER7YA106KA12	10uF	35	X7R		3225M/1210	2.7	+/-10%	General Purpose
GRM32ER7YA106MA12	10uF	35	X7R		3225M/1210	2.7	+/-20%	General Purpose
GRM32MR71C225KA01	2.2uF	16	X7R		3225M/1210	1.25	+/-10%	General Purpose
GRM32MR71H104KA01	0.1uF	50	X7R		3225M/1210	1.25	+/-10%	General Purpose
GRM32NC81A226ME19	22uF	10	X6S		3225M/1210	1.5	+/-20%	General Purpose
GRM32NC81C226KE15	22uF	16	X6S		3225M/1210	1.5	+/-10%	General Purpose
GRM32NC81C226ME15	22uF	16	X6S		3225M/1210	1.5	+/-20%	General Purpose
GRM32ND70J226ME19	22uF	6.3	X7T		3225M/1210	1.5	+/-20%	General Purpose
GRM32ND71A226KE15	22uF	10	X7T		3225M/1210	1.5	+/-10%	General Purpose
GRM32ND71A226ME15	22uF	10	X7T		3225M/1210	1.5	+/-20%	General Purpose
GRM32NR61A226KE19	22uF	10	X5R		3225M/1210	1.5	+/-10%	General Purpose
GRM32NR61A226ME19	22uF	10	X5R		3225M/1210	1.5	+/-20%	General Purpose
GRM32NR71H154KA01	0.15uF	50	X7R		3225M/1210	1.5	+/-10%	General Purpose
GRM32NR71H684KA01	0.68uF	50	X7R		3225M/1210	1.5	+/-10%	General Purpose
GRM32NR72A104KA01	0.1uF	100	X7R		3225M/1210	1.5	+/-10%	General Purpose
GRM32RR61C475KA01	4.7uF	16	X5R		3225M/1210	2	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM32RR61E475KA12	4.7uF	25	X5R	3225M/1210	2	+/-10%	General Purpose
GRM32RR71C475KA01	4.7uF	16	X7R	3225M/1210	2	+/-10%	General Purpose
GRM32RR71E225KA01	2.2uF	25	X7R	3225M/1210	2	+/-10%	General Purpose
GRM32RR71H105KA01	1uF	50	X7R	3225M/1210	2	+/-10%	General Purpose
GRM43DR61E106KA12	10uF	25	X5R	4532M/1812	2.2	+/-10%	General Purpose
GRM43ER61C226ME01	22uF	16	X5R	4532M/1812	2.7	+/-20%	General Purpose
GRM43ER61H475KA88	4.7uF	50	X5R	4532M/1812	2.7	+/-10%	General Purpose
GRM43ER71E475KA01	4.7uF	25	X7R	4532M/1812	2.7	+/-10%	General Purpose
GRM43ER71H225KA01	2.2uF	50	X7R	4532M/1812	2.7	+/-10%	General Purpose
GRM43ER72A225KA01	2.2uF	100	X7R	4532M/1812	2.7	+/-10%	General Purpose
GRM55DR61H106KA88	10uF	50	X5R	5750M/2220	2.2	+/-10%	General Purpose
GRM55DR71E106KA01	10uF	25	X7R	5750M/2220	2.1	+/-10%	General Purpose
GRM55DR72A105KA01	1uF	100	X7R	5750M/2220	2.2	+/-10%	General Purpose
GRM55ER61H475KA01	4.7uF	50	X5R	5750M/2220	2.7	+/-10%	General Purpose
GRM55ER71H475KA01	4.7uF	50	X7R	5750M/2220	2.7	+/-10%	General Purpose
GRM55ER72A475KA01	4.7uF	100	X7R	5750M/2220	2.7	+/-10%	General Purpose
GRM55RR71H105KA01	1uF	50	X7R	5750M/2220	2	+/-10%	General Purpose
GRMMDXR60J105ME05	1uF	6.3	X5R	05025M/015008	0.275	+/-20%	Ultra-small
GXM155C70J225KE11	2.2uF	6.3	X7S	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155C71A225KE11	2.2uF	10	X7S	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155C81A225KE11	2.2uF	10	X6S	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155C81C105KE11	1uF	16	X6S	1005M/0402	0.6	+/-10%	Water repellent/ General Purpose
GXM155C81C225KE11	2.2uF	16	X6S	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155C81E105KE11	1uF	25	X6S	1005M/0402	0.6	+/-10%	Water repellent/ General Purpose
GXM155R61C105KA10	1uF	16	X5R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R61C225KE11	2.2uF	16	X5R	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155R61E105KA10	1uF	25	X5R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R61E225KE11	2.2uF	25	X5R	1005M/0402	0.7	+/-10%	Water repellent/ General Purpose
GXM155R6YA105KE11	1uF	35	X5R	1005M/0402	0.6	+/-10%	Water repellent/ General Purpose
GXM155R70G105KA10	1uF	4	X7R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R70J105KA10	1uF	6.3	X7R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM188C71A475KE11	4.7uF	10	X7S	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188C71C225KE11	2.2uF	16	X7S	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188C71E225KE11	2.2uF	25	X7S	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188C81C106MA73	10uF	16	X6S	1608M/0603	1	+/-20%	Water repellent/ General Purpose
GXM188C81C225KA10	2.2uF	16	X6S	1608M/0603	0.9	+/-10%	Water repellent/ General Purpose
GXM188C81C475KE11	4.7uF	16	X6S	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188C81E225KE11	2.2uF	25	X6S	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188C81E475KE11	4.7uF	25	X6S	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188C8YA225KE11	2.2uF	35	X6S	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188D70J106MA73	10uF	6.3	X7T	1608M/0603	1	+/-20%	Water repellent/ General Purpose
GXM188R60G106ME47	10uF	4	X5R	1608M/0603	0.9	+/-20%	Water repellent/ General Purpose
GXM188R61A106KAAL	10uF	10	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61C106KAAL	10uF	16	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61C475KE11	4.7uF	16	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61E106MA73	10uF	25	X5R	1608M/0603	1	+/-20%	Water repellent/ General Purpose
GXM188R61E225KA10	2.2uF	25	X5R	1608M/0603	0.9	+/-10%	Water repellent/ General Purpose
GXM188R61E475KE11	4.7uF	25	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61H225KE11	2.2uF	50	X5R	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188R6YA475KE10	4.7uF	35	X5R	1608M/0603	1	+/-10%	Water repellent/ General Purpose
GXM188R71A225KE10	2.2uF	10	X7R	1608M/0603	0.9	+/-10%	Water repellent/ General Purpose
GXM219R61C226ME10	22uF	16	X5R	2012M/0805	1	+/-20%	Water repellent/ General Purpose
GXM21BC71C106KE11	10uF	16	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71E106KE11	10uF	25	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71E475KE11	4.7uF	25	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71H475KE11	4.7uF	50	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC72A105KE01	1uF	100	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC7YA475KE11	4.7uF	35	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC81A226ME44	22uF	10	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC81C106KA73	10uF	16	X6S	2012M/0805	1.4	+/-10%	Water repellent/ General Purpose
GXM21BC81C226ME44	22uF	16	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC81E106KE11	10uF	25	X6S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC8YA106KE11	10uF	35	X6S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BD70J226ME44	22uF	6.3	X7T	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BD71A226ME44	22uF	10	X7T	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR61C106KE10	10uF	16	X5R	2012M/0805	1.35	+/-10%	Water repellent/ General Purpose
GXM21BR61C106ME10	10uF	16	X5R	2012M/0805	1.35	+/-20%	Water repellent/ General Purpose
GXM21BR61C226ME44	22uF	16	X5R	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR61E106KA73	10uF	25	X5R	2012M/0805	1.4	+/-10%	Water repellent/ General Purpose
GXM21BR61E226ME44	22uF	25	X5R	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR6YA106KE43	10uF	35	X5R	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM31CC71C226ME11	22uF	16	X7S	3216M/1206	1.9	+/-20%	Water repellent/ General Purpose
GXM31CR71H475KA10	4.7uF	50	X7R	3216M/1206	1.8	+/-10%	Water repellent/ General Purpose
LLL153C70E105ME21	1uF	2.5	X7S	1005M/0402	0.35	+/-20%	Low ESL



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
LLL153C70G474ME17	0.47uF	4	X7S	1005M/0402	0.35	+/-20%	Low ESL
LLL153C80G105ME21	1uF	4	X6S	1005M/0402	0.35	+/-20%	Low ESL
LLL153C80J104ME01	0.1uF	6.3	X6S	1005M/0402	0.35	+/-20%	Low ESL
LLL153C80J224ME14	0.22uF	6.3	X6S	1005M/0402	0.35	+/-20%	Low ESL
LLL153R61A104ME01	0.1uF	10	X5R	1005M/0402	0.35	+/-20%	Low ESL
LLL185C70G105ME01	1uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLL185C70G224MA11	0.22uF	4	X7S	1608M/0603	0.5	+/-20%	Low ESL
LLL185C70G225ME01	2.2uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLL185C70G474MA01	0.47uF	4	X7S	1608M/0603	0.6	+/-20%	Low ESL
LLL185C70J105ME14	1uF	6.3	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLL185R71A104MA01	0.1uF	10	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71A104MA11	0.1uF	10	X7R	1608M/0603	0.5	+/-20%	Low ESL
LLL185R71A224MA01	0.22uF	10	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71C103MA01	10000pF	16	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71C223MA01	22000pF	16	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71C223MA11	22000pF	16	X7R	1608M/0603	0.5	+/-20%	Low ESL
LLL185R71C473MA01	47000pF	16	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71C473MA11	47000pF	16	X7R	1608M/0603	0.5	+/-20%	Low ESL
LLL185R71E103MA01	10000pF	25	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71E103MA11	10000pF	25	X7R	1608M/0603	0.5	+/-20%	Low ESL
LLL185R71E223MA01	22000pF	25	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71H222MA01	2200pF	50	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL185R71H472MA01	4700pF	50	X7R	1608M/0603	0.6	+/-20%	Low ESL
LLL1U4R60G435ME22	4.3uF	4	X5R	0610M/02404	0.45	+/-20%	Low ESL
LLL215C70G105MA11	1uF	4	X7S	2012M/0805	0.5	+/-20%	Low ESL
LLL215R70J474MA11	0.47uF	6.3	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71A224MA11	0.22uF	10	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71C104MA11	0.1uF	16	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71C223MA11	22000pF	16	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71C473MA11	47000pF	16	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71E103MA11	10000pF	25	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71E223MA11	22000pF	25	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL215R71H103MA11	10000pF	50	X7R	2012M/0805	0.5	+/-20%	Low ESL
LLL216R71A224MA01	0.22uF	10	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71C104MA01	0.1uF	16	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71C473MA01	47000pF	16	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71E104MA01	0.1uF	25	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71E223MA01	22000pF	25	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71E473MA01	47000pF	25	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71H103MA01	10000pF	50	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL216R71H223MA01	22000pF	50	X7R	2012M/0805	0.7	+/-20%	Low ESL
LLL219C70G225MA01	2.2uF	4	X7S	2012M/0805	0.95	+/-20%	Low ESL
LLL219R70J105MA01	1uF	6.3	X7R	2012M/0805	0.95	+/-20%	Low ESL
LLL219R71A105MA01	1uF	10	X7R	2012M/0805	0.95	+/-20%	Low ESL
LLL219R71A474MA01	0.47uF	10	X7R	2012M/0805	0.95	+/-20%	Low ESL
LLL219R71C224MA01	0.22uF	16	X7R	2012M/0805	0.95	+/-20%	Low ESL
LLL315R71A474MA11	0.47uF	10	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71C104MA11	0.1uF	16	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71C223MA11	22000pF	16	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71C224MA11	0.22uF	16	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71C473MA11	47000pF	16	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71E104MA11	0.1uF	25	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71E223MA11	22000pF	25	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71E473MA11	47000pF	25	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71H103MA11	10000pF	50	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL315R71H223MA11	22000pF	50	X7R	3216M/1206	0.5	+/-20%	Low ESL
LLL317R70J225MA01	2.2uF	6.3	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71A105MA01	1uF	10	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71A474MA01	0.47uF	10	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71C104MA01	0.1uF	16	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71C224MA01	0.22uF	16	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71C474MA01	0.47uF	16	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71E104MA01	0.1uF	25	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71E223MA01	22000pF	25	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71E473MA01	47000pF	25	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71H103MA01	10000pF	50	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71H223MA01	22000pF	50	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL317R71H473MA01	47000pF	50	X7R	3216M/1206	0.8	+/-20%	Low ESL
LLL31MR60J106ME01	10uF	6.3	X5R	3216M/1206	1.25	+/-20%	Low ESL
LLL31MR70J475MA01	4.7uF	6.3	X7R	3216M/1206	1.25	+/-20%	Low ESL
LLL31MR71A225MA01	2.2uF	10	X7R	3216M/1206	1.25	+/-20%	Low ESL
LLL31MR71C105MA01	1uF	16	X7R	3216M/1206	1.25	+/-20%	Low ESL
LLL31MR71E224MA01	0.22uF	25	X7R	3216M/1206	1.25	+/-20%	Low ESL
LLL31MR71E474MA01	0.47uF	25	X7R	3216M/1206	1.25	+/-20%	Low ESL

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
LLL31MR71H104MA01	0.1uF	50	X7R	3216M/1206	1.25	+/-20%	Low ESL
LLR185C70G105ME01	1uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLR185C70G105ME03	1uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLR185C70G105ME05	1uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
LLR185C70G105ME07	1uF	4	X7S	1608M/0603	0.55	+/-20%	Low ESL
ZRA21CR61E226ME01	22uF	25	X5R	2012M/0805	1.65	+/-20%	Acoustic noise reduction (interposer)
ZRB155R61E225ME01	2.2uF	25	X5R	1005M/0402	0.65	+/-20%	Acoustic noise reduction (interposer)
ZRB15XC80J106ME05	10uF	6.3	X6S	1005M/0402	0.85	+/-20%	Acoustic noise reduction (interposer)
ZRB15XR60J106ME12	10uF	6.3	X5R	1005M/0402	0.8	+/-20%	Acoustic noise reduction (interposer)
ZRB186R60G226ME11	22uF	4	X5R	1608M/0603	0.8	+/-20%	Acoustic noise reduction (interposer)
ZRB186R60J226ME11	22uF	6.3	X5R	1608M/0603	0.8	+/-20%	Acoustic noise reduction (interposer)
ZRB186R61E475ME05	4.7uF	25	X5R	1608M/0603	0.65	+/-20%	Acoustic noise reduction (interposer)
ZRB188R61A226ME05	22uF	10	X5R	1608M/0603	0.95	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR60J476ME01	47uF	6.3	X5R	1608M/0603	1.2	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR61E106ME01	10uF	25	X5R	1608M/0603	1.2	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR6YA475KE05	4.7uF	35	X5R	1608M/0603	1.2	+/-10%	Acoustic noise reduction (interposer)
ZRB18AR6YA475ME05	4.7uF	35	X5R	1608M/0603	1.2	+/-20%	Acoustic noise reduction (interposer)







Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCE21BR72A123KA01	12000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A123MA01	12000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A153KA01	15000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A153MA01	15000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A183KA01	18000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A183MA01	18000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A223KA01	22000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A223MA01	22000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A273KA01	27000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A273MA01	27000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A333KA01	33000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A333MA01	33000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A393KA01	39000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A393MA01	39000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A473KA01	47000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A473MA01	47000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A563KA01	56000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A563MA01	56000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A683KA01	68000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A683MA01	68000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A822KA01	8200pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A822MA01	8200pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A823KA01	82000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCE21BR72A823MA01	82000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCH155C71A105KE11	1uF	10	X7S		1005M/0402	0.7	+/-10%	Implantable medical device
GCH155R71A104KE01	0.1uF	10	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71C104KE01	0.1uF	16	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71C224KE01	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71C473KE01	47000pF	16	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71E103KE01	10000pF	25	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71E223KE01	22000pF	25	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71E473KE01	47000pF	25	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H102KE01	1000pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H103KE01	10000pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H104KE01	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H221KE01	220pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H222KE01	2200pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H223KE01	22000pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H471KE01	470pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H472KE01	4700pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R71H473KE01	47000pF	50	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A102KE01	1000pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A221KE01	220pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A222KE01	2200pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A331KE01	330pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A471KE01	470pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH155R72A472KE01	4700pF	100	X7R		1005M/0402	0.55	+/-10%	Implantable medical device
GCH188C71A225KE01	2.2uF	10	X7S		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R70J225KE01	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71C104KE01	0.1uF	16	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71C105KE01	1uF	16	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71C474KE01	0.47uF	16	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71E104KE01	0.1uF	25	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71E105KE01	1uF	25	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71E224KE01	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71E473KE01	47000pF	25	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71E474KE01	0.47uF	25	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H102KE01	1000pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H103KE01	10000pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H104KE01	0.1uF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H222KE01	2200pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H223KE01	22000pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H224KE01	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H472KE01	4700pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R71H473KE01	47000pF	50	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A102KE01	1000pF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A103KE01	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A104KE01	0.1uF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A222KE01	2200pF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A223KE01	22000pF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH188R72A472KE01	4700pF	100	X7R		1608M/0603	0.9	+/-10%	Implantable medical device
GCH219R71C105KE01	1uF	16	X7R		2012M/0805	0.95	+/-10%	Implantable medical device
GCH219R71E474KE01	0.47uF	25	X7R		2012M/0805	0.95	+/-10%	Implantable medical device
GCH21BC71A475KE01	4.7uF	10	X7S		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BC71E475KE11	4.7uF	25	X7S		2012M/0805	1.45	+/-10%	Implantable medical device
GCH21BC72A105KE11	1uF	100	X7S		2012M/0805	1.45	+/-10%	Implantable medical device
GCH21BC7YA475KE11	4.7uF	35	X7S		2012M/0805	1.45	+/-10%	Implantable medical device

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCH21BR70J106KE01	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71A106KE01	10uF	10	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71A225KE01	2.2uF	10	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71C225KE01	2.2uF	16	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71C475KE01	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71E105KE01	1uF	25	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71E224KE01	0.22uF	25	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71E225KE01	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71H104KE01	0.1uF	50	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71H105KE01	1uF	50	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71H224KE01	0.22uF	50	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71H473KE01	47000pF	50	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR71H474KE01	0.47uF	50	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR72A103KE01	10000pF	100	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR72A104KE01	0.1uF	100	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR72A223KE01	22000pF	100	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR72A473KE01	47000pF	100	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH21BR7YA105KE01	1uF	35	X7R		2012M/0805	1.4	+/-10%	Implantable medical device
GCH319R72A104KE01	0.1uF	100	X7R		3216M/1206	0.95	+/-10%	Implantable medical device
GCH31CR71A106KE01	10uF	10	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31CR71C106KE01	10uF	16	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31CR71C475KE01	4.7uF	16	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31CR71E475KE01	4.7uF	25	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31CR71H225KE01	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31CR72A105KE01	1uF	100	X7R		3216M/1206	1.8	+/-10%	Implantable medical device
GCH31MR71E225KE01	2.2uF	25	X7R		3216M/1206	1.3	+/-10%	Implantable medical device
GCH31MR71H105KE01	1uF	50	X7R		3216M/1206	1.25	+/-10%	Implantable medical device
GCH31MR71H474KE01	0.47uF	50	X7R		3216M/1206	1.25	+/-10%	Implantable medical device
GCH31MR72A224KE01	0.22uF	100	X7R		3216M/1206	1.25	+/-10%	Implantable medical device
GCH32DR71C106KE01	10uF	16	X7R		3225M/1210	2.2	+/-10%	Implantable medical device
GCH32DR71E475KE01	4.7uF	25	X7R		3225M/1210	2.2	+/-10%	Implantable medical device
GCH32DR72A225KE01	2.2uF	100	X7R		3225M/1210	2.2	+/-10%	Implantable medical device
GCH32ER70J476KE01	47uF	6.3	X7R		3225M/1210	2.7	+/-10%	Implantable medical device
GCH32ER71A226KE01	22uF	10	X7R		3225M/1210	2.7	+/-10%	Implantable medical device
GCH32ER71H105KE01	1uF	50	X7R		3225M/1210	2.7	+/-10%	Implantable medical device
GCH32ER71H475KE01	4.7uF	50	X7R		3225M/1210	2.7	+/-10%	Implantable medical device
GCJ188C70J335KE02	3.3uF	6.3	X7S		1608M/0603	1	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188C70J335ME02	3.3uF	6.3	X7S		1608M/0603	1	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188C70J475KE02	4.7uF	6.3	X7S		1608M/0603	1	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188C70J475ME02	4.7uF	6.3	X7S		1608M/0603	1	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C104KA01	0.1uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C104MA01	0.1uF	16	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C124KA01	0.12uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C154KA01	0.15uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C154MA01	0.15uF	16	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C224KA01	0.22uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C224MA01	0.22uF	16	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C393KA01	39000pF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C473KA01	47000pF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C473MA01	47000pF	16	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C683KA01	68000pF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81C683MA01	68000pF	16	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E154KA01	0.15uF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E154MA01	0.15uF	25	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E184KA01	0.18uF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E224KA01	0.22uF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E224MA01	0.22uF	25	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E393KA01	39000pF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E563KA01	56000pF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E683KA01	68000pF	25	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81E683MA01	68000pF	25	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H102KA01	1000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H102MA01	1000pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H103KA01	10000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H103MA01	10000pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H123KA01	12000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H152KA01	1500pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H152MA01	1500pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H153KA01	15000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H153MA01	15000pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H182KA01	1800pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H222KA01	2200pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H222MA01	2200pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H223KA01	22000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H223MA01	22000pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H272KA01	2700pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H332KA01	3300pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCJ188L81H392KA01	3900pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H472KA01	4700pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H472MA01	4700pF	50	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H562KA01	5600pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H682KA01	6800pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L81H822KA01	8200pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8EC335KE08	3.3uF	6.3	X8L		1608M/0603	1	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8EH154KA07	0.15uF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8EH224KA07	0.22uF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8EL104KA07	0.1uF	100	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8YA393KA01	39000pF	35	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8YA563KA01	56000pF	35	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8YA683KA01	68000pF	35	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188L8YA683MA01	68000pF	35	X8L		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188M8EC475KE08	4.7uF	6.3	X8M		1608M/0603	1	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R70J225KE01	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R70J225ME01	2.2uF	6.3	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71A124KA01	0.12uF	10	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71A154KA01	0.15uF	10	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71A154MA01	0.15uF	10	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71A224KA01	0.22uF	10	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71A224MA01	0.22uF	10	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C103KA01	10000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C103MA01	10000pF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C124KA01	0.12uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C154KA01	0.15uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C154MA01	0.15uF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C184KA01	0.18uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C224KA01	0.22uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C224MA01	0.22uF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C273KA01	27000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C273MA01	27000pF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C274KA01	0.27uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C333KA01	33000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C333MA01	33000pF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C334KA01	0.33uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C334MA01	0.33uF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C393KA01	39000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C393MA01	39000pF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C473KA01	47000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C473MA01	47000pF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C474KA12	0.47uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C474MA12	0.47uF	16	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C563KA01	56000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71C823KA01	82000pF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E102KA01	1000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E102MA01	1000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E103KA01	10000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E103MA01	10000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E104KA12	0.1uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E104MA12	0.1uF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E123KA01	12000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E124KA01	0.12uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E152KA01	1500pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E152MA01	1500pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E153KA01	15000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E153MA01	15000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E154KA01	0.15uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E154MA01	0.15uF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E182KA01	1800pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E184KA12	0.18uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E222KA01	2200pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E222MA01	2200pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E223KA01	22000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E223MA01	22000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E224KA12	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E224MA12	0.22uF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E272KA01	2700pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E273KA01	27000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E273MA01	27000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E332KA01	3300pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E333KA01	33000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E333MA01	33000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E392KA01	3900pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E393KA01	39000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E393MA01	39000pF	25	X7R		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ188R71E472KA01	4700pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]







Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCJ216R72A123KA01	12000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A152KA01	1500pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive
GCJ216R72A153KA01	15000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A153MA01	15000pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A182KA01	1800pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A183KA01	18000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A222KA01	2200pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A222MA01	2200pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A223KA01	22000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A223MA01	22000pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A272KA01	2700pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A332KA01	3300pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A332MA01	3300pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A392KA01	3900pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A472KA01	4700pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A472MA01	4700pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A562KA01	5600pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A682KA01	6800pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A682MA01	6800pF	100	X7R		2012M/0805	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ216R72A822KA01	8200pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71C105KA01	1uF	16	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71C105MA01	1uF	16	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71E223KA01	22000pF	25	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71E223MA01	22000pF	25	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71E474KA12	0.47uF	25	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71E474MA12	0.47uF	25	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H273KA01	27000pF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H273MA01	27000pF	50	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H333KA01	33000pF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H333MA01	33000pF	50	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H334KA12	0.33uF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H334MA12	0.33uF	50	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R71H393KA01	39000pF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A221KA01	220pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A221MA01	220pF	100	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A271KA01	270pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A273KA01	27000pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A273MA01	27000pF	100	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A331KA01	330pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A333KA01	33000pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A333MA01	33000pF	100	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A391KA01	390pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A393KA01	39000pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A471KA01	470pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A471MA01	470pF	100	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A561KA01	560pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A681KA01	680pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A681MA01	680pF	100	X7R		2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ219R72A821KA01	820pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BC72A105KE02	1uF	100	X7S		2012M/0805	1.5	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BC72A105ME02	1uF	100	X7S		2012M/0805	1.5	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C105KA01	1uF	16	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C105MA01	1uF	16	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C564KA01	0.56uF	16	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C684KA01	0.68uF	16	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C684MA01	0.68uF	16	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81C824KA01	0.82uF	16	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCJ21BL81E105KA01	1uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E105MA01	1uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E124KA01	0.12uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E154KA01	0.15uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E154MA01	0.15uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E184KA01	0.18uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E184MA01	0.18uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E224KA01	0.22uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E224MA01	0.22uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E274KA01	0.27uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E334KA01	0.33uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E334MA01	0.33uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E394KA01	0.39uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E684KA01	0.68uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E684MA01	0.68uF	25	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81E824KA01	0.82uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCJ21BL81H104KA01	0.1uF	50	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81H104MA01	0.1uF	50	X8L		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81H273KA01	27000pF	50	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BL81H393KA01	39000pF	50	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCJ21BR72A683MA01	68000pF	100	X7R		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ21BR72A823KA01	82000pF	100	X7R		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ319R71H104KA01	0.1uF	50	X7R		3216M/1206	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ319R71H104MA01	0.1uF	50	X7R		3216M/1206	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ319R72A104KA01	0.1uF	100	X7R		3216M/1206	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ319R72A104MA01	0.1uF	100	X7R		3216M/1206	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CC71E106KA15	10uF	25	X7S		3216M/1206	2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CC71E106MA15	10uF	25	X7S		3216M/1206	2	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CC71H475KA01	4.7uF	50	X7S		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CC71H475MA01	4.7uF	50	X7S		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CC72A225KE01	2.2uF	100	X7S		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81C475KA01	4.7uF	16	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81C475MA01	4.7uF	16	X8L		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E105KA01	1uF	25	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E105MA01	1uF	25	X8L		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E564KA01	0.56uF	25	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E684KA01	0.68uF	25	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E684MA01	0.68uF	25	X8L		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL81E824KA01	0.82uF	25	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8ED226KE07	22uF	10	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8EF106KA08	10uF	25	X8L		3216M/1206	2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8EL105KA07	1uF	100	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA105KA01	1uF	35	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA105MA01	1uF	35	X8L		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA564KA01	0.56uF	35	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA684KA01	0.68uF	35	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA684MA01	0.68uF	35	X8L		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CL8YA824KA01	0.82uF	35	X8L		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR70J226KE01	22uF	6.3	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR70J226ME01	22uF	6.3	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71A106KA13	10uF	10	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71A106MA13	10uF	10	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71A226KE01	22uF	10	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71A226ME01	22uF	10	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71C106KA15	10uF	16	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71C106MA15	10uF	16	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71C475KA01	4.7uF	16	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71C475MA01	4.7uF	16	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71E475KA12	4.7uF	25	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71E475MA12	4.7uF	25	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H105KA12	1uF	50	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H105MA12	1uF	50	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H155KA12	1.5uF	50	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H155MA12	1.5uF	50	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H225KA12	2.2uF	50	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H225MA12	2.2uF	50	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H684KA01	0.68uF	50	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR71H684MA01	0.68uF	50	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR72A105KA01	1uF	100	X7R		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31CR72A105MA01	1uF	100	X7R		3216M/1206	1.9	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81C105KA01	1uF	16	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81C105MA01	1uF	16	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81C225KA01	2.2uF	16	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81C225MA01	2.2uF	16	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81E394KA01	0.39uF	25	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81E394MA01	0.39uF	25	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81E474KA01	0.47uF	25	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML81E474MA01	0.47uF	25	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML8YA394KA01	0.39uF	35	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML8YA394MA01	0.39uF	35	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML8YA474KA01	0.47uF	35	X8L		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31ML8YA474MA01	0.47uF	35	X8L		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71C105KA01	1uF	16	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71C105MA01	1uF	16	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71C225KA01	2.2uF	16	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71C225MA01	2.2uF	16	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E104KA01	0.1uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E104MA01	0.1uF	25	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E105KA01	1uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E105MA01	1uF	25	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E124KA01	0.12uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E154KA01	0.15uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E184KA01	0.18uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E224KA01	0.22uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E224MA01	0.22uF	25	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E225KA12	2.2uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E225MA12	2.2uF	25	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCJ31MR71E335KA12	3.3uF	25	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71E335MA12	3.3uF	25	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H104KA01	0.1uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H104MA01	0.1uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H105KA12	1uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H105MA12	1uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H224KA01	0.22uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H224MA01	0.22uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H274KA01	0.27uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H394KA01	0.39uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H394MA01	0.39uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H474KA01	0.47uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H474MA01	0.47uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H564KA12	0.56uF	50	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR71H564MA12	0.56uF	50	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR72A154KA01	0.15uF	100	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR72A184KA01	0.18uF	100	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR72A224KA01	0.22uF	100	X7R		3216M/1206	1.35	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ31MR72A224MA01	0.22uF	100	X7R		3216M/1206	1.35	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32DC72A475KE01	4.7uF	100	X7S		3225M/1210	2.3	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32DL8EL225KA07	2.2uF	100	X8L		3225M/1210	2.3	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32DR72A225KA01	2.2uF	100	X7R		3225M/1210	2.3	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32DR72A225MA01	2.2uF	100	X7R		3225M/1210	2.3	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EC71E226KE02	22uF	25	X7S		3225M/1210	2.85	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EC71H106KA01	10uF	50	X7S		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EC71H106MA01	10uF	50	X7S		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EL81E475KA01	4.7uF	25	X8L		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EL81E475MA01	4.7uF	25	X8L		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32EL8EF226KE08	22uF	25	X8L		3225M/1210	2.85	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER70J476KE01	47uF	6.3	X7R		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER70J476ME01	47uF	6.3	X7R		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER71C226KE01	22uF	16	X7R		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER71C226ME01	22uF	16	X7R		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER71H475KA12	4.7uF	50	X7R		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER71H475MA12	4.7uF	50	X7R		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER91C106KE01	10uF	16	X8R		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER91C106ME01	10uF	16	X8R		3225M/1210	2.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCJ32ER91C685KE01	6.8uF	16	X8R		3225M/1210	2.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A103KA03	10000pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A152KA03	1500pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A222KA03	2200pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A332KA03	3300pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A472KA03	4700pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71A682KA03	6800pF	10	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71C222KA55	2200pF	16	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71C331KA03	330pF	16	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71C332KA55	3300pF	16	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71C681KA03	680pF	16	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E101KA03	100pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E102KA03	1000pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E151KA03	150pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E152KA03	1500pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E221KA03	220pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E222KE01	2200pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R71E222KE02	2200pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E331KA03	330pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E332KE01	3300pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R71E332KE02	3300pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E471KA03	470pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM033R71E681KA03	680pF	25	X7R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A105KE38	1uF	10	X7S		1005M/0402	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A105KE39	1uF	10	X7S		1005M/0402	0.7	+/-10%	Powertrain/Safety for Automotive
GCM155C71A474KE35	0.47uF	10	X7S		1005M/0402	0.6	+/-10%	Powertrain/Safety for Automotive
GCM155C71A474KE36	0.47uF	10	X7S		1005M/0402	0.6	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A474ME35	0.47uF	10	X7S		1005M/0402	0.6	+/-20%	Powertrain/Safety for Automotive
GCM155C71A474ME36	0.47uF	10	X7S		1005M/0402	0.6	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A684KE38	0.68uF	10	X7S		1005M/0402	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A684KE39	0.68uF	10	X7S		1005M/0402	0.7	+/-10%	Powertrain/Safety for Automotive
GCM155C71A684ME38	0.68uF	10	X7S		1005M/0402	0.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155C71A684ME39	0.68uF	10	X7S		1005M/0402	0.7	+/-20%	Powertrain/Safety for Automotive
GCM155L81C223KA01	22000pF	16	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81C223KA37	22000pF	16	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81C473KA01	47000pF	16	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81C473KA37	47000pF	16	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81E103KA01	10000pF	25	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81E103KA37	10000pF	25	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81E104KE01	0.1uF	25	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM155L81E104KE02	0.1uF	25	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81H102KA01	1000pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81H102KA37	1000pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81H221KA01	220pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81H221KA37	220pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81H222KA01	2200pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81H222KA37	2200pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81H471KA01	470pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81H471KA37	470pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L81H472KA01	4700pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155L81H472KA37	4700pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L8EH333KE07	33000pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155L8EH473KE07	47000pF	50	X8L		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71A104KA01	0.1uF	10	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71C104KA55	0.1uF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71C154KE02	0.15uF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71C224KE01	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71C224KE02	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71C333KA37	33000pF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71C473KA37	47000pF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71C683KA55	68000pF	16	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E103KA37	10000pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E153KA55	15000pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E223KA55	22000pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E333KA55	33000pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E473KA55	47000pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71E682KA37	6800pF	25	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H102KA37	1000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H103KA55	10000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H104KE02	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H104KE37	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H152KA37	1500pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H153KA40	15000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H153KA55	15000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H221KA37	220pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H222KA37	2200pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H223KA40	22000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H223KA55	22000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H331KA37	330pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H332KA37	3300pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H333KE01	33000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H333KE02	33000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H471KA37	470pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H472KA37	4700pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H473KE01	47000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H473KE02	47000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H681KA37	680pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H682KA55	6800pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R71H683KE01	68000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R71H683KE02	68000pF	50	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A102KA01	1000pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A102KA37	1000pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A152KA01	1500pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A152KA37	1500pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A221KA01	220pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A221KA37	220pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A222KA01	2200pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A222KA37	2200pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A331KA01	330pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A331KA37	330pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A332KA01	3300pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A332KA37	3300pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A471KA01	470pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A471KA37	470pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A472KA01	4700pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A472KA37	4700pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM155R72A681KA01	680pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R72A681KA37	680pF	100	X7R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188C71A225KE01	2.2uF	10	X7S		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188C71A225ME01	2.2uF	10	X7S		1608M/0603	0.9	+/-20%	Powertrain/Safety for Automotive
GCM188D70G106ME35	10uF	4	X7T		1608M/0603	1	+/-20%	Powertrain/Safety for Automotive
GCM188D70G106ME36	10uF	4	X7T		1608M/0603	1	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188L81C224KA01	0.22uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188L81C224KA37	0.22uF	16	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188L81H104KA57	0.1uF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188L81H223KA37	22000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188L81H473KA40	47000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM188L81H473KA55	47000pF	50	X8L		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R70J225KE21	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R70J225KE22	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71C104KA37	0.1uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71C105KA49	1uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R71C105KA64	1uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71C334KA37	0.33uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71C474KA55	0.47uF	16	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E102KA37	1000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E103KA37	10000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E104KA57	0.1uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E105KA49	1uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R71E105KA64	1uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E152KA37	1500pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E153KA37	15000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E154KA37	0.15uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E222KA37	2200pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E223KA37	22000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E224KA55	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E332KA37	3300pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E333KA37	33000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E472KA37	4700pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E473KA37	47000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E474KA49	0.47uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R71E474KA64	0.47uF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E682KA37	6800pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71E683KA57	68000pF	25	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H102KA37	1000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H103KA37	10000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H104KA57	0.1uF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H152KA37	1500pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H153KA37	15000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H154KA49	0.15uF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R71H154KA64	0.15uF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H222KA37	2200pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H223KA37	22000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H224KA49	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R71H224KA64	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H332KA37	3300pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H333KA55	33000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H472KA37	4700pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H473KA55	47000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H682KA37	6800pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R71H683KA57	68000pF	50	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A102KA01	1000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A102KA37	1000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A103KA01	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A103KA37	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A152KA01	1500pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A152KA37	1500pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A153KA01	15000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A153KA37	15000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A222KA01	2200pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A222KA37	2200pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A223KA01	22000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A223KA37	22000pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A332KA01	3300pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A332KA37	3300pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A472KA01	4700pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A472KA37	4700pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM188R72A682KA01	6800pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R72A682KA37	6800pF	100	X7R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM216R72A103KA37	10000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM216R72A153KA37	15000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM216R72A223KA37	22000pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM216R72A682KA37	6800pF	100	X7R		2012M/0805	0.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71C105KA37	1uF	16	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71C224KA37	0.22uF	16	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71C684KA37	0.68uF	16	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71E474KA55	0.47uF	25	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71H333KA37	33000pF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R71H334KA40	0.33uF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R71H334KA55	0.33uF	50	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R72A333KA37	33000pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R72A682KA01	6800pF	100	X7R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM21BC71A475KA67	4.7uF	10	X7S		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BC71A475KA73	4.7uF	10	X7S		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM21BC71C106KE35	10uF	16	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCM21BC71C106KE36	10uF	16	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BC71E475KE35	4.7uF	25	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCM21BC71E475KE36	4.7uF	25	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BC72A105KE35	1uF	100	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCM21BC72A105KE36	1uF	100	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BC72A105ME35	1uF	100	X7S		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive
GCM21BC72A105ME36	1uF	100	X7S		2012M/0805	1.45	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BC7YA225KE01	2.2uF	35	X7S		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BC7YA225KE02	2.2uF	35	X7S		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BC7YA475KE35	4.7uF	35	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive
GCM21BC7YA475KE36	4.7uF	35	X7S		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BL8EF155KA07	1.5uF	25	X8L		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BL8EF475KE08	4.7uF	25	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BL8EG225KE07	2.2uF	350	X8L		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BL8EG475KE08	4.7uF	350	X8L		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BM8EE106KE08	10uF	16	X8M		2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR70J106KE21	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR70J106KE22	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71A106KE21	10uF	10	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71A106KE22	10uF	10	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71A225KA01	2.2uF	10	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71A225KA37	2.2uF	10	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71C225KA49	2.2uF	16	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71C225KA64	2.2uF	16	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71C474KA37	0.47uF	16	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71C475KA67	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71C475KA73	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E104KA37	0.1uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E105KA56	1uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E154KA37	0.15uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E155KA36	1.5uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71E155KA54	1.5uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E155MA36	1.5uF	25	X7R		2012M/0805	1.4	+/-20%	Powertrain/Safety for Automotive
GCM21BR71E155MA54	1.5uF	25	X7R		2012M/0805	1.4	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E224KA37	0.22uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E225KA67	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71E225KA73	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E334KA37	0.33uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71E684KA55	0.68uF	25	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H104KA37	0.1uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H105KA01	1uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71H105KA03	1uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H154KA37	0.15uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H224KA37	0.22uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H473KA37	47000pF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H474KA40	0.47uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR71H474KA55	0.47uF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR71H683KA37	68000pF	50	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR72A103KA01	10000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A104KA01	0.1uF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A104KA37	0.1uF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR72A153KA01	15000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A223KA01	22000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A333KA01	33000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A473KA01	47000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A473KA37	47000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR72A683KA01	68000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR72A683KA37	68000pF	100	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR7YA105KA40	1uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR7YA105KA55	1uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR7YA155KA36	1.5uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR7YA155KA54	1.5uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR7YA684KA40	0.68uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR7YA684KA55	0.68uF	35	X7R		2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM319R72A104KA01	0.1uF	100	X7R		3216M/1206	0.95	+/-10%	Powertrain/Safety for Automotive
GCM319R72A104KA37	0.1uF	100	X7R		3216M/1206	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CC71E106KA01	10uF	25	X7S		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive
GCM31CC71E106KA03	10uF	25	X7S		3216M/1206	1.9	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CC71H475KA03	4.7uF	50	X7S		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CC71H475KA49	4.7uF	50	X7S		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CC72A225KE01	2.2uF	100	X7S		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CC72A225KE02	2.2uF	100	X7S		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CC72A225ME01	2.2uF	100	X7S		3216M/1206	1.8	+/-20%	Powertrain/Safety for Automotive
GCM31CC72A225ME02	2.2uF	100	X7S		3216M/1206	1.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CL8EL225KE07	2.2uF	100	X8L		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR70J226ME23	22uF	6.3	X7R		3216M/1206	1.8	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM31CR70J226ME26	22uF	6.3	X7R		3216M/1206	1.8	+/-20%	Powertrain/Safety for Automotive
GCM31CR71A106KA64	10uF	10	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR71A226KE01	22uF	10	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR71A226KE02	22uF	10	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR71C106KA49	10uF	16	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR71C106KA64	10uF	16	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR71C475KA37	4.7uF	16	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR71E475KA40	4.7uF	25	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR71E475KA55	4.7uF	25	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR71H225KA40	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR71H225KA55	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31CR72A105KA01	1uF	100	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR72A105KA03	1uF	100	X7R		3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71E105KA37	1uF	25	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71E225KA57	2.2uF	25	X7R		3216M/1206	1.3	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71H105KA40	1uF	50	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR71H105KA55	1uF	50	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71H334KA37	0.33uF	50	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71H474KA37	0.47uF	50	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR71H684KA55	0.68uF	50	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR72A154KA01	0.15uF	100	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR72A154KA37	0.15uF	100	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM31MR72A224KA01	0.22uF	100	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR72A224KA37	0.22uF	100	X7R		3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32DC72A475KE01	4.7uF	100	X7S		3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive
GCM32DC72A475KE02	4.7uF	100	X7S		3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32DC72A475ME01	4.7uF	100	X7S		3225M/1210	2.2	+/-20%	Powertrain/Safety for Automotive
GCM32DC72A475ME02	4.7uF	100	X7S		3225M/1210	2.2	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32DL8EL475KE07	4.7uF	100	X8L		3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32DR71C106KA37	10uF	16	X7R		3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32DR71E475KA55	4.7uF	25	X7R		3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EC71A476KE01	47uF	10	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32EC71A476KE02	47uF	10	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EC71E226KE35	22uF	25	X7S		3225M/1210	2.85	+/-10%	Powertrain/Safety for Automotive
GCM32EC71E226KE36	22uF	25	X7S		3225M/1210	2.85	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EC71H106KA01	10uF	50	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32EC71H106KA03	10uF	50	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EC7YA106KA01	10uF	35	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32EC7YA106KA03	10uF	35	X7S		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EL8EF226KE08	22uF	25	X8L		3225M/1210	2.85	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32EL8EH106KA07	10uF	50	X8L		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER70J476KE16	47uF	6.3	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32ER70J476ME16	47uF	6.3	X7R		3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive
GCM32ER70J476ME19	47uF	6.3	X7R		3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71A226KE12	22uF	10	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71A226ME12	22uF	10	X7R		3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71C226ME15	22uF	16	X7R		3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive
GCM32ER71C226ME19	22uF	16	X7R		3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71E106KA42	10uF	25	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32ER71E106KA57	10uF	25	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71H105KA37	1uF	50	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM32ER71H475KA40	4.7uF	50	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32ER71H475KA55	4.7uF	50	X7R		3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GGD188R71E273KA02	27000pF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71E333KA02	33000pF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71E393KA02	39000pF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71E473KA02	47000pF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H102KA02	1000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H103KA02	10000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H122KA02	1200pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H123KA02	12000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H152KA02	1500pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H153KA02	15000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H182KA02	1800pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H183KA02	18000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H222KA02	2200pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H223KA02	22000pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H272KA02	2700pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H332KA02	3300pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H392KA02	3900pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H472KA02	4700pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H562KA02	5600pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H682KA02	6800pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R71H822KA02	8200pF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R72A102KA02	1000pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R72A103KA02	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]
GGD188R72A122KA02	1200pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent(MLSC)/ Automotive [AEC-Q200]



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GGM188R70J225KE22	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71C105KA64	1uF	16	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71C334KA37	0.33uF	16	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71C474KA55	0.47uF	16	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71E105KA64	1uF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71E224KA55	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71E474KA64	0.47uF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R71H224KA64	0.22uF	50	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R72A103KA37	10000pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R72A153KA37	15000pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R72A223KA37	22000pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM188R72A682KA37	6800pF	100	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM219R71C105KA37	1uF	16	X7R		2012M/0805	0.95	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM219R71E474KA55	0.47uF	25	X7R		2012M/0805	0.95	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM219R71H334KA55	0.33uF	50	X7R		2012M/0805	0.95	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM219R72A333KA37	33000pF	100	X7R		2012M/0805	0.95	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BC71E475KE36	4.7uF	25	X7S		2012M/0805	1.45	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BC72A105KE36	1uF	100	X7S		2012M/0805	1.45	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BC7YA225KE02	2.2uF	35	X7S		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BC7YA475KE36	4.7uF	35	X7S		2012M/0805	1.45	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71A106KE22	10uF	10	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71A225KA37	2.2uF	10	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71C225KA64	2.2uF	16	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71E105KA56	1uF	25	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71E155KA54	1.5uF	25	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71E334KA37	0.33uF	25	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71E684KA55	0.68uF	25	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71H105KA03	1uF	50	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71H224KA37	0.22uF	50	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR71H474KA55	0.47uF	50	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR72A104KA37	0.1uF	100	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR72A473KA37	47000pF	100	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR72A683KA37	68000pF	100	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR7YA105KA55	1uF	35	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR7YA155KA54	1.5uF	35	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM21BR7YA684KA55	0.68uF	35	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CC71E106KA03	10uF	25	X7S		3216M/1206	1.9	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CC71H475KA03	4.7uF	50	X7S		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CC72A225KE02	2.2uF	100	X7S		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CR71A226KE02	22uF	10	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CR71C475KA37	4.7uF	16	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CR71E475KA55	4.7uF	25	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31CR71H225KA55	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM31MR72A224KA37	0.22uF	100	X7R		3216M/1206	1.25	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM32DC72A475KE02	4.7uF	100	X7S		3225M/1210	2.2	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM32EC71H106KA03	10uF	50	X7S		3225M/1210	2.7	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM32EC7YA106KA03	10uF	35	X7S		3225M/1210	2.7	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM32ER71A226KE12	22uF	10	X7R		3225M/1210	2.7	+/-10%	Water repellent/ Automotive [AEC-Q200]
GGM32ER71E106KA57	10uF	25	X7R		3225M/1210	2.7	+/-10%	Water repellent/ Automotive [AEC-Q200]
GRT033C80G104KE01	0.1uF	4	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80G224ME01	0.22uF	4	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C80J103KE01	10000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J104KE01	0.1uF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J153KE01	15000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J153ME01	15000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C80J222KE01	2200pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J223KE01	22000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J223ME01	22000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C80J224KE01	0.22uF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J224ME01	0.22uF	6.3	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C80J333KE01	33000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J333ME01	33000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C80J472KE01	4700pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J473KE01	47000pF	6.3	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C80J473ME01	47000pF	6.3	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C81A104KE01	0.1uF	10	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C81C104KE01	0.1uF	16	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C81C104ME01	0.1uF	16	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C81E102KE01	1000pF	25	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C81E104KE01	0.1uF	25	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033C81E104ME01	0.1uF	25	X6S		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033C81E471KE01	470pF	25	X6S		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60G105ME13	1uF	4	X5R		0603M/0201	0.35	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033R60J103KE01	10000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J104KE01	0.1uF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J105ME13	1uF	6.3	X5R		0603M/0201	0.35	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033R60J153KE01	15000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRT033R60J223KE01	22000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J224KE01	0.22uF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J333KE01	33000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J473KE01	47000pF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R60J474KE01	0.47uF	6.3	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A103KE01	10000pF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A104KE01	0.1uF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A222KE01	2200pF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A223KE01	22000pF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A224KE01	0.22uF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A224ME01	0.22uF	10	X5R		0603M/0201	0.33	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT033R61A472KE01	4700pF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61A473KE01	47000pF	10	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61C103KE01	10000pF	16	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61C104KE01	0.1uF	16	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61C223KE01	22000pF	16	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61C473KE01	47000pF	16	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E101KE01	100pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E102KE01	1000pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E103KE01	10000pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E104KE01	0.1uF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E221KE01	220pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E471KE01	470pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R61E472KE01	4700pF	25	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R6YA104KE01	0.1uF	35	X5R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R70J103KE01	10000pF	6.3	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R70J222KE01	2200pF	6.3	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R70J472KE01	4700pF	6.3	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R71A103KE01	10000pF	10	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R71E102KE01	1000pF	25	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT033R71E471KE01	470pF	25	X7R		0603M/0201	0.33	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C71A105KE13	1uF	10	X7S		1005M/0402	0.6	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C71A225KE13	2.2uF	10	X7S		1005M/0402	0.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80E106ME13	10uF	2.5	X6S		1005M/0402	0.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C80J105KE01	1uF	6.3	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80J224KE01	0.22uF	6.3	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80J224ME01	0.22uF	6.3	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C80J225KE01	2.2uF	6.3	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80J225ME01	2.2uF	6.3	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C80J334KE01	0.33uF	6.3	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80J334ME01	0.33uF	6.3	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C80J474KE01	0.47uF	6.3	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C80J474ME01	0.47uF	6.3	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C80J475ME13	4.7uF	6.3	X6S		1005M/0402	0.65	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81A105KE01	1uF	10	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81A225KE13	2.2uF	10	X6S		1005M/0402	0.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81A225ME13	2.2uF	10	X6S		1005M/0402	0.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81C105KE13	1uF	16	X6S		1005M/0402	0.6	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81C105ME13	1uF	16	X6S		1005M/0402	0.6	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81C225KE13	2.2uF	16	X6S		1005M/0402	0.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81C225ME13	2.2uF	16	X6S		1005M/0402	0.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81C474KE01	0.47uF	16	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81C474ME01	0.47uF	16	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81E105KE13	1uF	25	X6S		1005M/0402	0.6	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81E105ME13	1uF	25	X6S		1005M/0402	0.6	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C81E224KE01	0.22uF	25	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C81E224ME01	0.22uF	25	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155C8YA224KE01	0.22uF	35	X6S		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155C8YA224ME01	0.22uF	35	X6S		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60G475ME13	4.7uF	4	X5R		1005M/0402	0.6	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J105KE01	1uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J224KE01	0.22uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J224ME01	0.22uF	6.3	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J225KE01	2.2uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J225ME01	2.2uF	6.3	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J334KE01	0.33uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J334ME01	0.33uF	6.3	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J474KE01	0.47uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J474ME01	0.47uF	6.3	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J475ME13	4.7uF	6.3	X5R		1005M/0402	0.6	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R60J684KE01	0.68uF	6.3	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R60J684ME01	0.68uF	6.3	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61A105KE01	1uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A224KE01	0.22uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A224ME01	0.22uF	10	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61A225KE01	2.2uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A225ME01	2.2uF	10	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRT155R61A334KE01	0.33uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A334ME01	0.33uF	10	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61A474KE01	0.47uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A474ME01	0.47uF	10	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61A475ME13	4.7uF	10	X5R		1005M/0402	0.65	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61A684KE01	0.68uF	10	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61A684ME01	0.68uF	10	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61C105KE01	1uF	16	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61C224KE01	0.22uF	16	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61C225KE13	2.2uF	16	X5R		1005M/0402	0.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61C474KE01	0.47uF	16	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61C474ME01	0.47uF	16	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61E105KE01	1uF	25	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61E224KE01	0.22uF	25	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61E224ME01	0.22uF	25	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R61E225KE13	2.2uF	25	X5R		1005M/0402	0.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61E474KE01	0.47uF	25	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R61E474ME01	0.47uF	25	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA105KE13	1uF	35	X5R		1005M/0402	0.6	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA105ME13	1uF	35	X5R		1005M/0402	0.6	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA224KE01	0.22uF	35	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA224ME01	0.22uF	35	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA474KE01	0.47uF	35	X5R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R6YA474ME01	0.47uF	35	X5R		1005M/0402	0.55	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT155R70J223KE01	22000pF	6.3	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71A224KE01	0.22uF	10	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71A474KE01	0.47uF	10	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71C103KE01	10000pF	16	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71C104KE01	0.1uF	16	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71C223KE01	22000pF	16	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71C224KE01	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71C473KE01	47000pF	16	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71E103KE01	10000pF	25	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71E104KE01	0.1uF	25	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71E223KE01	22000pF	25	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71E473KE01	47000pF	25	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H102KE01	1000pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H103KE01	10000pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H104KE01	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H221KE01	220pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H222KE01	2200pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H223KE01	22000pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H471KE01	470pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H472KE01	4700pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT155R71H473KE01	47000pF	50	X7R		1005M/0402	0.55	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C80G105ME01	1uF	4	X6S		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C80G106ME13	10uF	4	X6S		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C80G226ME13	22uF	4	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C80G475KE01	4.7uF	4	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C80G475ME01	4.7uF	4	X6S		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C80J226ME13	22uF	6.3	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C80J475KE01	4.7uF	6.3	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C80J475ME01	4.7uF	6.3	X6S		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C81A105KE13	1uF	10	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81A106ME13	10uF	10	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C81C105KE13	1uF	16	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81C106ME13	10uF	16	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C81C225KE13	2.2uF	16	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81C475KE13	4.7uF	16	X6S		1608M/0603	0.95	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81C475ME13	4.7uF	16	X6S		1608M/0603	0.95	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C81E105KE13	1uF	25	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81E225KE13	2.2uF	25	X6S		1608M/0603	1	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81E225ME13	2.2uF	25	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C81E475KE13	4.7uF	25	X6S		1608M/0603	1	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C81E475ME13	4.7uF	25	X6S		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188C8YA105KE13	1uF	35	X6S		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188C8YA225KE13	2.2uF	35	X6S		1608M/0603	1	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R60G106ME13	10uF	4	X5R		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R60J105KE01	1uF	6.3	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R60J105ME01	1uF	6.3	X5R		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R60J106ME13	10uF	6.3	X5R		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R60J225KE13	2.2uF	6.3	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R60J226ME13	22uF	6.3	X5R		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R60J475KE01	4.7uF	6.3	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61A105KE01	1uF	10	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61A105ME01	1uF	10	X5R		1608M/0603	0.9	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61A106KE13	10uF	10	X5R		1608M/0603	0.95	+/-10%	Infotainment for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRT188R61A106ME13	10uF	10	X5R		1608M/0603	0.95	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61A225KE13	2.2uF	10	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61A226ME13	22uF	10	X5R		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61C105KE13	1uF	16	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61C106KE13	10uF	16	X5R		1608M/0603	0.95	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61C106ME13	10uF	16	X5R		1608M/0603	0.95	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61C475KE13	4.7uF	16	X5R		1608M/0603	0.95	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61C475ME13	4.7uF	16	X5R		1608M/0603	0.95	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61E105KE13	1uF	25	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61E106ME13	10uF	25	X5R		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61E225KE13	2.2uF	25	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61E475KE13	4.7uF	25	X5R		1608M/0603	0.95	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61E475ME13	4.7uF	25	X5R		1608M/0603	0.95	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R61H105KE13	1uF	50	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61H225KE13	2.2uF	50	X5R		1608M/0603	1	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R61H225ME13	2.2uF	50	X5R		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R6YA105KE13	1uF	35	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R6YA225KE13	2.2uF	35	X5R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R6YA475KE13	4.7uF	35	X5R		1608M/0603	1	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R6YA475ME13	4.7uF	35	X5R		1608M/0603	1	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT188R70J225KE13	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R71C105KE13	1uF	16	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R71E105KE13	1uF	25	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R71E224KE01	0.22uF	25	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R71H104KE13	0.1uF	50	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT188R71H473KE01	47000pF	50	X7R		1608M/0603	0.9	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC71E106KE13	10uF	25	X7S		2012M/0805	1.45	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC80G476ME13	47uF	4	X6S		2012M/0805	1.45	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BC81A106KE01	10uF	10	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81A226ME13	22uF	10	X6S		2012M/0805	1.45	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BC81C106KE01	10uF	16	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81C225KA02	2.2uF	16	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81C475KA02	4.7uF	16	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81E105KE13	1uF	25	X6S		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81E225KA02	2.2uF	25	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC81E475KA02	4.7uF	25	X6S		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC8YA225KE13	2.2uF	35	X6S		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BC8YA475KE13	4.7uF	35	X6S		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR60J106KE01	10uF	6.3	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR60J226ME13	22uF	6.3	X5R		2012M/0805	1.4	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BR60J475KE13	4.7uF	6.3	X5R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61A106KE01	10uF	10	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61A226ME13	22uF	10	X5R		2012M/0805	1.4	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BR61A475KE13	4.7uF	10	X5R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61C106KE01	10uF	16	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61C225KA02	2.2uF	16	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61C226ME13	22uF	16	X5R		2012M/0805	1.45	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BR61C475KA02	4.7uF	16	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61E106KE13	10uF	25	X5R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61E225KA02	2.2uF	25	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61E226ME13	22uF	25	X5R		2012M/0805	1.45	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT21BR61E475KA02	4.7uF	25	X5R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61H225KE13	2.2uF	50	X5R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR61H475KE13	4.7uF	50	X5R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR70J106KE13	10uF	6.3	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71A106KE13	10uF	10	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71A475KE13	4.7uF	10	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71C225KE01	2.2uF	16	X7R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71C475KE13	4.7uF	16	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71E105KE13	1uF	25	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71E225KE13	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71H105KE01	1uF	50	X7R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT21BR71H474KE01	0.47uF	50	X7R		2012M/0805	1.35	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC80G226KE01	22uF	4	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC80G476ME01	47uF	4	X6S		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CC80J226KE01	22uF	6.3	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC80J476KE13	47uF	6.3	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81A106KE01	10uF	10	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81A106ME01	10uF	10	X6S		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CC81A226KE01	22uF	10	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81C106KE01	10uF	16	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81C106ME01	10uF	16	X6S		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CC81C226KE01	22uF	16	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81C475KE01	4.7uF	16	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81C475ME01	4.7uF	16	X6S		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CC81E106KE01	10uF	25	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC81E475KE01	4.7uF	25	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRT31CC81H225KE01	2.2uF	50	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC8YA106KE01	10uF	35	X6S		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CC8YA106ME01	10uF	35	X6S		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CR60J226KE01	22uF	6.3	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR60J476KE13	47uF	6.3	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61A106KE01	10uF	10	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61A226KE01	22uF	10	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61A476KE13	47uF	10	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61C106KE01	10uF	16	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61C226KE01	22uF	16	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61C475KE01	4.7uF	16	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61C475ME01	4.7uF	16	X5R		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CR61E106KE01	10uF	25	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61E106ME01	10uF	25	X5R		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CR61E226KE01	22uF	25	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61E335KE01	3.3uF	25	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61E475KE01	4.7uF	25	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61H106KE01	10uF	50	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR61H225KE01	2.2uF	50	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR6YA106KE01	10uF	35	X5R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR6YA106ME01	10uF	35	X5R		3216M/1206	1.8	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT31CR70J226KE13	22uF	6.3	X7R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR71E106KE13	10uF	25	X7R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT31CR71H225KE13	2.2uF	50	X7R		3216M/1206	1.8	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DC81A106KE01	10uF	10	X6S		3225M/1210	2.2	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DC81C106KE01	10uF	16	X6S		3225M/1210	2.2	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DC81E106KE01	10uF	25	X6S		3225M/1210	2.2	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DR60J336ME01	33uF	6.3	X5R		3225M/1210	2.2	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT32DR61C106KE01	10uF	16	X5R		3225M/1210	2.2	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DR61E106KE01	10uF	25	X5R		3225M/1210	2.2	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32DR61E106ME01	10uF	25	X5R		3225M/1210	2.2	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT32EC80J476KE13	47uF	6.3	X6S		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32EC81A226ME13	22uF	10	X6S		3225M/1210	2.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT32EC81A476KE13	47uF	10	X6S		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32EC81C476KE13	47uF	16	X6S		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32EC81H475KE01	4.7uF	50	X6S		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32ER60J107ME13	100uF	6.3	X5R		3225M/1210	2.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT32ER61C226ME13	22uF	16	X5R		3225M/1210	2.7	+/-20%	Infotainment for Automotive [AEC-Q200]
GRT32ER61E226KE13	22uF	25	X5R		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32ER61H475KE01	4.7uF	50	X5R		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32ER70J476KE13	47uF	6.3	X7R		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GRT32ER71H475KE01	4.7uF	50	X7R		3225M/1210	2.7	+/-10%	Infotainment for Automotive [AEC-Q200]
GXT155C71A105KE13	1uF	10	X7S		1005M/0402	0.6	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C71A225KE13	2.2uF	10	X7S		1005M/0402	0.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81A105KE01	1uF	10	X6S		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81A225KE13	2.2uF	10	X6S		1005M/0402	0.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81A225ME13	2.2uF	10	X6S		1005M/0402	0.7	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81C105ME13	1uF	16	X6S		1005M/0402	0.6	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81C225KE13	2.2uF	16	X6S		1005M/0402	0.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81C225ME13	2.2uF	16	X6S		1005M/0402	0.7	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81C474KE01	0.47uF	16	X6S		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81C474ME01	0.47uF	16	X6S		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81E105KE13	1uF	25	X6S		1005M/0402	0.6	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81E105ME13	1uF	25	X6S		1005M/0402	0.6	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81E224KE01	0.22uF	25	X6S		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C81E224ME01	0.22uF	25	X6S		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155C8YA224KE01	0.22uF	35	X6S		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155C8YA224ME01	0.22uF	35	X6S		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R60J105KE01	1uF	6.3	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61A105KE01	1uF	10	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61C105KE01	1uF	16	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61C224KE01	0.22uF	16	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61C225KE13	2.2uF	16	X5R		1005M/0402	0.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61C474KE01	0.47uF	16	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61C474ME01	0.47uF	16	X5R		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E105KE01	1uF	25	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E224KE01	0.22uF	25	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E224ME01	0.22uF	25	X5R		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E225KE13	2.2uF	25	X5R		1005M/0402	0.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E474KE01	0.47uF	25	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R61E474ME01	0.47uF	25	X5R		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA105KE13	1uF	35	X5R		1005M/0402	0.6	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA105ME13	1uF	35	X5R		1005M/0402	0.6	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA224KE01	0.22uF	35	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA224ME01	0.22uF	35	X5R		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA474KE01	0.47uF	35	X5R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R6YA474ME01	0.47uF	35	X5R		1005M/0402	0.55	+/-20%	Water repellent/ Infotainment [AEC-Q200]



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GXT155R71A224KE01	0.22uF	10	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71A474KE01	0.47uF	10	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71C224KE01	0.22uF	16	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71C473KE01	47000pF	16	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71E104KE01	0.1uF	25	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71E473KE01	47000pF	25	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H102KE01	1000pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H103KE01	10000pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H104KE01	0.1uF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H221KE01	220pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H222KE01	2200pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H223KE01	22000pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H471KE01	470pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H472KE01	4700pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT155R71H473KE01	47000pF	50	X7R		1005M/0402	0.55	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188C80G105ME01	1uF	4	X6S		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C80G106ME13	10uF	4	X6S		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81A106ME13	10uF	10	X6S		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81C106ME13	10uF	16	X6S		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81C225KE13	2.2uF	16	X6S		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81C475KE13	4.7uF	16	X6S		1608M/0603	0.95	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81C475ME13	4.7uF	16	X6S		1608M/0603	0.95	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81E225KE13	2.2uF	25	X6S		1608M/0603	1	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81E225ME13	2.2uF	25	X6S		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81E475KE13	4.7uF	25	X6S		1608M/0603	1	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188C81E475ME13	4.7uF	25	X6S		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188C8YA225KE13	2.2uF	35	X6S		1608M/0603	1	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60G106ME13	10uF	4	X5R		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60J105KE01	1uF	6.3	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60J105ME01	1uF	6.3	X5R		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60J106ME13	10uF	6.3	X5R		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60J225KE13	2.2uF	6.3	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R60J475KE01	4.7uF	6.3	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61A105KE01	1uF	10	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61A105ME01	1uF	10	X5R		1608M/0603	0.9	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61A225KE13	2.2uF	10	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61C106ME13	10uF	16	X5R		1608M/0603	0.95	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61C475KE13	4.7uF	16	X5R		1608M/0603	0.95	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61C475ME13	4.7uF	16	X5R		1608M/0603	0.95	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61E106ME13	10uF	25	X5R		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61E225KE13	2.2uF	25	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61E475KE13	4.7uF	25	X5R		1608M/0603	0.95	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61E475ME13	4.7uF	25	X5R		1608M/0603	0.95	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61H225KE13	2.2uF	50	X5R		1608M/0603	1	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R61H225ME13	2.2uF	50	X5R		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R6YA225KE13	2.2uF	35	X5R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R6YA475KE13	4.7uF	35	X5R		1608M/0603	1	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R6YA475ME13	4.7uF	35	X5R		1608M/0603	1	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT188R70J225KE13	2.2uF	6.3	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R71C105KE13	1uF	16	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT188R71E105KE13	1uF	25	X7R		1608M/0603	0.9	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BC71E106KE13	10uF	25	X7S		2012M/0805	1.45	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BC81A226ME13	22uF	10	X6S		2012M/0805	1.45	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR60J106KE01	10uF	6.3	X5R		2012M/0805	1.35	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR61A106KE01	10uF	10	X5R		2012M/0805	1.35	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR61C106KE01	10uF	16	X5R		2012M/0805	1.35	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR61C226ME13	22uF	16	X5R		2012M/0805	1.45	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR61E226ME13	22uF	25	X5R		2012M/0805	1.45	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR71A106KE13	10uF	10	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR71A475KE13	4.7uF	10	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR71E225KE13	2.2uF	25	X7R		2012M/0805	1.4	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT21BR71H105KE01	1uF	50	X7R		2012M/0805	1.35	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CC81E106KE01	10uF	25	X6S		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CC8YA106KE01	10uF	35	X6S		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CC8YA106ME01	10uF	35	X6S		3216M/1206	1.8	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR61E106KE01	10uF	25	X5R		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR61E106ME01	10uF	25	X5R		3216M/1206	1.8	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR6YA106KE01	10uF	35	X5R		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR6YA106ME01	10uF	35	X5R		3216M/1206	1.8	+/-20%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR70J226KE13	22uF	6.3	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT31CR71E106KE13	10uF	25	X7R		3216M/1206	1.8	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT32DC81E106KE01	10uF	25	X6S		3225M/1210	2.2	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT32EC80J476KE13	47uF	6.3	X6S		3225M/1210	2.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT32EC81A476KE13	47uF	10	X6S		3225M/1210	2.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT32EC81C476KE13	47uF	16	X6S		3225M/1210	2.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]
GXT32ER70J476KE13	47uF	6.3	X7R		3225M/1210	2.7	+/-10%	Water repellent/ Infotainment [AEC-Q200]

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GJ821BB31H105KA12	1uF	50	B		2012M/0805	1.35	+/-10%	Acoustic noise reduction
GRM022B11A101KA01	100pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A101MA01	100pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A151KA01	150pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A151MA01	150pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A221KA01	220pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A221MA01	220pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A331KA01	330pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A331MA01	330pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A471KA01	470pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A471MA01	470pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A680KA01	68pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A680MA01	68pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J102KE19	1000pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J102ME19	1000pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J103KE19	10000pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J103ME19	10000pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J152KE19	1500pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J152ME19	1500pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J222KE19	2200pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J222ME19	2200pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J332KE19	3300pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J332ME19	3300pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J472KE19	4700pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J472ME19	4700pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J681KE19	680pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J681ME19	680pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J682KE19	6800pF	6.3	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J682ME19	6800pF	6.3	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A102KE19	1000pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A102ME19	1000pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A103KE19	10000pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A103ME19	10000pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A152KE19	1500pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A152ME19	1500pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A222KE19	2200pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A222ME19	2200pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A332KE19	3300pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A332ME19	3300pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A472KE19	4700pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A472ME19	4700pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A681KE19	680pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A681ME19	680pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A682KE19	6800pF	10	B		0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A682ME19	6800pF	10	B		0402M/01005	0.22	+/-20%	Ultra-small
GRM033B10J103KA01	10000pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J152KA01	1500pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J153KE01	15000pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J153ME01	15000pF	6.3	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J222KA01	2200pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J223KE01	22000pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J223ME01	22000pF	6.3	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J332KA01	3300pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J333KE01	33000pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J333ME01	33000pF	6.3	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J472KA01	4700pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J682KA01	6800pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A103KA01	10000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A103MA01	10000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11A152KA01	1500pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A222KA01	2200pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A332KA01	3300pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A472KA01	4700pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A472MA01	4700pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11A682KA01	6800pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A682MA01	6800pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11C101KA01	100pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C102KA01	1000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C151KA01	150pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C152KA01	1500pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C221KA01	220pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C331KA01	330pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C471KA01	470pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C681KA01	680pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E101KA01	100pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E102KA01	1000pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E102MA01	1000pF	25	B		0603M/0201	0.33	+/-20%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM033B11E151KA01	150pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E152KA01	1500pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E152MA01	1500pF	25	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11E221KA01	220pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E331KA01	330pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E471KA01	470pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E681KA01	680pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B30G224ME15	0.22uF	4	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B30J224ME15	0.22uF	6.3	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B30J473KE18	47000pF	6.3	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A104KE84	0.1uF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A104ME84	0.1uF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A123KE84	12000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A123ME84	12000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A153KE84	15000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A153ME84	15000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A183KE84	18000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A183ME84	18000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A223KE84	22000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A223ME84	22000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A273KE84	27000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A273ME84	27000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A333KE84	33000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A333ME84	33000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A393KE84	39000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A393ME84	39000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A473KE84	47000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A473ME84	47000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A683KE84	68000pF	10	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A683ME84	68000pF	10	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C103KA12	10000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C103MA12	10000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C104KE84	0.1uF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C104ME84	0.1uF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C153KE84	15000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C153ME84	15000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C222KA87	2200pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C222MA87	2200pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C223KE84	22000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C223ME84	22000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C332KA87	3300pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C332MA87	3300pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C333KE84	33000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C333ME84	33000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C473KE84	47000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C473ME84	47000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C683KE84	68000pF	16	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C683ME84	68000pF	16	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E103KA12	10000pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31E103MA12	10000pF	25	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E222KA12	2200pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31E222MA12	2200pF	25	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E332KA12	3300pF	25	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31E332MA12	3300pF	25	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H101KA12	100pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H101MA12	100pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H102KA12	1000pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H102MA12	1000pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H151KA12	150pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H151MA12	150pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H152KA12	1500pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H152MA12	1500pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H221KA12	220pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H221MA12	220pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H331KA12	330pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H331MA12	330pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H471KA12	470pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H471MA12	470pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H681KA12	680pF	50	B		0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H681MA12	680pF	50	B		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R10J103KA01	10000pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J152KA01	1500pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J222KA01	2200pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J332KA01	3300pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J472KA01	4700pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J682KA01	6800pF	6.3	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A103KA01	10000pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM033R11A103MA01	10000pF	10	R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11A152KA01	1500pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A222KA01	2200pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A332KA01	3300pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A472KA01	4700pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A472MA01	4700pF	10	R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11A682KA01	6800pF	10	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A682MA01	6800pF	10	R		0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11C101KA01	100pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C102KA01	1000pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C151KA01	150pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C152KA01	1500pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C221KA01	220pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C222KA88	2200pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C331KA01	330pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C332KA88	3300pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C471KA01	470pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C681KA01	680pF	16	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E101KA01	100pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E102KA01	1000pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E151KA01	150pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E152KA01	1500pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E221KA01	220pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E331KA01	330pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E471KA01	470pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E681KA01	680pF	25	R		0603M/0201	0.33	+/-10%	Ultra-small
GRM152B30J104KE19	0.1uF	6.3	B		1005M/0402	0.22	+/-10%	General Purpose
GRM152B30J104ME19	0.1uF	6.3	B		1005M/0402	0.22	+/-20%	General Purpose
GRM152B30J224KE19	0.22uF	6.3	B		1005M/0402	0.22	+/-10%	General Purpose
GRM152B30J224ME19	0.22uF	6.3	B		1005M/0402	0.22	+/-20%	General Purpose
GRM152B30J474ME15	0.47uF	6.3	B		1005M/0402	0.22	+/-20%	General Purpose
GRM152B31A104KE19	0.1uF	10	B		1005M/0402	0.22	+/-10%	General Purpose
GRM152B31A104ME19	0.1uF	10	B		1005M/0402	0.22	+/-20%	General Purpose
GRM152B31A224KE19	0.22uF	10	B		1005M/0402	0.22	+/-10%	General Purpose
GRM152B31A224ME19	0.22uF	10	B		1005M/0402	0.22	+/-20%	General Purpose
GRM153B30G225ME95	2.2uF	4	B		1005M/0402	0.33	+/-20%	General Purpose
GRM153B30J105ME95	1uF	6.3	B		1005M/0402	0.33	+/-20%	General Purpose
GRM153B30J225ME95	2.2uF	6.3	B		1005M/0402	0.33	+/-20%	General Purpose
GRM153B31A105ME95	1uF	10	B		1005M/0402	0.33	+/-20%	General Purpose
GRM155B10J104KA01	0.1uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J154KE01	0.15uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J154ME01	0.15uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B10J224KE01	0.22uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J224ME01	0.22uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B10J334KE01	0.33uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J334ME01	0.33uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11A104KA01	0.1uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C103KA01	10000pF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C103MA01	10000pF	16	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11C223KA01	22000pF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C333KA01	33000pF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C473KA01	47000pF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E102KA01	1000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E103KA01	10000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E103MA01	10000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E153KA61	15000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E153MA61	15000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E222KA01	2200pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E223KA61	22000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E223MA61	22000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E472KA01	4700pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E682KA01	6800pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H102KA01	1000pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H102MA01	1000pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H152KA01	1500pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H152MA01	1500pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H221KA01	220pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H221MA01	220pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H222KA01	2200pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H222MA01	2200pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H331KA01	330pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H331MA01	330pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H332KA01	3300pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H332MA01	3300pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H471KA01	470pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H471MA01	470pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H472KA01	4700pF	50	B		1005M/0402	0.55	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM155B11H472MA01	4700pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H681KA01	680pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H681MA01	680pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B30G475ME47	4.7uF	4	B		1005M/0402	0.6	+/-20%	General Purpose
GRM155B30J105KE18	1uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J105ME18	1uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J225KE95	2.2uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J225ME95	2.2uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J474KE18	0.47uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J474ME18	0.47uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J475ME47	4.7uF	6.3	B		1005M/0402	0.6	+/-20%	General Purpose
GRM155B30J475ME87	4.7uF	6.3	B		1005M/0402	0.65	+/-20%	General Purpose
GRM155B30J684KE18	0.68uF	6.3	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J684ME18	0.68uF	6.3	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A105ME01	1uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A154KE18	0.15uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A154ME18	0.15uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A224KE18	0.22uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A224ME18	0.22uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A225KE95	2.2uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A225ME95	2.2uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A334KE14	0.33uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A334ME14	0.33uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A474KE14	0.47uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A474ME14	0.47uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A684KE15	0.68uF	10	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A684ME15	0.68uF	10	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31C104KA87	0.1uF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31C105KA12	1uF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31C105MA12	1uF	16	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31C683KA87	68000pF	16	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E104KA87	0.1uF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E104MA87	0.1uF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E105KA12	1uF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E105MA12	1uF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E333KA87	33000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E333MA87	33000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E473KA87	47000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E473MA87	47000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E683KA87	68000pF	25	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E683MA87	68000pF	25	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H103KA88	10000pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H103MA88	10000pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H104KE14	0.1uF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H104ME14	0.1uF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H153KA12	15000pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H153MA12	15000pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H223KA12	22000pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H223MA12	22000pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H682KA88	6800pF	50	B		1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H682MA88	6800pF	50	B		1005M/0402	0.55	+/-20%	General Purpose
GRM155R11A104KA01	0.1uF	10	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11A683KA01	68000pF	10	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11A683MA01	68000pF	10	R		1005M/0402	0.55	+/-20%	General Purpose
GRM155R11C104KA88	0.1uF	16	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C223KA01	22000pF	16	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C333KA01	33000pF	16	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C473KA01	47000pF	16	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C683KA88	68000pF	16	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E103KA01	10000pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E153KA61	15000pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E223KA61	22000pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E333KA88	33000pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E472KA01	4700pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E473KA88	47000pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E682KA01	6800pF	25	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H102KA01	1000pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H103KA88	10000pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H152KA01	1500pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H221KA01	220pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H222KA01	2200pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H331KA01	330pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H332KA01	3300pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H471KA01	470pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H472KA01	4700pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H681KA01	680pF	50	R		1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H682KA88	6800pF	50	R		1005M/0402	0.55	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM15XB11C103KA86	10000pF	16	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11C103MA86	10000pF	16	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11C332KA86	3300pF	16	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11C332MA86	3300pF	16	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11C472KA86	4700pF	16	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11C472MA86	4700pF	16	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11C682KA86	6800pF	16	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11C682MA86	6800pF	16	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11E222KA86	2200pF	25	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11E222MA86	2200pF	25	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H102KA86	1000pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H102MA86	1000pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H152KA86	1500pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H152MA86	1500pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H221KA86	220pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H221MA86	220pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H331KA86	330pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H331MA86	330pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H471KA86	470pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H471MA86	470pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XB11H681KA86	680pF	50	B		1005M/0402	0.3	+/-10%	General Purpose
GRM15XB11H681MA86	680pF	50	B		1005M/0402	0.3	+/-20%	General Purpose
GRM15XR11C103KA86	10000pF	16	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11C472KA86	4700pF	16	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11E222KA86	2200pF	25	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H102KA86	1000pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H152KA86	1500pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H221KA86	220pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H331KA86	330pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H471KA86	470pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM15XR11H681KA86	680pF	50	R		1005M/0402	0.3	+/-10%	General Purpose
GRM185B30J105KE25	1uF	6.3	B		1608M/0603	0.5	+/-10%	General Purpose
GRM185B31A105KE35	1uF	10	B		1608M/0603	0.5	+/-10%	General Purpose
GRM185B31C105KE43	1uF	16	B		1608M/0603	0.5	+/-10%	General Purpose
GRM185B31C105ME43	1uF	16	B		1608M/0603	0.5	+/-20%	General Purpose
GRM185B31E105KA12	1uF	25	B		1608M/0603	0.5	+/-10%	General Purpose
GRM185B31E105MA12	1uF	25	B		1608M/0603	0.5	+/-20%	General Purpose
GRM188B10J105KA01	1uF	6.3	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B10J474KA01	0.47uF	6.3	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A105KA61	1uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A224KA01	0.22uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A334KA61	0.33uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A334MA61	0.33uF	10	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11A474KA61	0.47uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A684KA61	0.68uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11A684MA61	0.68uF	10	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11C104KA01	0.1uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11C104MA01	0.1uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11C154KA01	0.15uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11C224KA01	0.22uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11C224MA01	0.22uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11C334KA01	0.33uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11C334MA01	0.33uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E102KA01	1000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E103KA01	10000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E103MA01	10000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E104KA01	0.1uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E104MA01	0.1uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E152KA01	1500pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E153KA01	15000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E153MA01	15000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E154KA01	0.15uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E222KA01	2200pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E222MA01	2200pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E223KA01	22000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E223MA01	22000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E332KA01	3300pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E333KA01	33000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E333MA01	33000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E472KA01	4700pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E472MA01	4700pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E473KA01	47000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E473MA01	47000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11E682KA01	6800pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E683KA01	68000pF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11E683MA01	68000pF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H102KA01	1000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM188B11H102MA01	1000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H103KA01	10000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H103MA01	10000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H152KA01	1500pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H152MA01	1500pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H153KA01	15000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H153MA01	15000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H221KA01	220pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H221MA01	220pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H222KA01	2200pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H222MA01	2200pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H223KA01	22000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H223MA01	22000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H331KA01	330pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H331MA01	330pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H332KA01	3300pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H332MA01	3300pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H333KA61	33000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H333MA61	33000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H471KA01	470pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H471MA01	470pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H472KA01	4700pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H472MA01	4700pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H473KA61	47000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H473MA61	47000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H681KA01	680pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H681MA01	680pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B11H682KA01	6800pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B11H682MA01	6800pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B30G106ME46	10uF	4	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B30G226MEA0	22uF	4	B		1608M/0603	1	+/-20%	General Purpose
GRM188B30J106ME47	10uF	6.3	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B30J106ME84	10uF	6.3	B		1608M/0603	0.95	+/-20%	General Purpose
GRM188B30J225KE18	2.2uF	6.3	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B30J226MEA0	22uF	6.3	B		1608M/0603	1	+/-20%	General Purpose
GRM188B30J475KE18	4.7uF	6.3	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B30J475ME18	4.7uF	6.3	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B30J475ME84	4.7uF	6.3	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31A106KE69	10uF	10	B		1608M/0603	0.95	+/-10%	General Purpose
GRM188B31A106ME69	10uF	10	B		1608M/0603	0.95	+/-20%	General Purpose
GRM188B31A225KE33	2.2uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31A225ME33	2.2uF	10	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31A475KE15	4.7uF	10	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31A475ME15	4.7uF	10	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31C105KA92	1uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31C105MA92	1uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31C225KE14	2.2uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31C474KA75	0.47uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31C474KA87	0.47uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31C474MA75	0.47uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31C474MA87	0.47uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31C475KAAJ	4.7uF	16	B		1608M/0603	0.95	+/-10%	General Purpose
GRM188B31C475MAAJ	4.7uF	16	B		1608M/0603	0.95	+/-20%	General Purpose
GRM188B31C684KA75	0.68uF	16	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31C684MA75	0.68uF	16	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31E105KA75	1uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31E105MA75	1uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31E224KA87	0.22uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31E224MA87	0.22uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31E225KA12	2.2uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31E225MA12	2.2uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31E474KA75	0.47uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31E474MA75	0.47uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31E684KA75	0.68uF	25	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31E684MA75	0.68uF	25	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31H104KA92	0.1uF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31H104MA92	0.1uF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31H105KAAL	1uF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31H105MAAL	1uF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31H154KAC4	0.15uF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31H154MAC4	0.15uF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31H224KAC4	0.22uF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31H224MAC4	0.22uF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188B31H683KA92	68000pF	50	B		1608M/0603	0.9	+/-10%	General Purpose
GRM188B31H683MA92	68000pF	50	B		1608M/0603	0.9	+/-20%	General Purpose
GRM188R11A224KA01	0.22uF	10	R		1608M/0603	0.9	+/-10%	General Purpose
GRM188R11C104KA01	0.1uF	16	R		1608M/0603	0.9	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM188R11C154KA01	0.15uF	16	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11C224KA01	0.22uF	16	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11C224MA01	0.22uF	16	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11C334KA01	0.33uF	16	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11C474KA88	0.47uF	16	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11C474MA88	0.47uF	16	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E102KA01	1000pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E103KA01	1000pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E103MA01	1000pF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E104KA01	0.1uF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E104MA01	0.1uF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E152KA01	1500pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E153KA01	1500pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E154KA01	0.15uF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E222KA01	2200pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E222MA01	2200pF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E223KA01	2200pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E223MA01	2200pF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E224KA88	0.22uF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E224MA88	0.22uF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E332KA01	3300pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E333KA01	3300pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E472KA01	4700pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E472MA01	4700pF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E473KA01	4700pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E473MA01	4700pF	25	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11E682KA01	6800pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11E683KA01	6800pF	25	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H102KA01	1000pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H102MA01	1000pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H103KA01	1000pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H103MA01	1000pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H104KA93	0.1uF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H104MA93	0.1uF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H152KA01	1500pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H153KA01	1500pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H221KA01	220pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H221MA01	220pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H222KA01	2200pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H222MA01	2200pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H223KA01	2200pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H223MA01	2200pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H331KA01	330pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H332KA01	3300pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H333KA61	3300pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H471KA01	470pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H471MA01	470pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H472KA01	4700pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H472MA01	4700pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H473KA61	4700pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H473MA61	4700pF	50	R	1608M/0603	0.9	+/-20%	General Purpose
GRM188R11H681KA01	680pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H682KA01	6800pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM188R11H683KA93	6800pF	50	R	1608M/0603	0.9	+/-10%	General Purpose
GRM219B31C105KA87	1uF	16	B	2012M/0805	0.7	+/-10%	General Purpose
GRM219B31E105KA75	1uF	25	B	2012M/0805	0.7	+/-10%	General Purpose
GRM219B11A105KA01	1uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11A225KA01	2.2uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11C684KA01	0.68uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11H333KA01	3300pF	50	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B30G226ME66	22uF	4	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J106KE18	10uF	6.3	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B30J106ME18	10uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J226ME47	22uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J226MEA0	22uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J475KE18	4.7uF	6.3	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A106KE44	10uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A106ME44	10uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31A226MEA0	22uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31A475KE33	4.7uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A475ME33	4.7uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31C106KA73	10uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31C106MA73	10uF	16	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31C225KA87	2.2uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31C475KE15	4.7uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E105KA88	1uF	25	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E106KA12	10uF	25	B	2012M/0805	0.95	+/-10%	General Purpose



Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM219B31E106MA12	10uF	25	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E225KA75	2.2uF	25	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E225MA75	2.2uF	25	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E474KA88	0.47uF	25	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E474MA88	0.47uF	25	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E684KA88	0.68uF	25	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H105KA73	1uF	50	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H105MA73	1uF	50	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219B31H225KE15	2.2uF	50	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H225ME15	2.2uF	50	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219B31H334KA87	0.33uF	50	B		2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H334MA87	0.33uF	50	B		2012M/0805	0.95	+/-20%	General Purpose
GRM219R11C684KA01	0.68uF	16	R		2012M/0805	0.95	+/-10%	General Purpose
GRM219R11E474KA88	0.47uF	25	R		2012M/0805	0.95	+/-10%	General Purpose
GRM219R11E474MA88	0.47uF	25	R		2012M/0805	0.95	+/-20%	General Purpose
GRM219R11E683KA01	68000pF	25	R		2012M/0805	0.95	+/-10%	General Purpose
GRM219R11H333KA01	33000pF	50	R		2012M/0805	0.95	+/-10%	General Purpose
GRM21BB10J105KC01	1uF	6.3	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB10J225KA01	2.2uF	6.3	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB10J475KA11	4.7uF	6.3	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB10J475MA11	4.7uF	6.3	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB11A105KA01	1uF	10	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11A225KA01	2.2uF	10	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11A225MA01	2.2uF	10	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11C105KA01	1uF	16	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11C224KA01	0.22uF	16	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11C224MA01	0.22uF	16	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11E154KA01	0.15uF	25	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11E224KA01	0.22uF	25	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11E224MA01	0.22uF	25	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11E334KA01	0.33uF	25	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H104KA01	0.1uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H104MA01	0.1uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11H473KA01	47000pF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H473MA01	47000pF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11H683KA01	68000pF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB30G476ME15	47uF	4	B		2012M/0805	1.45	+/-20%	General Purpose
GRM21BB30J106KE18	10uF	6.3	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB30J106ME18	10uF	6.3	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB30J226ME38	22uF	6.3	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB30J476ME15	47uF	6.3	B		2012M/0805	1.45	+/-20%	General Purpose
GRM21BB31A106KE18	10uF	10	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31A106ME18	10uF	10	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31A226ME51	22uF	10	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB31A475KA74	4.7uF	10	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB31A475MA74	4.7uF	10	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB31C106KE15	10uF	16	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31C106ME15	10uF	16	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31C225KA87	2.2uF	16	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31C475KA87	4.7uF	16	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31D106KE15	10uF	20	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31D106ME15	10uF	20	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31E105KA98	1uF	25	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB31E106KA73	10uF	25	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB31E106MA73	10uF	25	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB31E225KA75	2.2uF	25	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31E225MA75	2.2uF	25	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31E475KA75	4.7uF	25	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31E475MA75	4.7uF	25	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H105KA12	1uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H105MA12	1uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H154KA88	0.15uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H154MA88	0.15uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H224KA88	0.22uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H224MA88	0.22uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H225KA73	2.2uF	50	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB31H225MA73	2.2uF	50	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB31H474KA87	0.47uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H474MA87	0.47uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H475KE51	4.7uF	50	B		2012M/0805	1.4	+/-10%	General Purpose
GRM21BB31H475ME51	4.7uF	50	B		2012M/0805	1.4	+/-20%	General Purpose
GRM21BB31H684KAC4	0.68uF	50	B		2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H684MAC4	0.68uF	50	B		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR10J105KC01	1uF	6.3	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11A105KA01	1uF	10	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11C105KA01	1uF	16	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11C224KA01	0.22uF	16	R		2012M/0805	1.35	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM21BR11C224MA01	0.22uF	16	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E104KA01	0.1uF	25	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E104MA01	0.1uF	25	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E105KA99	1uF	25	R		2012M/0805	1.4	+/-10%	General Purpose
GRM21BR11E154KA01	0.15uF	25	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E154MA01	0.15uF	25	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E224KA01	0.22uF	25	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E224MA01	0.22uF	25	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E684KA88	0.68uF	25	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H104KA01	0.1uF	50	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H104MA01	0.1uF	50	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11H473KA01	47000pF	50	R		2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H473MA01	47000pF	50	R		2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11H683KA01	68000pF	50	R		2012M/0805	1.35	+/-10%	General Purpose
GRM316B31A475KE18	4.7uF	10	B		3216M/1206	0.7	+/-10%	General Purpose
GRM316B31C225KA87	2.2uF	16	B		3216M/1206	0.7	+/-10%	General Purpose
GRM316B31E225KA75	2.2uF	25	B		3216M/1206	0.7	+/-10%	General Purpose
GRM319B11A105KA01	1uF	10	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11A225KA01	2.2uF	10	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11A475KA01	4.7uF	10	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C105KAA3	1uF	16	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C474KA01	0.47uF	16	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C474MA01	0.47uF	16	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B11E334KA01	0.33uF	25	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11E474KA01	0.47uF	25	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B11E474MA01	0.47uF	25	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B11E684KA01	0.68uF	25	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B30J106KE18	10uF	6.3	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B30J226ME15	22uF	6.3	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31A106KE18	10uF	10	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31A106ME18	10uF	10	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31A226ME15	22uF	10	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C106KE15	10uF	16	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31C106ME15	10uF	16	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C226ME15	22uF	16	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C335KA75	3.3uF	16	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31C475KA87	4.7uF	16	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31E105KC45	1uF	25	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31E475KA75	4.7uF	25	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H225KA12	2.2uF	50	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H225MA12	2.2uF	50	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319B31H475KA12	4.7uF	50	B		3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H475MA12	4.7uF	50	B		3216M/1206	0.95	+/-20%	General Purpose
GRM319R11A105KA01	1uF	10	R		3216M/1206	0.95	+/-10%	General Purpose
GRM319R11C105KAA3	1uF	16	R		3216M/1206	0.95	+/-10%	General Purpose
GRM319R11E334KA01	0.33uF	25	R		3216M/1206	0.95	+/-10%	General Purpose
GRM319R11E474KA01	0.47uF	25	R		3216M/1206	0.95	+/-10%	General Purpose
GRM31CB10J475KA01	4.7uF	6.3	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB11A475KA01	4.7uF	10	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB11C475KA01	4.7uF	16	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB30J226KE18	22uF	6.3	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB30J226ME18	22uF	6.3	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB30J476KE18	47uF	6.3	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB30J476ME18	47uF	6.3	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31A226KE19	22uF	10	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31A226ME19	22uF	10	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31A476KE15	47uF	10	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31A476ME15	47uF	10	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31C106KA88	10uF	16	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31C226KE15	22uF	16	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31C226ME15	22uF	16	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31E106KA75	10uF	25	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31E106MA75	10uF	25	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31E226KE15	22uF	25	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31E226ME15	22uF	25	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31E475KA87	4.7uF	25	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31H106KA12	10uF	50	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31H106MA12	10uF	50	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31H225KA87	2.2uF	50	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31H225MA87	2.2uF	50	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB31H475KA12	4.7uF	50	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB31H475MA12	4.7uF	50	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CB3YA106KA12	10uF	35	B		3216M/1206	1.8	+/-10%	General Purpose
GRM31CB3YA106MA12	10uF	35	B		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR11A106KA01	10uF	10	R		3216M/1206	1.8	+/-10%	General Purpose
GRM31CR11A106MA01	10uF	10	R		3216M/1206	1.8	+/-20%	General Purpose
GRM31CR11C475KA01	4.7uF	16	R		3216M/1206	1.8	+/-10%	General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GRM31CR11C475MA01	4.7uF	16	R		3216M/1206	1.8	+/-20%	General Purpose
GRM31MB11A225KA01	2.2uF	10	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11C105KA01	1uF	16	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11C225KA35	2.2uF	16	B		3216M/1206	1.3	+/-10%	General Purpose
GRM31MB11C225MA35	2.2uF	16	B		3216M/1206	1.3	+/-20%	General Purpose
GRM31MB11C684KA01	0.68uF	16	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E105KA01	1uF	25	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E224KA01	0.22uF	25	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E224MA01	0.22uF	25	B		3216M/1206	1.25	+/-20%	General Purpose
GRM31MB11H154KA01	0.15uF	50	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11H224KA01	0.22uF	50	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11H224MA01	0.22uF	50	B		3216M/1206	1.25	+/-20%	General Purpose
GRM31MB30J106KE18	10uF	6.3	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB31A106KE18	10uF	10	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MB31A106ME18	10uF	10	B		3216M/1206	1.25	+/-20%	General Purpose
GRM31MB31E225KA92	2.2uF	25	B		3216M/1206	1.3	+/-10%	General Purpose
GRM31MB31H105KA87	1uF	50	B		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11A225KA01	2.2uF	10	R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11C105KA01	1uF	16	R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11C225KA35	2.2uF	16	R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR11C225MA35	2.2uF	16	R		3216M/1206	1.3	+/-20%	General Purpose
GRM31MR11E105KA01	1uF	25	R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11E225KA93	2.2uF	25	R		3216M/1206	1.3	+/-10%	General Purpose
GRM31MR11H154KA01	0.15uF	50	R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11H224KA01	0.22uF	50	R		3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11H224MA01	0.22uF	50	R		3216M/1206	1.25	+/-20%	General Purpose
GRM32AB31C106KAB6	10uF	16	B		3225M/1210	1	+/-10%	General Purpose
GRM32DB11C106KA01	10uF	16	B		3225M/1210	2.2	+/-10%	General Purpose
GRM32DB11E475KA61	4.7uF	25	B		3225M/1210	2.2	+/-10%	General Purpose
GRM32DB31E106KA75	10uF	25	B		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR11C106KA01	10uF	16	R		3225M/1210	2.2	+/-10%	General Purpose
GRM32DR11E475KA61	4.7uF	25	R		3225M/1210	2.2	+/-10%	General Purpose
GRM32EB11A106KA01	10uF	10	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB30J107ME16	100uF	6.3	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB30J476ME16	47uF	6.3	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31A476KE20	47uF	10	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB31A476ME20	47uF	10	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31C226ME16	22uF	16	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31C476KE15	47uF	16	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB31C476ME15	47uF	16	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31E226KE15	22uF	25	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB31E226ME15	22uF	25	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31H106KA12	10uF	50	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB31H106MA12	10uF	50	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32EB31H475KA87	4.7uF	50	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB3YA106KA12	10uF	35	B		3225M/1210	2.7	+/-10%	General Purpose
GRM32EB3YA106MA12	10uF	35	B		3225M/1210	2.7	+/-20%	General Purpose
GRM32ER11A226ME20	22uF	10	R		3225M/1210	2.7	+/-20%	General Purpose
GRM32MB11C225KA01	2.2uF	16	B		3225M/1210	1.25	+/-10%	General Purpose
GRM32MB11H474KA01	0.47uF	50	B		3225M/1210	1.25	+/-10%	General Purpose
GRM32MB11H474MA01	0.47uF	50	B		3225M/1210	1.25	+/-20%	General Purpose
GRM32MR11C225KA01	2.2uF	16	R		3225M/1210	1.25	+/-10%	General Purpose
GRM32NB11H684KA01	0.68uF	50	B		3225M/1210	1.5	+/-10%	General Purpose
GRM32NB31A226KE19	22uF	10	B		3225M/1210	1.5	+/-10%	General Purpose
GRM32NB31A226ME19	22uF	10	B		3225M/1210	1.5	+/-20%	General Purpose
GRM32RB11C475KA01	4.7uF	16	B		3225M/1210	2	+/-10%	General Purpose
GRM32RB11E225KA01	2.2uF	25	B		3225M/1210	2	+/-10%	General Purpose
GRM32RB11H105KA01	1uF	50	B		3225M/1210	2	+/-10%	General Purpose
GRM32RR11C475KA01	4.7uF	16	R		3225M/1210	2	+/-10%	General Purpose
GRM32RR11H105KA01	1uF	50	R		3225M/1210	2	+/-10%	General Purpose
GRM43EB11C226ME01	22uF	16	B		4532M/1812	2.7	+/-20%	General Purpose
GRM43EB31H475KA88	4.7uF	50	B		4532M/1812	2.7	+/-10%	General Purpose
GRM43ER11E475KA01	4.7uF	25	R		4532M/1812	2.7	+/-10%	General Purpose
GRM43ER11H225KA01	2.2uF	50	R		4532M/1812	2.7	+/-10%	General Purpose
GRM55DB11E106KA01	10uF	25	B		5750M/2220	2.1	+/-10%	General Purpose
GRM55DB31H106KA87	10uF	50	B		5750M/2220	2.2	+/-10%	General Purpose
GRM55DR11E106KA01	10uF	25	R		5750M/2220	2.1	+/-10%	General Purpose
GRM55EB11H475KA01	4.7uF	50	B		5750M/2220	2.7	+/-10%	General Purpose
GRM55ER11H475KA01	4.7uF	50	R		5750M/2220	2.7	+/-10%	General Purpose
GRM55RB11H105KA01	1uF	50	B		5750M/2220	2	+/-10%	General Purpose
GRM55RR11H105KA01	1uF	50	R		5750M/2220	2	+/-10%	General Purpose
GXM155B31C105KA10	1uF	16	B		1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155B31E105KA10	1uF	25	B		1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM188B30J106ME47	10uF	6.3	B		1608M/0603	0.9	+/-20%	Water repellent/ General Purpose
GXM188B31E225KA10	2.2uF	25	B		1608M/0603	0.9	+/-10%	Water repellent/ General Purpose
GXM21BB31C106KE10	10uF	16	B		2012M/0805	1.35	+/-10%	Water repellent/ General Purpose
GXM21BB31C106ME10	10uF	16	B		2012M/0805	1.35	+/-20%	Water repellent/ General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GXM21BB31E106KA73	10uF	25	B	2012M/0805	1.4	+/-10%	Water repellent/ General Purpose

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature	Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM033R11A103KA01	10000pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A152KA01	1500pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A222KA01	2200pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A332KA01	3300pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A472KA01	4700pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A682KA01	6800pF	10	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11C222KA40	2200pF	16	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11C332KA40	3300pF	16	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E101KA01	100pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E102KA01	1000pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E151KA01	150pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E152KA01	1500pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E221KA01	220pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E331KA01	330pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E471KA01	470pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E681KA01	680pF	25	R		0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM155R11A104KA01	0.1uF	10	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C104KA40	0.1uF	16	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C333KA01	33000pF	16	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C473KA01	47000pF	16	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C683KA40	68000pF	16	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E103KA01	10000pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E153KA40	15000pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E223KA40	22000pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E333KA40	33000pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E473KA40	47000pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E682KA01	6800pF	25	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H102KA01	1000pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H103KA40	10000pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H152KA01	1500pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H221KA01	220pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H222KA01	2200pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H331KA01	330pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H332KA01	3300pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H471KA01	470pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H472KA01	4700pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H681KA01	680pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H682KA40	6800pF	50	R		1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM188R11A224KA01	0.22uF	10	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11C104KA01	0.1uF	16	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11C224KA01	0.22uF	16	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11C334KA01	0.33uF	16	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11C474KA40	0.47uF	16	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E102KA01	1000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E103KA01	10000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E104KA42	0.1uF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E152KA01	1500pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E153KA01	15000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E154KA01	0.15uF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E222KA01	2200pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E223KA01	22000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E224KA40	0.22uF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E332KA01	3300pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E333KA01	33000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E472KA01	4700pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E473KA01	47000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E682KA01	6800pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11E683KA42	68000pF	25	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H102KA01	1000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H103KA01	10000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H104KA42	0.1uF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H152KA01	1500pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H153KA01	15000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H222KA01	2200pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H223KA01	22000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H332KA01	3300pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H333KA40	33000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H472KA01	4700pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H473KA40	47000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H682KA01	6800pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM188R11H683KA42	68000pF	50	R		1608M/0603	0.9	+/-10%	Powertrain/Safety for Automotive
GCM219R11A474KA01	0.47uF	10	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C105KA01	1uF	16	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C224KA01	0.22uF	16	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C684KA01	0.68uF	16	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11E334KA01	0.33uF	25	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11E474KA40	0.47uF	25	R		2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive

Part Number	Capacitance (Nominal)	Rated Voltage (V)	Temperature Characteristics	Size Code (mm)/ (inch)	T size (mm Max.)	Cap. Tolerance	Type
GCM21BR11A105KA01	1uF	10	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11C474KA01	0.47uF	16	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E104KA01	0.1uF	25	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E105KA42	1uF	25	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E154KA01	0.15uF	25	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E224KA01	0.22uF	25	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E684KA40	0.68uF	25	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H104KA01	0.1uF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H154KA01	0.15uF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H224KA01	0.22uF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H333KA01	33000pF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H473KA01	47000pF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H683KA01	68000pF	50	R	2012M/0805	1.4	+/-10%	Powertrain/Safety for Automotive
GCM31CR11A106KA49	10uF	10	R	3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR11C475KA01	4.7uF	16	R	3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31CR11H684KA01	0.68uF	50	R	3216M/1206	1.8	+/-10%	Powertrain/Safety for Automotive
GCM31MR11A225KA36	2.2uF	10	R	3216M/1206	1.3	+/-10%	Powertrain/Safety for Automotive
GCM31MR11C105KA01	1uF	16	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11C225KA36	2.2uF	16	R	3216M/1206	1.3	+/-10%	Powertrain/Safety for Automotive
GCM31MR11E105KA01	1uF	25	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11E225KA42	2.2uF	25	R	3216M/1206	1.3	+/-10%	Powertrain/Safety for Automotive
GCM31MR11H334KA01	0.33uF	50	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11H474KA01	0.47uF	50	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM32DR11C106KA01	10uF	16	R	3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive
GCM32DR11E475KA40	4.7uF	25	R	3225M/1210	2.2	+/-10%	Powertrain/Safety for Automotive
GCM32ER11A226KE11	22uF	10	R	3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32ER11A226ME11	22uF	10	R	3225M/1210	2.7	+/-20%	Powertrain/Safety for Automotive
GCM32ER11H105KA01	1uF	50	R	3225M/1210	2.7	+/-10%	Powertrain/Safety for Automotive
GCM32RR11E105KA01	1uF	25	R	3225M/1210	2	+/-10%	Powertrain/Safety for Automotive

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
1239AS-H-100M	10	1008/2520	1.2	850	1000	0.4	0.46	General
1239AS-H-1R0M	1	1008/2520	1.2	3000	3000	0.045	0.059	General
1239AS-H-1R5M	1.5	1008/2520	1.2	2400	2600	0.06	0.072	General
1239AS-H-2R2M	2.2	1008/2520	1.2	2000	2200	0.09	0.108	General
1239AS-H-3R3M	3.3	1008/2520	1.2	1500	1800	0.12	0.144	General
1239AS-H-4R7M	4.7	1008/2520	1.2	1300	1500	0.2	0.24	General
1239AS-H-6R0M	6	1008/2520	1.2	1100	1400	0.24	0.275	General
1239AS-H-6R8M	6.8	1008/2520	1.2	1000	1300	0.31	0.375	General
1239AS-H-R47M	0.47	1008/2520	1.2	3700	3800	0.029	0.039	General
1269AS-H-100N	10	1008/2520	1	680	1000	0.53	0.689	General
1269AS-H-1R0M	1	1008/2520	1	2500	2700	0.06	0.078	General
1269AS-H-1R5M	1.5	1008/2520	1	1900	2100	0.09	0.108	General
1269AS-H-2R2M	2.2	1008/2520	1	1500	1900	0.13	0.156	General
1269AS-H-3R3M	3.3	1008/2520	1	1200	1500	0.19	0.228	General
1269AS-H-4R7M	4.7	1008/2520	1	1000	1300	0.25	0.3	General
1269AS-H-6R8M	6.8	1008/2520	1	760	1100	0.43	0.516	General
1269AS-H-R47M	0.47	1008/2520	1	3100	3500	0.035	0.046	General
1276AS-H-100M	10	1210/3225	1	800	1000	0.49	0.588	General
1276AS-H-1R0M	1	1210/3225	1	2600	3100	0.048	0.062	General
1276AS-H-1R5M	1.5	1210/3225	1	2100	2600	0.072	0.087	General
1276AS-H-2R2M	2.2	1210/3225	1	1600	2200	0.098	0.118	General
1276AS-H-3R3M	3.3	1210/3225	1	1400	1800	0.158	0.19	General
1276AS-H-4R7M	4.7	1210/3225	1	1200	1600	0.22	0.264	General
1276AS-H-6R8M	6.8	1210/3225	1	1000	1300	0.315	0.378	General
1276AS-H-R47M	0.47	1210/3225	1	3300	3800	0.028	0.038	General
1276AS-H-R68M	0.68	1210/3225	1	2900	3500	0.035	0.045	General
1285AS-H-1R0M	1	0806/2016	1	2000	2200	0.08	0.096	General
1285AS-H-1R5M	1.5	0806/2016	1	1600	1800	0.12	0.144	General
1285AS-H-2R2M	2.2	0806/2016	1	1200	1500	0.17	0.204	General
1285AS-H-R56M	0.56	0806/2016	1	2800	2800	0.044	0.059	General
1285AS-H-R68M	0.68	0806/2016	1	2500	2600	0.055	0.072	General
1286AS-H-1R0M	1	0806/2016	1.2	2300	2500	0.068	0.082	General
1286AS-H-1R5M	1.5	0806/2016	1.2	1800	2000	0.095	0.114	General
1286AS-H-2R2M	2.2	0806/2016	1.2	1300	1600	0.16	0.192	General
1286AS-H-R47M	0.47	0806/2016	1.2	3200	3400	0.04	0.052	General
DFE18SAN1R0ME0	1	0603/1608	0.8	1600	2000	0.12	0.144	General
DFE18SANR24ME0	0.24	0603/1608	0.8	3200	4200	0.03	0.036	General
DFE18SANR47ME0	0.47	0603/1608	0.8	2400	3100	0.053	0.064	General
DFE18SANR56ME0	0.56	0603/1608	0.8	2200	2600	0.067	0.07	General
DFE18SBN1R0ME0	1	0603/1608	0.8	1800	1900	0.1	0.12	General
DFE18SBNR47ME0	0.47	0603/1608	0.8	2400	3100	0.051	0.06	General
DFE201610E-100M	10	0806/2016	1	650	1000	0.65	0.78	General
DFE201610E-1R0M	1	0806/2016	1	2700	3600	0.048	0.057	General
DFE201610E-1R5M	1.5	0806/2016	1	2100	2900	0.076	0.091	General
DFE201610E-2R2M	2.2	0806/2016	1	1700	2400	0.117	0.14	General
DFE201610E-4R7M	4.7	0806/2016	1	1100	1600	0.24	0.288	General
DFE201610E-R24M	0.24	0806/2016	1	4700	6300	0.016	0.02	General
DFE201610E-R33M	0.33	0806/2016	1	4000	5500	0.021	0.026	General
DFE201610E-R47M	0.47	0806/2016	1	3600	4800	0.026	0.032	General
DFE201610E-R68M	0.68	0806/2016	1	3100	4300	0.036	0.043	General
DFE201610P-1R0M	1	0806/2016	1	2200	3100	0.058	0.07	General
DFE201610P-1R5M	1.5	0806/2016	1	1800	2500	0.092	0.11	General
DFE201610P-2R2M	2.2	0806/2016	1	1400	2000	0.14	0.168	General
DFE201610P-R24M	0.24	0806/2016	1	3800	5400	0.02	0.026	General
DFE201610P-R33M	0.33	0806/2016	1	3500	4700	0.026	0.034	General
DFE201610P-R47M	0.47	0806/2016	1	3100	4000	0.032	0.04	General
DFE201610P-R68M	0.68	0806/2016	1	2700	3600	0.04	0.048	General
DFE201610R-H-1R0M	1	0806/2016	1	2100	2200	0.066	0.079	General
DFE201610R-H-1R5M	1.5	0806/2016	1	1800	1800	0.098	0.118	General
DFE201610R-H-2R2M	2.2	0806/2016	1	1400	1600	0.14	0.168	General
DFE201610R-H-R47M	0.47	0806/2016	1	2800	3000	0.037	0.048	General
DFE201612E-1R0M	1	0806/2016	1.2	2900	4000	0.04	0.048	General
DFE201612E-1R5M	1.5	0806/2016	1.2	2300	3200	0.06	0.072	General
DFE201612E-2R2M	2.2	0806/2016	1.2	1800	2400	0.097	0.116	General
DFE201612E-4R7M	4.7	0806/2016	1.2	1200	1800	0.21	0.252	General
DFE201612E-R24M	0.24	0806/2016	1.2	5000	6600	0.013	0.019	General
DFE201612E-R33M	0.33	0806/2016	1.2	4800	6300	0.015	0.021	General
DFE201612E-R47M	0.47	0806/2016	1.2	4500	5500	0.02	0.026	General
DFE201612E-R68M	0.68	0806/2016	1.2	3500	4300	0.027	0.033	General
DFE201612P-1R0M	1	0806/2016	1.2	2700	3300	0.045	0.054	General
DFE201612P-1R5M	1.5	0806/2016	1.2	2000	2700	0.078	0.095	General
DFE201612P-2R2M	2.2	0806/2016	1.2	1500	2100	0.12	0.144	General
DFE201612P-R24M	0.24	0806/2016	1.2	4400	6500	0.015	0.023	General
DFE201612P-R33M	0.33	0806/2016	1.2	3900	5600	0.021	0.028	General
DFE201612P-R47M	0.47	0806/2016	1.2	3700	4800	0.025	0.033	General
DFE201612R-H-1R0M	1	0806/2016	1.2	2600	2600	0.054	0.07	General
DFE201612R-H-1R5M	1.5	0806/2016	1.2	2000	2100	0.078	0.094	General
DFE201612R-H-2R2M	2.2	0806/2016	1.2	1400	1700	0.128	0.154	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
DFE201612R-H-R47M	0.47	0806/2016	1.2	3200	3500	0.029	0.04	General
DFE252008C-1R0M	1	1008/2520	0.8	1400	2300	0.07	0.084	General
DFE252008C-1R5M	1.5	1008/2520	0.8	1200	2000	0.105	0.126	General
DFE252008C-2R2M	2.2	1008/2520	0.8	950	1600	0.15	0.18	General
DFE252008C-3R3M	3.3	1008/2520	0.8	850	1300	0.21	0.252	General
DFE252008C-4R7M	4.7	1008/2520	0.8	650	1100	0.365	0.438	General
DFE252008C-R47M	0.47	1008/2520	0.8	2000	3000	0.046	0.06	General
DFE252010F-100M	10	1008/2520	1	900	1300	0.5	0.6	General
DFE252010F-1R0M	1	1008/2520	1	3100	4100	0.04	0.048	General
DFE252010F-1R5M	1.5	1008/2520	1	2500	3400	0.06	0.072	General
DFE252010F-2R2M	2.2	1008/2520	1	2300	3100	0.085	0.097	General
DFE252010F-3R3M	3.3	1008/2520	1	1600	2200	0.14	0.17	General
DFE252010F-4R7M	4.7	1008/2520	1	1400	1900	0.2	0.24	General
DFE252010F-6R8M	6.8	1008/2520	1	1100	1400	0.35	0.42	General
DFE252010F-8R2M	8.2	1008/2520	1	1000	1350	0.43	0.52	General
DFE252010F-R33M	0.33	1008/2520	1	4800	6800	0.016	0.021	General
DFE252010F-R47M	0.47	1008/2520	1	4400	6000	0.02	0.027	General
DFE252010F-R68M	0.68	1008/2520	1	3500	5000	0.031	0.037	General
DFE252010F-R82M	0.82	1008/2520	1	3300	4500	0.033	0.04	General
DFE252010P-1R0M	1	1008/2520	1	2700	3800	0.045	0.054	General
DFE252010P-1R2M	1.2	1008/2520	1	2400	3200	0.057	0.068	General
DFE252010P-1R5M	1.5	1008/2520	1	2100	3000	0.068	0.082	General
DFE252010P-2R2M	2.2	1008/2520	1	1700	2600	0.096	0.115	General
DFE252010P-3R3M	3.3	1008/2520	1	1400	2100	0.16	0.195	General
DFE252010P-4R7M	4.7	1008/2520	1	1100	1700	0.22	0.27	General
DFE252010P-R33M	0.33	1008/2520	1	3800	5700	0.022	0.029	General
DFE252010P-R47M	0.47	1008/2520	1	3500	5000	0.027	0.035	General
DFE252010P-R68M	0.68	1008/2520	1	3000	4100	0.04	0.048	General
DFE252010R-H-1R0M	1	1008/2520	1	2700	3000	0.052	0.068	General
DFE252010R-H-1R5M	1.5	1008/2520	1	2100	2300	0.075	0.09	General
DFE252010R-H-2R2M	2.2	1008/2520	1	1700	2100	0.105	0.126	General
DFE252010R-H-4R7M	4.7	1008/2520	1	1100	1400	0.23	0.276	General
DFE252012F-100M	10	1008/2520	1.2	950	1400	0.4	0.48	General
DFE252012F-1R0M	1	1008/2520	1.2	3300	4700	0.033	0.04	General
DFE252012F-1R5M	1.5	1008/2520	1.2	2700	3800	0.048	0.058	General
DFE252012F-2R2M	2.2	1008/2520	1.2	2300	3300	0.068	0.082	General
DFE252012F-3R3M	3.3	1008/2520	1.2	1800	2500	0.11	0.135	General
DFE252012F-4R7M	4.7	1008/2520	1.2	1500	2100	0.16	0.19	General
DFE252012F-6R8M	6.8	1008/2520	1.2	1200	1700	0.27	0.33	General
DFE252012F-8R2M	8.2	1008/2520	1.2	1100	1500	0.34	0.41	General
DFE252012F-R33M	0.33	1008/2520	1.2	5100	7600	0.014	0.019	General
DFE252012F-R47M	0.47	1008/2520	1.2	4900	6700	0.017	0.023	General
DFE252012F-R68M	0.68	1008/2520	1.2	3900	5400	0.025	0.031	General
DFE252012F-R82M	0.82	1008/2520	1.2	3600	4900	0.029	0.035	General
DFE252012P-1R0M	1	1008/2520	1.2	3200	4300	0.035	0.042	General
DFE252012P-1R5M	1.5	1008/2520	1.2	2600	3500	0.05	0.06	General
DFE252012P-2R2M	2.2	1008/2520	1.2	2200	3000	0.07	0.084	General
DFE252012P-3R3M	3.3	1008/2520	1.2	1700	2300	0.115	0.14	General
DFE252012P-4R7M	4.7	1008/2520	1.2	1400	2000	0.165	0.2	General
DFE252012P-R33M	0.33	1008/2520	1.2	4600	6600	0.017	0.023	General
DFE252012P-R47M	0.47	1008/2520	1.2	4000	5700	0.021	0.027	General
DFE252012P-R68M	0.68	1008/2520	1.2	3500	4800	0.03	0.037	General
DFE252012R-H-1R0M	1	1008/2520	1.2	3100	3400	0.038	0.049	General
DFE252012R-H-1R5M	1.5	1008/2520	1.2	2500	2800	0.053	0.065	General
DFE252012R-H-2R2M	2.2	1008/2520	1.2	2000	2400	0.075	0.09	General
DFE252012R-H-4R7M	4.7	1008/2520	1.2	1400	1700	0.18	0.216	General
DFE322512F-100M	10	1210/3225	1.2	1100	1700	0.27	0.324	General
DFE322512F-1R0M	1	1210/3225	1.2	3800	4800	0.026	0.032	General
DFE322512F-1R5M	1.5	1210/3225	1.2	3000	3900	0.04	0.048	General
DFE322512F-2R2M	2.2	1210/3225	1.2	2600	3400	0.055	0.066	General
DFE322512F-3R3M	3.3	1210/3225	1.2	2000	2600	0.09	0.108	General
DFE322512F-4R7M	4.7	1210/3225	1.2	1600	2300	0.131	0.157	General
DFE322512F-6R8M	6.8	1210/3225	1.2	1200	2000	0.183	0.22	General
DFE322512F-R47M	0.47	1210/3225	1.2	4800	6700	0.017	0.023	General
DFE322512F-R68M	0.68	1210/3225	1.2	4400	6100	0.02	0.026	General
FDSD0412-H-1R0M	1	1515/4040	1.2	4300	4700	0.037	0.044	General
FDSD0412-H-1R2M	1.2	1515/4040	1.2	3700	4500	0.04	0.048	General
FDSD0412-H-1R5M	1.5	1515/4040	1.2	3300	4100	0.053	0.064	General
FDSD0412-H-2R2M	2.2	1515/4040	1.2	2800	3500	0.07	0.084	General
FDSD0412-H-3R3M	3.3	1515/4040	1.2	2200	2800	0.102	0.122	General
FDSD0412-H-4R7M	4.7	1515/4040	1.2	1900	2500	0.136	0.161	General
FDSD0412-H-R33M	0.33	1515/4040	1.2	6400	7500	0.016	0.019	General
FDSD0412-H-R47M	0.47	1515/4040	1.2	6000	6500	0.019	0.023	General
FDSD0415-H-1R0M	1	1515/4040	1.5	4500	5300	0.034	0.041	General
FDSD0415-H-1R5M	1.5	1515/4040	1.5	3700	5000	0.039	0.047	General
FDSD0415-H-2R2M	2.2	1515/4040	1.5	3100	4100	0.054	0.065	General
FDSD0415-H-3R3M	3.3	1515/4040	1.5	2600	3400	0.079	0.095	General
FDSD0415-H-4R7M	4.7	1515/4040	1.5	2100	2900	0.1	0.12	General



Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
FDSD0415-H-R22M	0.22	1515/4040	1.5	7700	12000	0.011	0.014	General
FDSD0415-H-R47M	0.47	1515/4040	1.5	6100	9000	0.015	0.018	General
FDSD0420D-1R0M	1	1515/4040	2	5100	6800	0.024	0.029	General
FDSD0420D-1R5M	1.5	1515/4040	2	4300	5700	0.03	0.036	General
FDSD0420D-2R2M	2.2	1515/4040	2	3600	4100	0.039	0.047	General
FDSD0420D-3R3M	3.3	1515/4040	2	2900	3700	0.059	0.071	General
FDSD0420D-4R7M	4.7	1515/4040	2	2700	3600	0.0047	0.083	General
FDSD0420D-R33M	0.33	1515/4040	2	770	11000	0.012	0.014	General
FDSD0420D-R47M	0.47	1515/4040	2	6800	9400	0.015	0.018	General
FDSD0420D-R68M	0.68	1515/4040	2	6500	8300	0.018	0.022	General
FDSD0420-H-1R0M	1	1515/4040	2	5100	6800	0.024	0.029	General
FDSD0420-H-1R5M	1.5	1515/4040	2	4300	5700	0.03	0.036	General
FDSD0420-H-2R2M	2.2	1515/4040	2	3600	4100	0.039	0.047	General
FDSD0420-H-3R3M	3.3	1515/4040	2	2900	3700	0.059	0.071	General
FDSD0420-H-4R7M	4.7	1515/4040	2	2700	3600	0.069	0.083	General
FDSD0420-H-R33M	0.33	1515/4040	2	7700	11000	0.012	0.014	General
FDSD0420-H-R47M	0.47	1515/4040	2	6800	9400	0.015	0.018	General
FDSD0420-H-R68M	0.68	1515/4040	2	6500	8300	0.018	0.022	General
FDSD0518-H-100M	10	2019/5249	1.8	2400	2700	0.128	0.15	General
FDSD0518-H-1R0M	1	2019/5249	1.8	6100	8700	0.018	0.021	General
FDSD0518-H-1R5M	1.5	2019/5249	1.8	5300	6700	0.024	0.029	General
FDSD0518-H-2R2M	2.2	2019/5249	1.8	4300	5400	0.033	0.04	General
FDSD0518-H-3R3M	3.3	2019/5249	1.8	3400	4600	0.051	0.058	General
FDSD0518-H-4R7M	4.7	2019/5249	1.8	3000	3900	0.064	0.073	General
FDSD0518-H-6R8M	6.8	2019/5249	1.8	2600	2900	0.088	0.106	General
FDSD0518-H-R68M	0.68	2019/5249	1.8	6800	9000	0.016	0.019	General
FDSD0630-H-100M	10	2726/7066	3	3200	5400	0.062	0.074	General
FDSD0630-H-1R0M	1	2726/7066	3	9400	15000	0.009	0.011	General
FDSD0630-H-1R5N	1.5	2726/7066	3	8500	13000	0.011	0.013	General
FDSD0630-H-2R2M	2.2	2726/7066	3	7100	12000	0.014	0.017	General
FDSD0630-H-3R3M	3.3	2726/7066	3	5600	8000	0.023	0.028	General
FDSD0630-H-4R7M	4.7	2726/7066	3	4700	7600	0.033	0.04	General
FDSD0630-H-5R6M	5.6	2726/7066	3	4100	7000	0.038	0.046	General
FDSD0630-H-6R8M	6.8	2726/7066	3	3700	5900	0.051	0.061	General
FDSD0630-H-8R2M	8.2	2726/7066	3	3400	5500	0.058	0.07	General
FDUE0630-H-R12M	0.12	3026/7667	3	36000	33000	0.00058	0.0006206	General
FDUE0630-H-R24M	0.24	3026/7667	3	27000	23000	0.00112	0.0011984	General
FDV0530S-H-1R0M	1	2020/5050	3	5700	6200	0.015	0.017	General
FDV0530S-H-1R5M	1.5	2020/5050	3	4900	5400	0.021	0.024	General
FDV0530S-H-2R2M	2.2	2020/5050	3	4300	4500	0.03	0.034	General
FDV0530S-H-R12M	0.12	2020/5050	3	13000	18000	0.0034	0.0039	General
FDV0530S-H-R24M	0.24	2020/5050	3	11000	13000	0.0049	0.0056	General
FDV0530S-H-R42M	0.42	2020/5050	3	8200	9000	0.0085	0.0098	General
FDV0530S-H-R60M	0.6	2020/5050	3	7200	7900	0.01	0.012	General
FDV0530S-H-R78M	0.78	2020/5050	3	6900	7100	0.012	0.014	General
FDVE0640-H-1R5M	1.5	2926/7467	4	8200	8000	0.0088	0.0103	General
FDVE0640-H-2R2M	2.2	2926/7467	4	6500	7600	0.0139	0.0163	General
FDVE0640-H-3R3M	3.3	2926/7467	4	5600	6000	0.0167	0.0192	General
FDVE0640-H-4R7M	4.7	2926/7467	4	5000	4600	0.0254	0.0292	General
LQH2HPN100MDR	10	1008/2520	0.6	430	420	1.2	1.44	General
LQH2HPN100MG0	10	1008/2520	1	490	700	0.73	0.876	General
LQH2HPN100MGR	10	1008/2520	1	710	700	0.56	0.672	General
LQH2HPN100MJ0	10	1008/2520	1.2	550	820	0.641	0.77	General
LQH2HPN100MJR	10	1008/2520	1.2	830	830	0.38	0.456	General
LQH2HPN101MG0	100	1008/2520	1	130	210	10	12	General
LQH2HPN101MGR	100	1008/2520	1	150	210	5.9	7.08	General
LQH2HPN150MDR	15	1008/2520	0.6	290	340	2.5	3	General
LQH2HPN150MGR	15	1008/2520	1	560	570	0.925	1.11	General
LQH2HPN150MJR	15	1008/2520	1.2	710	690	0.55	0.66	General
LQH2HPN1R0MDR	1	1008/2520	0.6	960	1370	0.24	0.288	General
LQH2HPN1R0MGR	1	1008/2520	1	2100	2130	0.068	0.0816	General
LQH2HPN1R0NJR	1	1008/2520	1.2	2400	2600	0.048	0.0576	General
LQH2HPN1R2NJR	1.2	1008/2520	1.2	2070	2450	0.055	0.066	General
LQH2HPN1R5MDR	1.5	1008/2520	0.6	900	1120	0.29	0.348	General
LQH2HPN1R5MGR	1.5	1008/2520	1	1850	1700	0.087	0.1044	General
LQH2HPN1R5NJ0	1.5	1008/2520	1.2	1500	2400	0.096	0.116	General
LQH2HPN1R5NJR	1.5	1008/2520	1.2	1810	2200	0.075	0.09	General
LQH2HPN220MDR	22	1008/2520	0.6	270	260	3	3.6	General
LQH2HPN220MG0	22	1008/2520	1	340	490	1.6	1.92	General
LQH2HPN220MGR	22	1008/2520	1	430	460	1.36	1.632	General
LQH2HPN220MJR	22	1008/2520	1.2	540	530	0.84	1.008	General
LQH2HPN2R2MDR	2.2	1008/2520	0.6	820	850	0.34	0.408	General
LQH2HPN2R2MG0	2.2	1008/2520	1	1000	1640	0.17	0.204	General
LQH2HPN2R2MGR	2.2	1008/2520	1	1470	1550	0.134	0.1608	General
LQH2HPN2R2MJ0	2.2	1008/2520	1.2	1300	1800	0.132	0.159	General
LQH2HPN2R2MJR	2.2	1008/2520	1.2	1650	1700	0.092	0.1104	General
LQH2HPN2R2MM0	2.2	1008/2520	1.5	1250	1700	0.146	0.176	General
LQH2HPN3R3MDR	3.3	1008/2520	0.6	730	750	0.45	0.54	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH2HPN3R3MG0	3.3	1008/2520	1	810	1290	0.27	0.324	General
LQH2HPN3R3MGR	3.3	1008/2520	1	1100	1230	0.225	0.27	General
LQH2HPN3R3MJ0	3.3	1008/2520	1.2	950	1500	0.23	0.276	General
LQH2HPN3R3MJR	3.3	1008/2520	1.2	1420	1450	0.13	0.156	General
LQH2HPN4R7MDR	4.7	1008/2520	0.6	650	650	0.56	0.672	General
LQH2HPN4R7MG0	4.7	1008/2520	1	700	1000	0.36	0.432	General
LQH2HPN4R7MGR	4.7	1008/2520	1	1000	1090	0.3	0.36	General
LQH2HPN4R7MJ0	4.7	1008/2520	1.2	700	1250	0.33	0.396	General
LQH2HPN4R7MJR	4.7	1008/2520	1.2	1290	1230	0.17	0.204	General
LQH2HPN4R7NM0	4.7	1008/2520	1.5	800	1200	0.342	0.411	General
LQH2HPN6R8MDR	6.8	1008/2520	0.6	490	550	1	1.2	General
LQH2HPN6R8MG0	6.8	1008/2520	1	590	800	0.5	0.6	General
LQH2HPN6R8MGR	6.8	1008/2520	1	860	830	0.395	0.474	General
LQH2HPN6R8MJ0	6.8	1008/2520	1.2	600	1100	0.448	0.538	General
LQH2HPN6R8MJR	6.8	1008/2520	1.2	1000	1050	0.26	0.312	General
LQH2HPNR47MDR	0.47	1008/2520	0.6	1250	1670	0.14	0.168	General
LQH2HPNR47MGR	0.47	1008/2520	1	2520	2900	0.045	0.054	General
LQH2HPNR47NJR	0.47	1008/2520	1.2	2750	3500	0.031	0.0372	General
LQH2HPNR68MGR	0.68	1008/2520	1	2330	2430	0.055	0.066	General
LQH2MCN100K02	10	0806/2016	0.95	225		1.2	1.56	General
LQH2MCN100M52	10	0806/2016	0.7	200		2.27	2.96	General
LQH2MCN120K02	12	0806/2016	0.95	210		1.4	1.82	General
LQH2MCN120M52	12	0806/2016	0.7	170		2.4	3.12	General
LQH2MCN150K02	15	0806/2016	0.95	200		1.6	2.08	General
LQH2MCN150M52	15	0806/2016	0.7	150		3.5	4.55	General
LQH2MCN180K02	18	0806/2016	0.95	190		1.8	2.34	General
LQH2MCN180M52	18	0806/2016	0.7	140		4	5.2	General
LQH2MCN1R0M02	1	0806/2016	0.95	485		0.3	0.39	General
LQH2MCN1R0M52	1	0806/2016	0.7	595		0.25	0.325	General
LQH2MCN1R5M02	1.5	0806/2016	0.95	445		0.4	0.52	General
LQH2MCN1R5M52	1.5	0806/2016	0.7	540		0.33	0.429	General
LQH2MCN220K02	22	0806/2016	0.95	185		2.1	2.73	General
LQH2MCN220M52	22	0806/2016	0.7	130		5.5	7.15	General
LQH2MCN270K02	27	0806/2016	0.95	180		2.5	3.25	General
LQH2MCN2R2M02	2.2	0806/2016	0.95	425		0.48	0.624	General
LQH2MCN2R2M52	2.2	0806/2016	0.7	500		0.42	0.546	General
LQH2MCN330K02	33	0806/2016	0.95	160		2.8	3.64	General
LQH2MCN390K02	39	0806/2016	0.95	125		4.4	5.72	General
LQH2MCN3R3M02	3.3	0806/2016	0.95	375		0.6	0.78	General
LQH2MCN3R3M52	3.3	0806/2016	0.7	360		0.74	0.962	General
LQH2MCN470K02	47	0806/2016	0.95	120		5.1	6.63	General
LQH2MCN4R7M02	4.7	0806/2016	0.95	300		0.8	1.04	General
LQH2MCN4R7M52	4.7	0806/2016	0.7	335		0.91	1.19	General
LQH2MCN560K02	56	0806/2016	0.95	110		5.7	7.41	General
LQH2MCN5R6M02	5.6	0806/2016	0.95	280		0.9	1.17	General
LQH2MCN680K02	68	0806/2016	0.95	100		6.6	8.58	General
LQH2MCN6R8M02	6.8	0806/2016	0.95	255		1	1.3	General
LQH2MCN6R8M52	6.8	0806/2016	0.7	285		1.23	1.6	General
LQH2MCN820K02	82	0806/2016	0.95	90		7.5	9.75	General
LQH2MCN8R2M02	8.2	0806/2016	0.95	235		1.1	1.43	General
LQH2MPN100MGR	10	0806/2016	0.95	480	610	0.88	1.056	General
LQH2MPN150MGR	15	0806/2016	0.95	340	490	1.7	2.04	General
LQH2MPN1R0NGR	1	0806/2016	0.95	900	1550	0.25	0.3	General
LQH2MPN1R5NGR	1.5	0806/2016	0.95	790	1330	0.32	0.384	General
LQH2MPN220MGR	22	0806/2016	0.95	290	410	2.1	2.52	General
LQH2MPN2R2MGR	2.2	0806/2016	0.95	680	1180	0.39	0.468	General
LQH2MPN330MGR	33	0806/2016	0.95	200	310	4.3	5.16	General
LQH2MPN3R3MGR	3.3	0806/2016	0.95	640	1020	0.47	0.564	General
LQH2MPN470MGR	47	0806/2016	0.95	180	270	5.3	6.36	General
LQH2MPN4R7MGR	4.7	0806/2016	0.95	580	870	0.6	0.72	General
LQH2MPN680MGR	68	0806/2016	0.95	160	230	6.7	8.04	General
LQH2MPN6R8MGR	6.8	0806/2016	0.95	530	730	0.72	0.864	General
LQH2MPN820MGR	82	0806/2016	0.95	150	210	7.3	8.76	General
LQH2MPNR33NGR	0.33	0806/2016	0.95	1130	2200	0.15	0.18	General
LQH2MPNR47NGR	0.47	0806/2016	0.95	1060	1950	0.18	0.216	General
LQH32PB100MN0	10	1210/3225	1.7	700	750	0.38	0.456	General
LQH32PB100MNC	10	1210/3225	1.7	900	1000	0.295	0.354	General
LQH32PB101MN0	100	1210/3225	1.7	250	180	2.7	3.24	General
LQH32PB121MN0	120	1210/3225	1.7	200	170	4.38	5.26	General
LQH32PB150MN0	15	1210/3225	1.7	520	600	0.57	0.684	General
LQH32PB150MNC	15	1210/3225	1.7	700	800	0.475	0.57	General
LQH32PB1R0NN0	1	1210/3225	1.7	2050	2300	0.045	0.054	General
LQH32PB1R0NNC	1	1210/3225	1.7	2500	3000	0.036	0.0432	General
LQH32PB1R5NN0	1.5	1210/3225	1.7	1750	1750	0.057	0.0684	General
LQH32PB1R5NNC	1.5	1210/3225	1.7	2100	2600	0.053	0.0636	General
LQH32PB220MN0	22	1210/3225	1.7	450	500	0.81	0.972	General
LQH32PB220MNC	22	1210/3225	1.7	550	650	0.685	0.822	General
LQH32PB2R2NN0	2.2	1210/3225	1.7	1600	1550	0.076	0.0912	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH32PB2R2NNC	2.2	1210/3225	1.7	1850	2000	0.064	0.0768	General
LQH32PB330MN0	33	1210/3225	1.7	390	380	1.15	1.38	General
LQH32PB3R3NN0	3.3	1210/3225	1.7	1200	1250	0.12	0.144	General
LQH32PB3R3NNC	3.3	1210/3225	1.7	1550	1900	0.1	0.12	General
LQH32PB470MN0	47	1210/3225	1.7	310	330	1.78	2.14	General
LQH32PB4R7NN0	4.7	1210/3225	1.7	1000	1000	0.18	0.216	General
LQH32PB4R7NNC	4.7	1210/3225	1.7	1200	1600	0.155	0.186	General
LQH32PB680MN0	68	1210/3225	1.7	275	280	2.28	2.74	General
LQH32PB6R8NN0	6.8	1210/3225	1.7	850	850	0.24	0.288	General
LQH32PB6R8NNC	6.8	1210/3225	1.7	1100	1300	0.22	0.264	General
LQH32PBR47NN0	0.47	1210/3225	1.7	2550	3400	0.03	0.036	General
LQH32PBR47NNC	0.47	1210/3225	1.7	2900	4400	0.024	0.0288	General
LQH32PN100MN0	10	1210/3225	1.7	700	750	0.38	0.456	General
LQH32PN100MNC	10	1210/3225	1.7	900	1000	0.295	0.354	General
LQH32PN101MN0	100	1210/3225	1.7	250	180	2.7	3.24	General
LQH32PN121MN0	120	1210/3225	1.7	200	170	4.38	5.26	General
LQH32PN150MN0	15	1210/3225	1.7	520	600	0.57	0.684	General
LQH32PN150MNC	15	1210/3225	1.7	700	800	0.475	0.57	General
LQH32PN1R0NN0	1	1210/3225	1.7	2050	2300	0.045	0.054	General
LQH32PN1R0NNC	1	1210/3225	1.7	2500	3000	0.036	0.0432	General
LQH32PN1R5NN0	1.5	1210/3225	1.7	1750	1750	0.057	0.0684	General
LQH32PN1R5NNC	1.5	1210/3225	1.7	2100	2600	0.053	0.0636	General
LQH32PN220MN0	22	1210/3225	1.7	450	500	0.81	0.972	General
LQH32PN220MNC	22	1210/3225	1.7	550	650	0.685	0.822	General
LQH32PN2R2NN0	2.2	1210/3225	1.7	1600	1550	0.076	0.0912	General
LQH32PN2R2NNC	2.2	1210/3225	1.7	1850	2000	0.064	0.0768	General
LQH32PN330MN0	33	1210/3225	1.7	390	380	1.15	1.38	General
LQH32PN3R3NN0	3.3	1210/3225	1.7	1200	1250	0.12	0.144	General
LQH32PN3R3NNC	3.3	1210/3225	1.7	1550	1900	0.1	0.12	General
LQH32PN470MN0	47	1210/3225	1.7	310	330	1.78	2.14	General
LQH32PN4R7NN0	4.7	1210/3225	1.7	1000	1000	0.18	0.216	General
LQH32PN4R7NNC	4.7	1210/3225	1.7	1200	1600	0.155	0.186	General
LQH32PN680MN0	68	1210/3225	1.7	275	280	2.28	2.74	General
LQH32PN6R8NN0	6.8	1210/3225	1.7	850	850	0.24	0.288	General
LQH32PN6R8NNC	6.8	1210/3225	1.7	1100	1300	0.22	0.264	General
LQH32PNR47NN0	0.47	1210/3225	1.7	2550	3400	0.03	0.036	General
LQH32PNR47NNC	0.47	1210/3225	1.7	2900	4400	0.024	0.0288	General
LQH3NPN100MG0	10	1212/3030	1	630	500	0.57	0.684	General
LQH3NPN100MGR	10	1212/3030	1	1120	570	0.28	0.336	General
LQH3NPN100MJ0	10	1212/3030	1.2	710	560	0.3	0.36	General
LQH3NPN100MJR	10	1212/3030	1.2	1200	810	0.24	0.288	General
LQH3NPN100MM0	10	1212/3030	1.5	870	550	0.26	0.312	General
LQH3NPN100MME	10	1212/3030	1.5	1280	810	0.19	0.228	General
LQH3NPN100MMR	10	1212/3030	1.5	1150	590	0.21	0.252	General
LQH3NPN100NG0	10	1212/3030	1	630	500	0.57	0.684	General
LQH3NPN100NJ0	10	1212/3030	1.2	710	560	0.3	0.36	General
LQH3NPN100NM0	10	1212/3030	1.5	870	550	0.26	0.312	General
LQH3NPN101MG0	100	1212/3030	1	165	140	8	9.6	General
LQH3NPN101MGR	100	1212/3030	1	220	190	3.2	3.84	General
LQH3NPN101MM0	100	1212/3030	1.5	240	200	3.5	4.2	General
LQH3NPN101MME	100	1212/3030	1.5	430	260	1.59	1.908	General
LQH3NPN101NG0	100	1212/3030	1	165	140	8	9.6	General
LQH3NPN150MGR	15	1212/3030	1	900	480	0.39	0.468	General
LQH3NPN150MJ0	15	1212/3030	1.2	590	440	0.44	0.528	General
LQH3NPN150MJR	15	1212/3030	1.2	870	650	0.38	0.456	General
LQH3NPN150MM0	15	1212/3030	1.5	730	520	0.36	0.432	General
LQH3NPN150MME	15	1212/3030	1.5	1020	660	0.29	0.348	General
LQH3NPN150NG0	15	1212/3030	1	475	370	0.91	1.1	General
LQH3NPN150NJ0	15	1212/3030	1.2	590	440	0.44	0.528	General
LQH3NPN150NM0	15	1212/3030	1.5	730	520	0.36	0.432	General
LQH3NPN151MG0	150	1212/3030	1	145	110	11	13.2	General
LQH3NPN151MGR	150	1212/3030	1	180	160	4.9	5.88	General
LQH3NPN151NG0	150	1212/3030	1	145	110	11	13.2	General
LQH3NPN181MGR	180	1212/3030	1	160	130	6.4	7.68	General
LQH3NPN1R0MGR	1	1212/3030	1	2080	1700	0.062	0.0744	General
LQH3NPN1R0MJR	1	1212/3030	1.2	2780	2250	0.04	0.048	General
LQH3NPN1R0MM0	1	1212/3030	1.5	2050	1400	0.044	0.0528	General
LQH3NPN1R0MME	1	1212/3030	1.5	3000	2350	0.025	0.03	General
LQH3NPN1R0MMR	1	1212/3030	1.5	2150	1600	0.042	0.0504	General
LQH3NPN1R0NG0	1	1212/3030	1	1525	1650	0.08	0.096	General
LQH3NPN1R0NJ0	1	1212/3030	1.2	1620	1650	0.04	0.048	General
LQH3NPN1R0NM0	1	1212/3030	1.5	2050	1400	0.044	0.0528	General
LQH3NPN1R5MGR	1.5	1212/3030	1	2040	1400	0.074	0.0888	General
LQH3NPN1R5MJR	1.5	1212/3030	1.2	2510	1950	0.049	0.0588	General
LQH3NPN1R5NG0	1.5	1212/3030	1	1470	1300	0.1	0.12	General
LQH3NPN1R5NJ0	1.5	1212/3030	1.2	1500	1200	0.055	0.066	General
LQH3NPN220MG0	22	1212/3030	1	430	340	1.1	1.32	General
LQH3NPN220MGR	22	1212/3030	1	750	390	0.53	0.636	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH3NPN220MJ0	22	1212/3030	1.2	510	350	0.6	0.72	General
LQH3NPN220MJR	22	1212/3030	1.2	800	520	0.5	0.6	General
LQH3NPN220MM0	22	1212/3030	1.5	650	410	0.51	0.612	General
LQH3NPN220MME	22	1212/3030	1.5	860	570	0.4	0.48	General
LQH3NPN220MMR	22	1212/3030	1.5	750	430	0.48	0.576	General
LQH3NPN220NG0	22	1212/3030	1	430	340	1.1	1.32	General
LQH3NPN220NJ0	22	1212/3030	1.2	510	350	0.6	0.72	General
LQH3NPN221MG0	220	1212/3030	1	130	100	14	16.8	General
LQH3NPN221MGR	220	1212/3030	1	150	120	7.5	9	General
LQH3NPN221NG0	220	1212/3030	1	130	100	14	16.8	General
LQH3NPN251MG0	250	1212/3030	1	130	80	15	18	General
LQH3NPN251MGR	250	1212/3030	1	140	110	8	9.6	General
LQH3NPN251NG0	250	1212/3030	1	130	80	15	18	General
LQH3NPN2R2MGR	2.2	1212/3030	1	1730	1180	0.087	0.1044	General
LQH3NPN2R2MJ0	2.2	1212/3030	1.2	1460	1150	0.069	0.0828	General
LQH3NPN2R2MJR	2.2	1212/3030	1.2	2200	1800	0.068	0.0816	General
LQH3NPN2R2MM0	2.2	1212/3030	1.5	1600	1250	0.073	0.0876	General
LQH3NPN2R2MME	2.2	1212/3030	1.5	2100	1800	0.065	0.078	General
LQH3NPN2R2MMR	2.2	1212/3030	1.5	1750	1380	0.068	0.0816	General
LQH3NPN2R2NG0	2.2	1212/3030	1	1270	1250	0.14	0.168	General
LQH3NPN2R2NJ0	2.2	1212/3030	1.2	1460	1150	0.069	0.0828	General
LQH3NPN2R2NM0	2.2	1212/3030	1.5	1600	1250	0.073	0.0876	General
LQH3NPN330MG0	33	1212/3030	1	345	250	2.1	2.52	General
LQH3NPN330MGR	33	1212/3030	1	600	320	0.86	1.032	General
LQH3NPN330MJ0	33	1212/3030	1.2	410	280	0.9	1.08	General
LQH3NPN330MJR	33	1212/3030	1.2	630	420	0.79	0.948	General
LQH3NPN330MM0	33	1212/3030	1.5	500	370	0.85	1.02	General
LQH3NPN330MME	33	1212/3030	1.5	760	440	0.55	0.66	General
LQH3NPN330MMR	33	1212/3030	1.5	600	380	0.79	0.948	General
LQH3NPN330NG0	33	1212/3030	1	345	250	2.1	2.52	General
LQH3NPN330NJ0	33	1212/3030	1.2	410	280	0.9	1.08	General
LQH3NPN3R3MGR	3.3	1212/3030	1	1580	1050	0.12	0.144	General
LQH3NPN3R3MJ0	3.3	1212/3030	1.2	1270	950	0.105	0.126	General
LQH3NPN3R3MJR	3.3	1212/3030	1.2	1700	1350	0.095	0.114	General
LQH3NPN3R3MM0	3.3	1212/3030	1.5	1450	1000	0.092	0.111	General
LQH3NPN3R3MME	3.3	1212/3030	1.5	1900	1520	0.084	0.1008	General
LQH3NPN3R3MMR	3.3	1212/3030	1.5	1550	1200	0.088	0.106	General
LQH3NPN3R3NG0	3.3	1212/3030	1	1130	850	0.18	0.216	General
LQH3NPN3R3NJ0	3.3	1212/3030	1.2	1270	950	0.105	0.126	General
LQH3NPN3R3NM0	3.3	1212/3030	1.5	1450	1000	0.092	0.111	General
LQH3NPN470MG0	47	1212/3030	1	270	170	3	3.6	General
LQH3NPN470MGR	47	1212/3030	1	460	260	1.4	1.68	General
LQH3NPN470MJ0	47	1212/3030	1.2	350	200	1.3	1.56	General
LQH3NPN470MJR	47	1212/3030	1.2	570	360	1	1.2	General
LQH3NPN470MM0	47	1212/3030	1.5	410	310	1.25	1.5	General
LQH3NPN470MME	47	1212/3030	1.5	610	380	0.82	0.984	General
LQH3NPN470MMR	47	1212/3030	1.5	460	320	1.14	1.368	General
LQH3NPN470NG0	47	1212/3030	1	270	170	3	3.6	General
LQH3NPN470NJ0	47	1212/3030	1.2	350	200	1.3	1.56	General
LQH3NPN4R7MGR	4.7	1212/3030	1	1520	850	0.14	0.168	General
LQH3NPN4R7MJ0	4.7	1212/3030	1.2	1120	780	0.13	0.156	General
LQH3NPN4R7MJR	4.7	1212/3030	1.2	1580	1180	0.12	0.144	General
LQH3NPN4R7MM0	4.7	1212/3030	1.5	1250	880	0.13	0.156	General
LQH3NPN4R7MME	4.7	1212/3030	1.5	1700	1300	0.1	0.12	General
LQH3NPN4R7MMR	4.7	1212/3030	1.5	1400	950	0.105	0.126	General
LQH3NPN4R7NG0	4.7	1212/3030	1	925	800	0.26	0.312	General
LQH3NPN4R7NJ0	4.7	1212/3030	1.2	1120	780	0.13	0.156	General
LQH3NPN4R7NM0	4.7	1212/3030	1.5	1250	880	0.13	0.156	General
LQH3NPN560MME	56	1212/3030	1.5	500	350	1	1.2	General
LQH3NPN680MG0	68	1212/3030	1	235	150	4.2	5.04	General
LQH3NPN680MGR	68	1212/3030	1	280	220	2.1	2.52	General
LQH3NPN680MME	68	1212/3030	1.5	470	310	1.15	1.38	General
LQH3NPN680NG0	68	1212/3030	1	235	150	4.2	5.04	General
LQH3NPN6R8MGR	6.8	1212/3030	1	1140	720	0.23	0.276	General
LQH3NPN6R8MJ0	6.8	1212/3030	1.2	850	700	0.21	0.252	General
LQH3NPN6R8MJR	6.8	1212/3030	1.2	1360	970	0.18	0.216	General
LQH3NPN6R8MM0	6.8	1212/3030	1.5	1000	820	0.2	0.24	General
LQH3NPN6R8MME	6.8	1212/3030	1.5	1450	1040	0.14	0.168	General
LQH3NPN6R8MMR	6.8	1212/3030	1.5	1250	830	0.155	0.186	General
LQH3NPN6R8NG0	6.8	1212/3030	1	710	650	0.45	0.54	General
LQH3NPN6R8NJ0	6.8	1212/3030	1.2	850	700	0.21	0.252	General
LQH3NPN6R8NM0	6.8	1212/3030	1.5	1000	820	0.2	0.24	General
LQH3NPNR47NGR	0.47	1212/3030	1	2540	2820	0.047	0.0564	General
LQH3NPNR68NJR	0.68	1212/3030	1.2	2860	2700	0.032	0.0384	General
LQH43PB100M26	10	1812/4532	2.8	1170	1050	0.147	0.1764	General
LQH43PB101M26	100	1812/4532	2.8	320	320	1.538	1.8456	General
LQH43PB151M26	150	1812/4532	2.8	260	280	2.362	2.8344	General
LQH43PB1R0N26	1	1812/4532	2.8	3300	3400	0.026	0.0312	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH43PB220M26	22	1812/4532	2.8	780	700	0.327	0.3924	General
LQH43PB221M26	220	1812/4532	2.8	240	220	2.9	3.48	General
LQH43PB2R2M26	2.2	1812/4532	2.8	2500	2300	0.042	0.0504	General
LQH43PB3R3M26	3.3	1812/4532	2.8	2100	1800	0.052	0.0624	General
LQH43PB470M26	47	1812/4532	2.8	520	470	0.718	0.8616	General
LQH43PB4R7M26	4.7	1812/4532	2.8	1600	1400	0.075	0.09	General
LQH43PB6R8M26	6.8	1812/4532	2.8	1400	1200	0.098	0.1176	General
LQH43PB8R2M26	8.2	1812/4532	2.8	1300	1100	0.128	0.1536	General
LQH43PN100M26	10	1812/4532	2.8	1170	1050	0.147	0.1764	General
LQH43PN101M26	100	1812/4532	2.8	320	320	1.538	1.8456	General
LQH43PN151M26	150	1812/4532	2.8	260	280	2.362	2.8344	General
LQH43PN1R0N26	1	1812/4532	2.8	3300	3400	0.026	0.0312	General
LQH43PN220M26	22	1812/4532	2.8	780	700	0.327	0.3924	General
LQH43PN221M26	220	1812/4532	2.8	240	220	2.9	3.48	General
LQH43PN2R2M26	2.2	1812/4532	2.8	2500	2300	0.042	0.0504	General
LQH43PN3R3M26	3.3	1812/4532	2.8	2100	1800	0.052	0.0624	General
LQH43PN470M26	47	1812/4532	2.8	520	470	0.718	0.8616	General
LQH43PN4R7M26	4.7	1812/4532	2.8	1600	1400	0.075	0.09	General
LQH43PN6R8M26	6.8	1812/4532	2.8	1400	1200	0.098	0.1176	General
LQH43PN8R2M26	8.2	1812/4532	2.8	1300	1100	0.128	0.1536	General
LQH44PN100MGR	10	1515/4040	1	1100	800	0.27	0.324	General
LQH44PN100MJ0	10	1515/4040	1.2	790	560	0.207	0.249	General
LQH44PN100MP0	10	1515/4040	1.8	1170	1150	0.16	0.192	General
LQH44PN150MGR	15	1515/4040	1	900	640	0.42	0.504	General
LQH44PN150MJ0	15	1515/4040	1.2	610	430	0.385	0.462	General
LQH44PN1R0NJ0	1	1515/4040	1.2	1530	2000	0.048	0.0576	General
LQH44PN1R0NP0	1	1515/4040	1.8	2450	2950	0.03	0.036	General
LQH44PN1R5MJ0	1.5	1515/4040	1.2	1380	1600	0.061	0.0732	General
LQH44PN220MGR	22	1515/4040	1	750	500	0.57	0.684	General
LQH44PN220MJ0	22	1515/4040	1.2	550	400	0.48	0.576	General
LQH44PN220MP0	22	1515/4040	1.8	790	800	0.37	0.444	General
LQH44PN2R2MJ0	2.2	1515/4040	1.2	1230	1320	0.074	0.0888	General
LQH44PN2R2MP0	2.2	1515/4040	1.8	1800	2500	0.049	0.0588	General
LQH44PN2R2NGR	2.2	1515/4040	1	2000	1600	0.074	0.0888	General
LQH44PN330MGR	33	1515/4040	1	480	400	1.4	1.68	General
LQH44PN330MJ0	33	1515/4040	1.2	430	360	0.74	0.888	General
LQH44PN3R3MJ0	3.3	1515/4040	1.2	1000	900	0.088	0.106	General
LQH44PN3R3MP0	3.3	1515/4040	1.8	1770	2100	0.065	0.078	General
LQH44PN3R3NGR	3.3	1515/4040	1	1700	1500	0.11	0.132	General
LQH44PN470MGR	47	1515/4040	1	410	360	1.7	2.04	General
LQH44PN470MJ0	47	1515/4040	1.2	380	300	1.014	1.22	General
LQH44PN4R7MGR	4.7	1515/4040	1	1600	1200	0.13	0.156	General
LQH44PN4R7MJ0	4.7	1515/4040	1.2	980	840	0.117	0.14	General
LQH44PN4R7MP0	4.7	1515/4040	1.8	1700	1700	0.08	0.096	General
LQH44PN6R8MGR	6.8	1515/4040	1	1400	850	0.17	0.204	General
LQH44PN6R8MJ0	6.8	1515/4040	1.2	860	720	0.143	0.172	General
LQH44PN6R8MP0	6.8	1515/4040	1.8	1340	1400	0.12	0.144	General
LQH44PNR68NGR	0.68	1515/4040	1	2500	2400	0.043	0.0516	General
LQH5BPB100MT0	10	2020/5050	2.2	1600	2000	0.106	0.1272	General
LQH5BPB150MT0	15	2020/5050	2.2	1200	1600	0.187	0.2244	General
LQH5BPB1R0NT0	1	2020/5050	2.2	3100	5800	0.019	0.0228	General
LQH5BPB1R2NT0	1.2	2020/5050	2.2	3100	5400	0.019	0.0228	General
LQH5BPB1R5NT0	1.5	2020/5050	2.2	3000	5000	0.024	0.0288	General
LQH5BPB220MT0	22	2020/5050	2.2	1050	1400	0.259	0.3108	General
LQH5BPB2R2NT0	2.2	2020/5050	2.2	2600	4000	0.03	0.036	General
LQH5BPB2R7NT0	2.7	2020/5050	2.2	2500	3800	0.035	0.042	General
LQH5BPB3R3NT0	3.3	2020/5050	2.2	2300	3500	0.044	0.0528	General
LQH5BPB4R7NT0	4.7	2020/5050	2.2	2000	3000	0.058	0.0696	General
LQH5BPB6R8NT0	6.8	2020/5050	2.2	1650	2500	0.083	0.0996	General
LQH5BPBR47NT0	0.47	2020/5050	2.2	4000	7700	0.012	0.0144	General
LQH5BPN100M38	10	2020/5050	4	2200	2600	0.056	0.0672	General
LQH5BPN100MT0	10	2020/5050	2.2	1600	2000	0.106	0.1272	General
LQH5BPN101M38	100	2020/5050	4	740	750	0.48	0.576	General
LQH5BPN150M38	15	2020/5050	4	1900	1800	0.08	0.096	General
LQH5BPN150MT0	15	2020/5050	2.2	1200	1600	0.187	0.2244	General
LQH5BPN151M38	150	2020/5050	4	630	650	0.68	0.816	General
LQH5BPN1R0N38	1	2020/5050	4	4600	7000	0.012	0.0144	General
LQH5BPN1R0NT0	1	2020/5050	2.2	3100	5800	0.019	0.0228	General
LQH5BPN1R2NT0	1.2	2020/5050	2.2	3100	5400	0.019	0.0228	General
LQH5BPN1R5N38	1.5	2020/5050	4	4500	6500	0.014	0.0168	General
LQH5BPN1R5NT0	1.5	2020/5050	2.2	3000	5000	0.024	0.0288	General
LQH5BPN220M38	22	2020/5050	4	1500	1600	0.11	0.132	General
LQH5BPN220MT0	22	2020/5050	2.2	1050	1400	0.259	0.3108	General
LQH5BPN2R2N38	2.2	2020/5050	4	4300	5000	0.016	0.0192	General
LQH5BPN2R2NT0	2.2	2020/5050	2.2	2600	4000	0.03	0.036	General
LQH5BPN2R7NT0	2.7	2020/5050	2.2	2500	3800	0.035	0.042	General
LQH5BPN330M38	33	2020/5050	4	1300	1300	0.15	0.18	General
LQH5BPN3R3N38	3.3	2020/5050	4	4000	4000	0.021	0.0252	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH5BPN3R3NT0	3.3	2020/5050	2.2	2300	3500	0.044	0.0528	General
LQH5BPN470M38	47	2020/5050	4	1100	1100	0.22	0.264	General
LQH5BPN4R7N38	4.7	2020/5050	4	3800	3500	0.026	0.0312	General
LQH5BPN4R7NT0	4.7	2020/5050	2.2	2000	3000	0.058	0.0696	General
LQH5BPN680M38	68	2020/5050	4	930	900	0.33	0.396	General
LQH5BPN6R8M38	6.8	2020/5050	4	3000	3000	0.039	0.0468	General
LQH5BPN6R8NT0	6.8	2020/5050	2.2	1650	2500	0.083	0.0996	General
LQH5BPNR47NT0	0.47	2020/5050	2.2	4000	7700	0.012	0.0144	General
LQM18PN1R0MFH	1	0603/1608	0.95	1300	550	0.13	0.163	General
LQM18PN1R0MFR	1	0603/1608	0.95	950		0.2	0.25	General
LQM18PN1R0MGH	1	0603/1608	1	1050	800	0.2	0.25	General
LQM18PN1R0NC0	1	0603/1608	0.55	750		0.2	0.25	General
LQM18PN1R0NF0	1	0603/1608	0.95	600		0.28	0.35	General
LQM18PN1R5MFH	1.5	0603/1608	0.95	1100	400	0.17	0.213	General
LQM18PN1R5MFR	1.5	0603/1608	0.95	800		0.23	0.288	General
LQM18PN1R5NB0	1.5	0603/1608	0.4	600		0.35	0.438	General
LQM18PN1R5NC0	1.5	0603/1608	0.55	720		0.22	0.275	General
LQM18PN1R8NC0	1.8	0603/1608	0.55	700		0.24	0.3	General
LQM18PN2R2MDH	2.2	0603/1608	0.75	650	250	0.38	0.475	General
LQM18PN2R2MFH	2.2	0603/1608	0.95	700	300	0.38	0.475	General
LQM18PN2R2MFR	2.2	0603/1608	0.95	750		0.3	0.375	General
LQM18PN2R2MGH	2.2	0603/1608	1	1050	250	0.2	0.25	General
LQM18PN2R2NC0	2.2	0603/1608	0.55	700		0.24	0.3	General
LQM18PN2R5ND0	2.5	0603/1608	0.75	700		0.24	0.3	General
LQM18PN3R3MFR	3.3	0603/1608	0.95	700		0.35	0.438	General
LQM18PN3R3MGH	3.3	0603/1608	1	1050	150	0.2	0.25	General
LQM18PN4R7MFR	4.7	0603/1608	0.95	620		0.44	0.55	General
LQM18PNR22NFR	0.22	0603/1608	0.95	1250		0.11	0.138	General
LQM18PNR47MFH	0.47	0603/1608	0.95	1400	1300	0.1	0.125	General
LQM18PNR47NC0	0.47	0603/1608	0.55	850		0.15	0.1875	General
LQM18PNR47NFR	0.47	0603/1608	0.95	1100		0.15	0.188	General
LQM18PW1R0MCH	1	0603/1608	0.65	950	600	0.23	0.288	General
LQM18PW2R2MCH	2.2	0603/1608	0.65	750	200	0.38	0.475	General
LQM18PW2R5NCH	2.5	0603/1608	0.6	900	100	0.24	0.3	General
LQM21PN1R0MC0	1	0805/2012	0.55	800		0.19	0.238	General
LQM21PN1R0MCH	1	0805/2012	0.55	1200	350	0.15	0.188	General
LQM21PN1R0MEH	1	0805/2012	0.8	1600	800	0.085	0.107	General
LQM21PN1R0MGH	1	0805/2012	1	1700	1100	0.08	0.1	General
LQM21PN1R0NGC	1	0805/2012	1	900		0.1	0.125	General
LQM21PN1R0NGR	1	0805/2012	1	1300		0.066	0.0825	General
LQM21PN1R5MC0	1.5	0805/2012	0.55	700		0.26	0.325	General
LQM21PN1R5MCH	1.5	0805/2012	0.55	1100	250	0.17	0.213	General
LQM21PN1R5MEH	1.5	0805/2012	0.8	1500	400	0.1	0.125	General
LQM21PN1R5MGH	1.5	0805/2012	1	1400	640	0.11	0.137	General
LQM21PN2R2MC0	2.2	0805/2012	0.55	600		0.34	0.425	General
LQM21PN2R2MCA	2.2	0805/2012	0.65	1050	280	0.2	0.25	General
LQM21PN2R2MCH	2.2	0805/2012	0.55	1050	180	0.2	0.25	General
LQM21PN2R2MEH	2.2	0805/2012	0.8	1100	300	0.175	0.219	General
LQM21PN2R2MGH	2.2	0805/2012	1	1300	450	0.125	0.156	General
LQM21PN2R2MGS	2.2	0805/2012	1	950		0.18	0.225	General
LQM21PN2R2NGC	2.2	0805/2012	1	800		0.23	0.288	General
LQM21PN3R3MG0	3.3	0805/2012	1	800		0.165	0.207	General
LQM21PN3R3MGR	3.3	0805/2012	1	1000		0.15	0.188	General
LQM21PN3R3NG0	3.3	0805/2012	1	800		0.165	0.207	General
LQM21PN3R3NGR	3.3	0805/2012	1	1000		0.15	0.188	General
LQM21PN4R7MGH	4.7	0805/2012	1	1000	250	0.22	0.275	General
LQM21PN4R7MGR	4.7	0805/2012	1	800		0.23	0.288	General
LQM21PN4R7MGS	4.7	0805/2012	1	750		0.29	0.363	General
LQM21PN4R7NGR	4.7	0805/2012	1	800		0.23	0.288	General
LQM21PNR24MEH	0.24	0805/2012	0.8	2400	2800	0.04	0.05	General
LQM21PNR47MC0	0.47	0805/2012	0.55	1100		0.12	0.15	General
LQM21PNR47MCH	0.47	0805/2012	0.55	1400	1600	0.11	0.138	General
LQM21PNR47MEH	0.47	0805/2012	0.8	1900	1500	0.06	0.075	General
LQM21PNR47MG0	0.47	0805/2012	1	1300		0.075	0.094	General
LQM21PNR47MGH	0.47	0805/2012	1	2400	1800	0.04	0.05	General
LQM21PNR54MG0	0.54	0805/2012	1	1300		0.075	0.094	General
LQM21PNR82MCH	0.82	0805/2012	0.55	1300	700	0.13	0.163	General
LQM2HPN1R0MCH	1	1008/2520	0.55	1700	600	0.08	0.1	General
LQM2HPN1R0MEH	1	1008/2520	0.8	1650	1900	0.095	0.119	General
LQM2HPN1R0MG0	1	1008/2520	1	1600		0.055	0.069	General
LQM2HPN1R0MGC	1	1008/2520	1	1500		0.08	0.1	General
LQM2HPN1R0MGH	1	1008/2520	1	2300	2000	0.05	0.063	General
LQM2HPN1R0MJ0	1	1008/2520	1.2	1500		0.09	0.113	General
LQM2HPN1R0MJC	1	1008/2520	1.2	1500		0.086	0.108	General
LQM2HPN1R0MJH	1	1008/2520	1.2	2300	2100	0.05	0.063	General
LQM2HPN1R5MCH	1.5	1008/2520	0.55	950	600	0.285	0.36	General
LQM2HPN1R5MEH	1.5	1008/2520	0.8	1450	1200	0.12	0.15	General
LQM2HPN1R5MG0	1.5	1008/2520	1	1500		0.07	0.088	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQM2HPN1R5MGH	1.5	1008/2520	1	2000	1500	0.065	0.081	General
LQM2HPN2R2MCH	2.2	1008/2520	0.55	850	430	0.355	0.44	General
LQM2HPN2R2MEH	2.2	1008/2520	0.8	1300	800	0.15	0.188	General
LQM2HPN2R2MG0	2.2	1008/2520	1	1300		0.08	0.1	General
LQM2HPN2R2MGH	2.2	1008/2520	1	1500	1500	0.11	0.138	General
LQM2HPN2R2MGS	2.2	1008/2520	1	1100		0.18	0.225	General
LQM2HPN2R2MJ0	2.2	1008/2520	1.2	1000		0.12	0.15	General
LQM2HPN2R2MJH	2.2	1008/2520	1.2	1500	1400	0.11	0.138	General
LQM2HPN2R2NJC	2.2	1008/2520	1.2	1000		0.175	0.219	General
LQM2HPN3R3MG0	3.3	1008/2520	1	1200		0.1	0.125	General
LQM2HPN3R3MGC	3.3	1008/2520	1	1000		0.16	0.2	General
LQM2HPN3R3MGS	3.3	1008/2520	1	1050		0.21	0.263	General
LQM2HPN3R3MJ0	3.3	1008/2520	1.2	1000		0.12	0.15	General
LQM2HPN4R7MG0	4.7	1008/2520	1	1100		0.11	0.138	General
LQM2HPN4R7MGC	4.7	1008/2520	1	800		0.18	0.225	General
LQM2HPN4R7MGS	4.7	1008/2520	1	1000		0.25	0.313	General
LQM2HPNR24MCH	0.24	1008/2520	0.55	2200	2550	0.055	0.07	General
LQM2HPNR24MEH	0.24	1008/2520	0.8	3000	4500	0.027	0.034	General
LQM2HPNR24MGH	0.24	1008/2520	1	3300	4500	0.024	0.03	General
LQM2HPNR33MGH	0.33	1008/2520	1	3000	5000	0.03	0.038	General
LQM2HPNR47MCH	0.47	1008/2520	0.55	1500	1660	0.115	0.145	General
LQM2HPNR47MEH	0.47	1008/2520	0.8	2200	4000	0.055	0.069	General
LQM2HPNR47MG0	0.47	1008/2520	1	1800		0.04	0.05	General
LQM2HPNR47MGH	0.47	1008/2520	1	2600	4500	0.04	0.05	General
LQM2HPNR47MJH	0.47	1008/2520	1.2	2700	3200	0.037	0.046	General
LQM2HPNR56ME0	0.56	1008/2520	0.8	1500		0.06	0.075	General
LQM2HPNR68MCH	0.68	1008/2520	0.55	1500	1100	0.12	0.15	General
LQM2HPNR68MEH	0.68	1008/2520	0.8	1850	2100	0.075	0.094	General
LQM2HPNR68MGH	0.68	1008/2520	1	2300	3800	0.05	0.063	General
LQM2MPN1R0MEH	1	0806/2016	0.8	1500	1800	0.1	0.125	General
LQM2MPN1R0MGH	1	0806/2016	1	1900	2000	0.064	0.08	General
LQM2MPN1R0NG0	1	0806/2016	1	1400		0.085	0.107	General
LQM2MPN1R5MEH	1.5	0806/2016	0.8	1600	750	0.09	0.113	General
LQM2MPN1R5MG0	1.5	0806/2016	1	1200		0.11	0.138	General
LQM2MPN1R5MGH	1.5	0806/2016	1	1500	1800	0.104	0.13	General
LQM2MPN1R5NG0	1.5	0806/2016	1	1200		0.11	0.138	General
LQM2MPN2R2MDH	2.2	0806/2016	0.7	1270	630	0.2	0.25	General
LQM2MPN2R2MEH	2.2	0806/2016	0.8	1100	700	0.18	0.225	General
LQM2MPN2R2MG0	2.2	0806/2016	1	1200		0.11	0.138	General
LQM2MPN2R2MGH	2.2	0806/2016	1	1000	1300	0.21	0.263	General
LQM2MPN2R2NG0	2.2	0806/2016	1	1200		0.11	0.138	General
LQM2MPN3R3NG0	3.3	0806/2016	1	1200		0.12	0.15	General
LQM2MPN4R7MG0	4.7	0806/2016	1	1100		0.14	0.175	General
LQM2MPN4R7NG0	4.7	0806/2016	1	1100		0.14	0.175	General
LQM2MPNR16MGH	0.16	0806/2016	1	4000	5000	0.014	0.018	General
LQM2MPNR24MEH	0.24	0806/2016	0.8	2600	4100	0.035	0.044	General
LQM2MPNR24MGH	0.24	0806/2016	1	3400	4800	0.02	0.025	General
LQM2MPNR33MGH	0.33	0806/2016	1	3100	3700	0.024	0.03	General
LQM2MPNR47MEH	0.47	0806/2016	0.8	2150	2300	0.05	0.063	General
LQM2MPNR47MG0	0.47	0806/2016	1	1600		0.06	0.075	General
LQM2MPNR47MGH	0.47	0806/2016	1	2500	3400	0.037	0.046	General
LQM2MPNR47NG0	0.47	0806/2016	1	1600		0.06	0.075	General
LQM2MPNR68MEH	0.68	0806/2016	0.8	1750	2000	0.075	0.094	General
LQM2MPNR68MGH	0.68	0806/2016	1	1900	3100	0.055	0.069	General
LQM31PN1R0M00	1	1206/3216	0.95	1200		0.12	0.15	General
LQM31PN1R0MC0	1	1206/3216	0.55	1100		0.14	0.175	General
LQM31PN1R5M00	1.5	1206/3216	0.95	1000		0.14	0.175	General
LQM31PN1R5MC0	1.5	1206/3216	0.55	1000		0.17	0.213	General
LQM31PN2R2M00	2.2	1206/3216	0.95	900		0.19	0.238	General
LQM31PN2R2MC0	2.2	1206/3216	0.55	900		0.25	0.313	General
LQM31PN3R3M00	3.3	1206/3216	0.95	800		0.24	0.3	General
LQM31PN4R7M00	4.7	1206/3216	0.95	700		0.3	0.375	General
LQM31PNR47M00	0.47	1206/3216	0.95	1400		0.07	0.0875	General
LQM31PNR47MC0	0.47	1206/3216	0.55	1300		0.085	0.107	General
LQM32PN1R0MG0	1	1210/3225	1	1800		0.048	0.06	General
LQM32PN1R0MGC	1	1210/3225	1	1800	2200	0.043	0.054	General

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I_temp. (mA)	I_saturation (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
DFE201612PD-1R0M	1	0806/2016	1.2	2200	2700	0.05	0.06	Infotainment
DFE201612PD-1R5M	1.5	0806/2016	1.2	1700	2000	0.082	0.098	Infotainment
DFE201612PD-2R2M	2.2	0806/2016	1.2	1200	1700	0.143	0.172	Infotainment
DFE201612PD-R15M	0.15	0806/2016	1.2	5200	6200	0.012	0.018	Infotainment
DFE201612PD-R24M	0.24	0806/2016	1.2	4000	5000	0.016	0.022	Infotainment
DFE201612PD-R33M	0.33	0806/2016	1.2	3800	4500	0.02	0.026	Infotainment
DFE201612PD-R47M	0.47	0806/2016	1.2	3200	3800	0.026	0.032	Infotainment
DFE201612PD-R68M	0.68	0806/2016	1.2	2500	3100	0.036	0.046	Infotainment
DFE252012PD-1R0M	1	1008/2520	1.2	3200	3800	0.035	0.042	Infotainment
DFE252012PD-1R5M	1.5	1008/2520	1.2	2600	3300	0.05	0.06	Infotainment
DFE252012PD-2R2M	2.2	1008/2520	1.2	2200	2800	0.07	0.084	Infotainment
DFE252012PD-3R3M	3.3	1008/2520	1.2	1700	2100	0.115	0.14	Infotainment
DFE252012PD-4R7M	4.7	1008/2520	1.2	1400	1900	0.165	0.2	Infotainment
DFE252012PD-R33M	0.33	1008/2520	1.2	4600	6000	0.017	0.023	Infotainment
DFE252012PD-R47M	0.47	1008/2520	1.2	4000	5200	0.021	0.027	Infotainment
DFE252012PD-R68M	0.68	1008/2520	1.2	3500	4300	0.03	0.037	Infotainment
DFEG10040D-100M	10	4339/109100	4	5700	5500	0.027	0.033	Powertrain/Safety
DFEG10040D-150M	15	4339/109100	4	5200	4400	0.039	0.047	Powertrain/Safety
DFEG10040D-1R0M	1	4339/109100	4	17000	18000	0.0029	0.0035	Powertrain/Safety
DFEG10040D-1R5M	1.5	4339/109100	4	14000	14000	0.0041	0.005	Powertrain/Safety
DFEG10040D-220M	22	4339/109100	4	3800	4000	0.058	0.07	Powertrain/Safety
DFEG10040D-2R2M	2.2	4339/109100	4	12000	11000	0.0062	0.0075	Powertrain/Safety
DFEG10040D-330M	33	4339/109100	4	3300	3000	0.089	0.107	Powertrain/Safety
DFEG10040D-3R3M	3.3	4339/109100	4	10000	10000	0.0092	0.012	Powertrain/Safety
DFEG10040D-470M	47	4339/109100	4	2500	2900	0.137	0.164	Powertrain/Safety
DFEG10040D-4R7M	4.7	4339/109100	4	8800	7300	0.013	0.016	Powertrain/Safety
DFEG10040D-5R6M	5.6	4339/109100	4	8000	6900	0.015	0.018	Powertrain/Safety
DFEG10040D-6R8M	6.8	4339/109100	4	6400	6500	0.019	0.023	Powertrain/Safety
DFEG10040D-8R2M	8.2	4339/109100	4	5900	5600	0.024	0.029	Powertrain/Safety
DFEG12060D-100M	10	5150/130126	6	7900	6600	0.016	0.02	Powertrain/Safety
DFEG12060D-150M	15	5150/130126	6	6600	5600	0.023	0.028	Powertrain/Safety
DFEG12060D-1R0M	1	5150/130126	6	20000	19000	0.0024	0.0029	Powertrain/Safety
DFEG12060D-1R5M	1.5	5150/130126	6	17000	17000	0.003	0.0036	Powertrain/Safety
DFEG12060D-220M	22	5150/130126	6	6000	4900	0.029	0.035	Powertrain/Safety
DFEG12060D-2R2M	2.2	5150/130126	6	16000	16000	0.0036	0.0044	Powertrain/Safety
DFEG12060D-330M	33	5150/130126	6	4200	3400	0.045	0.054	Powertrain/Safety
DFEG12060D-3R3M	3.3	5150/130126	6	13000	14000	0.0052	0.0063	Powertrain/Safety
DFEG12060D-470M	47	5150/130126	6	3600	3000	0.066	0.079	Powertrain/Safety
DFEG12060D-4R7M	4.7	5150/130126	6	10000	11000	0.0086	0.011	Powertrain/Safety
DFEG12060D-5R6M	5.6	5150/130126	6	10000	10000	0.0089	0.011	Powertrain/Safety
DFEG12060D-6R8M	6.8	5150/130126	6	9000	8300	0.011	0.014	Powertrain/Safety
DFEG12060D-8R2M	8.2	5150/130126	6	8000	8300	0.014	0.017	Powertrain/Safety
DFEG7030D-100M	10	2726/7066	3	3000	3200	0.068	0.082	Powertrain/Safety
DFEG7030D-150M	15	2726/7066	3	2200	2400	0.122	0.147	Powertrain/Safety
DFEG7030D-1R0M	1	2726/7066	3	9100	9000	0.0082	0.0099	Powertrain/Safety
DFEG7030D-1R5M	1.5	2726/7066	3	7600	7300	0.012	0.015	Powertrain/Safety
DFEG7030D-220M	22	2726/7066	3	1900	2000	0.17	0.198	Powertrain/Safety
DFEG7030D-2R2M	2.2	2726/7066	3	7100	6900	0.015	0.018	Powertrain/Safety
DFEG7030D-3R3M	3.3	2726/7066	3	5400	5300	0.024	0.029	Powertrain/Safety
DFEG7030D-4R7M	4.7	2726/7066	3	4200	4200	0.034	0.041	Powertrain/Safety
DFEG7030D-5R6M	5.6	2726/7066	3	3800	4100	0.045	0.054	Powertrain/Safety
DFEG7030D-6R8M	6.8	2726/7066	3	3500	3900	0.049	0.059	Powertrain/Safety
DFEG7030D-8R2M	8.2	2726/7066	3	3100	3200	0.065	0.078	Powertrain/Safety
DFEH10040D-100M	10	4339/109100	4	5700	5500	0.027	0.033	Powertrain/Safety
DFEH10040D-150M	15	4339/109100	4	5200	4400	0.039	0.047	Powertrain/Safety
DFEH10040D-1R0M	1	4339/109100	4	17000	18000	0.0029	0.0035	Powertrain/Safety
DFEH10040D-1R5M	1.5	4339/109100	4	14000	14000	0.0041	0.005	Powertrain/Safety
DFEH10040D-220M	22	4339/109100	4	3800	4000	0.058	0.07	Powertrain/Safety
DFEH10040D-2R2M	2.2	4339/109100	4	12000	11000	0.0062	0.0075	Powertrain/Safety
DFEH10040D-330M	33	4339/109100	4	3300	3000	0.089	0.107	Powertrain/Safety
DFEH10040D-3R3M	3.3	4339/109100	4	10000	10000	0.0092	0.012	Powertrain/Safety
DFEH10040D-470M	47	4339/109100	4	2500	2900	0.137	0.164	Powertrain/Safety
DFEH10040D-4R7M	4.7	4339/109100	4	8800	7300	0.013	0.016	Powertrain/Safety
DFEH10040D-5R6M	5.6	4339/109100	4	8000	6900	0.015	0.018	Powertrain/Safety
DFEH10040D-6R8M	6.8	4339/109100	4	6400	6500	0.019	0.023	Powertrain/Safety
DFEH10040D-8R2M	8.2	4339/109100	4	5900	5600	0.024	0.029	Powertrain/Safety
DFEH12060D-100M	10	5150/130126	6	7900	6600	0.016	0.02	Powertrain/Safety
DFEH12060D-150M	15	5150/130126	6	6600	5600	0.023	0.028	Powertrain/Safety
DFEH12060D-1R0M	1	5150/130126	6	20000	19000	0.0024	0.0029	Powertrain/Safety
DFEH12060D-1R5M	1.5	5150/130126	6	17000	17000	0.003	0.0036	Powertrain/Safety
DFEH12060D-220M	22	5150/130126	6	6000	4900	0.029	0.035	Powertrain/Safety
DFEH12060D-2R2M	2.2	5150/130126	6	16000	16000	0.0036	0.0044	Powertrain/Safety
DFEH12060D-330M	33	5150/130126	6	4200	3400	0.045	0.054	Powertrain/Safety
DFEH12060D-3R3M	3.3	5150/130126	6	13000	14000	0.0052	0.0063	Powertrain/Safety
DFEH12060D-470M	47	5150/130126	6	3600	3000	0.066	0.079	Powertrain/Safety
DFEH12060D-4R7M	4.7	5150/130126	6	10000	11000	0.0086	0.011	Powertrain/Safety
DFEH12060D-5R6M	5.6	5150/130126	6	10000	10000	0.0089	0.011	Powertrain/Safety
DFEH12060D-6R8M	6.8	5150/130126	6	9000	8300	0.011	0.014	Powertrain/Safety



Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I_temp. (mA)	I_saturation (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
DFEH12060D-8R2M	8.2	5150/130126	6	8000	8300	0.014	0.017	Powertrain/Safety
DFEH7030D-100M	10	2726/7066	3	3000	3200	0.068	0.082	Powertrain/Safety
DFEH7030D-150M	15	2726/7066	3	2200	2400	0.122	0.147	Powertrain/Safety
DFEH7030D-1R0M	1	2726/7066	3	9100	9000	0.0082	0.0099	Powertrain/Safety
DFEH7030D-1R5M	1.5	2726/7066	3	7600	7300	0.012	0.015	Powertrain/Safety
DFEH7030D-220M	22	2726/7066	3	1900	2000	0.17	0.198	Powertrain/Safety
DFEH7030D-2R2M	2.2	2726/7066	3	7100	6900	0.015	0.018	Powertrain/Safety
DFEH7030D-3R3M	3.3	2726/7066	3	5400	5300	0.024	0.029	Powertrain/Safety
DFEH7030D-4R7M	4.7	2726/7066	3	4200	4200	0.034	0.041	Powertrain/Safety
DFEH7030D-5R6M	5.6	2726/7066	3	3800	4100	0.045	0.054	Powertrain/Safety
DFEH7030D-6R8M	6.8	2726/7066	3	3500	3900	0.049	0.059	Powertrain/Safety
DFEH7030D-8R2M	8.2	2726/7066	3	3100	3200	0.065	0.078	Powertrain/Safety
LQH2HPZ100MDR	10	1008/2520	0.6	430	420	1.2	1.44	Infotainment
LQH2HPZ100MGR	10	1008/2520	1	710	700	0.56	0.672	Infotainment
LQH2HPZ100MJR	10	1008/2520	1.2	830	830	0.38	0.456	Infotainment
LQH2HPZ150MDR	15	1008/2520	0.6	290	340	2.5	3	Infotainment
LQH2HPZ150MGR	15	1008/2520	1	560	570	0.925	1.11	Infotainment
LQH2HPZ150MJR	15	1008/2520	1.2	710	690	0.55	0.66	Infotainment
LQH2HPZ1R0MDR	1	1008/2520	0.6	960	1370	0.24	0.288	Infotainment
LQH2HPZ1R0MGR	1	1008/2520	1	2100	2130	0.068	0.0816	Infotainment
LQH2HPZ1R0NJR	1	1008/2520	1.2	2400	2600	0.048	0.0576	Infotainment
LQH2HPZ1R2NJR	1.2	1008/2520	1.2	2070	2450	0.055	0.066	Infotainment
LQH2HPZ1R5MDR	1.5	1008/2520	0.6	900	1120	0.29	0.348	Infotainment
LQH2HPZ1R5MGR	1.5	1008/2520	1	1850	1700	0.087	0.1044	Infotainment
LQH2HPZ1R5NJR	1.5	1008/2520	1.2	1810	2200	0.075	0.09	Infotainment
LQH2HPZ220MDR	22	1008/2520	0.6	270	260	3	3.6	Infotainment
LQH2HPZ220MGR	22	1008/2520	1	430	460	1.36	1.632	Infotainment
LQH2HPZ220MJR	22	1008/2520	1.2	540	530	0.84	1.008	Infotainment
LQH2HPZ2R2MDR	2.2	1008/2520	0.6	820	850	0.34	0.408	Infotainment
LQH2HPZ2R2MGR	2.2	1008/2520	1	1470	1550	0.134	0.1608	Infotainment
LQH2HPZ2R2MJR	2.2	1008/2520	1.2	1650	1700	0.092	0.1104	Infotainment
LQH2HPZ3R3MDR	3.3	1008/2520	0.6	730	750	0.45	0.54	Infotainment
LQH2HPZ3R3MGR	3.3	1008/2520	1	1100	1230	0.225	0.27	Infotainment
LQH2HPZ3R3MJR	3.3	1008/2520	1.2	1420	1450	0.13	0.156	Infotainment
LQH2HPZ4R7MDR	4.7	1008/2520	0.6	650	650	0.56	0.672	Infotainment
LQH2HPZ4R7MGR	4.7	1008/2520	1	1000	1090	0.3	0.36	Infotainment
LQH2HPZ4R7MJR	4.7	1008/2520	1.2	1290	1230	0.17	0.204	Infotainment
LQH2HPZ6R8MDR	6.8	1008/2520	0.6	490	550	1	1.2	Infotainment
LQH2HPZ6R8MGR	6.8	1008/2520	1	860	830	0.395	0.474	Infotainment
LQH2HPZ6R8MJR	6.8	1008/2520	1.2	1000	1050	0.26	0.312	Infotainment
LQH2HPZR47MDR	0.47	1008/2520	0.6	1250	1670	0.14	0.168	Infotainment
LQH2HPZR47MGR	0.47	1008/2520	1	2520	2900	0.045	0.054	Infotainment
LQH2HPZR47NJR	0.47	1008/2520	1.2	2750	3500	0.031	0.0372	Infotainment
LQH2HPZR68MGR	0.68	1008/2520	1	2330	2430	0.055	0.066	Infotainment
LQH2MPZ100MGR	10	0806/2016	0.95	480	610	0.88	1.056	Infotainment
LQH2MPZ150MGR	15	0806/2016	0.95	340	490	1.7	2.04	Infotainment
LQH2MPZ1R0NGR	1	0806/2016	0.95	900	1550	0.25	0.3	Infotainment
LQH2MPZ1R5NGR	1.5	0806/2016	0.95	790	1330	0.32	0.384	Infotainment
LQH2MPZ220MGR	22	0806/2016	0.95	290	410	2.1	2.52	Infotainment
LQH2MPZ2R2MGR	2.2	0806/2016	0.95	680	1180	0.39	0.468	Infotainment
LQH2MPZ330MGR	33	0806/2016	0.95	200	310	4.3	5.16	Infotainment
LQH2MPZ3R3MGR	3.3	0806/2016	0.95	640	1020	0.47	0.564	Infotainment
LQH2MPZ470MGR	47	0806/2016	0.95	180	270	5.3	6.36	Infotainment
LQH2MPZ4R7MGR	4.7	0806/2016	0.95	580	870	0.6	0.72	Infotainment
LQH2MPZ680MGR	68	0806/2016	0.95	160	230	6.7	8.04	Infotainment
LQH2MPZ6R8MGR	6.8	0806/2016	0.95	530	730	0.72	0.864	Infotainment
LQH2MPZ820MGR	82	0806/2016	0.95	150	210	7.3	8.76	Infotainment
LQH2MPZR33NGR	0.33	0806/2016	0.95	1130	2200	0.15	0.18	Infotainment
LQH2MPZR47NGR	0.47	0806/2016	0.95	1060	1950	0.18	0.216	Infotainment
LQH32PH100MN0	10	1210/3225	1.7	700	750	0.38	0.456	Powertrain/Safety
LQH32PH100MNC	10	1210/3225	1.7	900	1000	0.295	0.354	Powertrain/Safety
LQH32PH150MNC	15	1210/3225	1.7	700	800	0.475	0.57	Powertrain/Safety
LQH32PH1R0NN0	1	1210/3225	1.7	2050	2300	0.045	0.054	Powertrain/Safety
LQH32PH1R0NNC	1	1210/3225	1.7	2500	3000	0.036	0.0432	Powertrain/Safety
LQH32PH1R5NN0	1.5	1210/3225	1.7	1750	1750	0.057	0.0684	Powertrain/Safety
LQH32PH1R5NNC	1.5	1210/3225	1.7	2100	2600	0.053	0.0636	Powertrain/Safety
LQH32PH220MNC	22	1210/3225	1.7	550	650	0.685	0.822	Powertrain/Safety
LQH32PH2R2NN0	2.2	1210/3225	1.7	1600	1550	0.076	0.0912	Powertrain/Safety
LQH32PH2R2NNC	2.2	1210/3225	1.7	1850	2000	0.064	0.0768	Powertrain/Safety
LQH32PH3R3NN0	3.3	1210/3225	1.7	1200	1250	0.12	0.144	Powertrain/Safety
LQH32PH3R3NNC	3.3	1210/3225	1.7	1550	1900	0.1	0.12	Powertrain/Safety
LQH32PH4R7NN0	4.7	1210/3225	1.7	1000	1000	0.18	0.216	Powertrain/Safety
LQH32PH4R7NNC	4.7	1210/3225	1.7	1200	1600	0.155	0.186	Powertrain/Safety
LQH32PH6R8NN0	6.8	1210/3225	1.7	850	850	0.24	0.288	Powertrain/Safety
LQH32PH6R8NNC	6.8	1210/3225	1.7	1100	1300	0.22	0.264	Powertrain/Safety
LQH32PHR47NN0	0.47	1210/3225	1.7	2550	3400	0.03	0.036	Powertrain/Safety
LQH32PHR47NNC	0.47	1210/3225	1.7	2900	4400	0.024	0.0288	Powertrain/Safety
LQH32PZ100MN0	10	1210/3225	1.7	700	750	0.38	0.456	Infotainment

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I_temp. (mA)	I_saturation (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH32PZ100MNC	10	1210/3225	1.7	900	1000	0.295	0.354	Infotainment
LQH32PZ101MN0	100	1210/3225	1.7	250	180	2.7	3.24	Infotainment
LQH32PZ121MN0	120	1210/3225	1.7	200	170	4.38	5.26	Infotainment
LQH32PZ150MN0	15	1210/3225	1.7	520	600	0.57	0.684	Infotainment
LQH32PZ150MNC	15	1210/3225	1.7	700	800	0.475	0.57	Infotainment
LQH32PZ1R0NN0	1	1210/3225	1.7	2050	2300	0.045	0.054	Infotainment
LQH32PZ1R0NNC	1	1210/3225	1.7	2500	3000	0.036	0.0432	Infotainment
LQH32PZ1R5NN0	1.5	1210/3225	1.7	1750	1750	0.057	0.0684	Infotainment
LQH32PZ1R5NNC	1.5	1210/3225	1.7	2100	2600	0.053	0.0636	Infotainment
LQH32PZ220MN0	22	1210/3225	1.7	450	500	0.81	0.972	Infotainment
LQH32PZ220MNC	22	1210/3225	1.7	550	650	0.685	0.822	Infotainment
LQH32PZ2R2NN0	2.2	1210/3225	1.7	1600	1550	0.076	0.0912	Infotainment
LQH32PZ2R2NNC	2.2	1210/3225	1.7	1850	2000	0.064	0.0768	Infotainment
LQH32PZ330MN0	33	1210/3225	1.7	390	380	1.15	1.38	Infotainment
LQH32PZ3R3NN0	3.3	1210/3225	1.7	1200	1250	0.12	0.144	Infotainment
LQH32PZ3R3NNC	3.3	1210/3225	1.7	1550	1900	0.1	0.12	Infotainment
LQH32PZ470MN0	47	1210/3225	1.7	310	330	1.78	2.14	Infotainment
LQH32PZ4R7NN0	4.7	1210/3225	1.7	1000	1000	0.18	0.216	Infotainment
LQH32PZ4R7NNC	4.7	1210/3225	1.7	1200	1600	0.155	0.186	Infotainment
LQH32PZ680MN0	68	1210/3225	1.7	275	280	2.28	2.74	Infotainment
LQH32PZ6R8NN0	6.8	1210/3225	1.7	850	850	0.24	0.288	Infotainment
LQH32PZ6R8NNC	6.8	1210/3225	1.7	1100	1300	0.22	0.264	Infotainment
LQH32PZR47NN0	0.47	1210/3225	1.7	2550	3400	0.03	0.036	Infotainment
LQH32PZR47NNC	0.47	1210/3225	1.7	2900	4400	0.024	0.0288	Infotainment
LQH3NPZ100MGR	10	1212/3030	1	1120	570	0.28	0.336	Infotainment
LQH3NPZ100MJR	10	1212/3030	1.2	1200	810	0.24	0.288	Infotainment
LQH3NPZ100MME	10	1212/3030	1.5	1280	810	0.19	0.228	Infotainment
LQH3NPZ101MME	100	1212/3030	1.5	430	260	1.59	1.908	Infotainment
LQH3NPZ150MGR	15	1212/3030	1	900	480	0.39	0.468	Infotainment
LQH3NPZ150MJR	15	1212/3030	1.2	870	650	0.38	0.456	Infotainment
LQH3NPZ150MME	15	1212/3030	1.5	1020	660	0.29	0.348	Infotainment
LQH3NPZ1R0MGR	1	1212/3030	1	2080	1700	0.062	0.0744	Infotainment
LQH3NPZ1R0MJR	1	1212/3030	1.2	2780	2250	0.04	0.048	Infotainment
LQH3NPZ1R0MME	1	1212/3030	1.5	3000	2350	0.025	0.03	Infotainment
LQH3NPZ1R5MGR	1.5	1212/3030	1	2040	1400	0.074	0.0888	Infotainment
LQH3NPZ1R5MJR	1.5	1212/3030	1.2	2510	1950	0.049	0.0588	Infotainment
LQH3NPZ220MGR	22	1212/3030	1	750	390	0.53	0.636	Infotainment
LQH3NPZ220MJR	22	1212/3030	1.2	800	520	0.5	0.6	Infotainment
LQH3NPZ220MME	22	1212/3030	1.5	860	570	0.4	0.48	Infotainment
LQH3NPZ2R2MGR	2.2	1212/3030	1	1730	1180	0.087	0.1044	Infotainment
LQH3NPZ2R2MJR	2.2	1212/3030	1.2	2200	1800	0.068	0.0816	Infotainment
LQH3NPZ2R2MME	2.2	1212/3030	1.5	2100	1800	0.065	0.078	Infotainment
LQH3NPZ330MGR	33	1212/3030	1	600	320	0.86	1.032	Infotainment
LQH3NPZ330MJR	33	1212/3030	1.2	630	420	0.79	0.948	Infotainment
LQH3NPZ330MME	33	1212/3030	1.5	760	440	0.55	0.66	Infotainment
LQH3NPZ3R3MGR	3.3	1212/3030	1	1580	1050	0.12	0.144	Infotainment
LQH3NPZ3R3MJR	3.3	1212/3030	1.2	1700	1350	0.095	0.114	Infotainment
LQH3NPZ3R3MME	3.3	1212/3030	1.5	1900	1520	0.084	0.1008	Infotainment
LQH3NPZ470MGR	47	1212/3030	1	460	260	1.4	1.68	Infotainment
LQH3NPZ470MJR	47	1212/3030	1.2	570	360	1	1.2	Infotainment
LQH3NPZ470MME	47	1212/3030	1.5	610	380	0.82	0.984	Infotainment
LQH3NPZ4R7MGR	4.7	1212/3030	1	1520	850	0.14	0.168	Infotainment
LQH3NPZ4R7MJR	4.7	1212/3030	1.2	1580	1180	0.12	0.144	Infotainment
LQH3NPZ4R7MME	4.7	1212/3030	1.5	1700	1300	0.1	0.12	Infotainment
LQH3NPZ560MME	56	1212/3030	1.5	500	350	1	1.2	Infotainment
LQH3NPZ680MME	68	1212/3030	1.5	470	310	1.15	1.38	Infotainment
LQH3NPZ6R8MGR	6.8	1212/3030	1	1140	720	0.23	0.276	Infotainment
LQH3NPZ6R8MJR	6.8	1212/3030	1.2	1360	970	0.18	0.216	Infotainment
LQH3NPZ6R8MME	6.8	1212/3030	1.5	1450	1040	0.14	0.168	Infotainment
LQH3NPZR47NGR	0.47	1212/3030	1	2540	2820	0.047	0.0564	Infotainment
LQH3NPZR68NJR	0.68	1212/3030	1.2	2860	2700	0.032	0.0384	Infotainment
LQH43PH100M26	10	1812/4532	2.8	1170	1050	0.147	0.1764	Powertrain/Safety
LQH43PH101M26	100	1812/4532	2.8	320	320	1.538	1.8456	Powertrain/Safety
LQH43PH151M26	150	1812/4532	2.8	260	280	2.362	2.8344	Powertrain/Safety
LQH43PH1R0N26	1	1812/4532	2.8	3300	3400	0.026	0.0312	Powertrain/Safety
LQH43PH220M26	22	1812/4532	2.8	780	700	0.327	0.3924	Powertrain/Safety
LQH43PH221M26	220	1812/4532	2.8	240	220	2.9	3.48	Powertrain/Safety
LQH43PH2R2M26	2.2	1812/4532	2.8	2500	2300	0.042	0.0504	Powertrain/Safety
LQH43PH3R3M26	3.3	1812/4532	2.8	2100	1800	0.052	0.0624	Powertrain/Safety
LQH43PH470M26	47	1812/4532	2.8	520	470	0.718	0.8616	Powertrain/Safety
LQH43PH4R7M26	4.7	1812/4532	2.8	1600	1400	0.075	0.09	Powertrain/Safety
LQH43PH6R8M26	6.8	1812/4532	2.8	1400	1200	0.098	0.1176	Powertrain/Safety
LQH43PH8R2M26	8.2	1812/4532	2.8	1300	1100	0.128	0.1536	Powertrain/Safety
LQH43PZ100M26	10	1812/4532	2.8	1170	1050	0.147	0.1764	Infotainment
LQH43PZ101M26	100	1812/4532	2.8	320	320	1.538	1.8456	Infotainment
LQH43PZ151M26	150	1812/4532	2.8	260	280	2.362	2.8344	Infotainment
LQH43PZ1R0N26	1	1812/4532	2.8	3300	3400	0.026	0.0312	Infotainment
LQH43PZ220M26	22	1812/4532	2.8	780	700	0.327	0.3924	Infotainment

Part Number	Inductance (uH)	Size code (inch/mm)	T size (mm Max.)	I_temp. (mA)	I_saturation (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
LQH43PZ221M26	220	1812/4532	2.8	240	220	2.9	3.48	Infotainment
LQH43PZ2R2M26	2.2	1812/4532	2.8	2500	2300	0.042	0.0504	Infotainment
LQH43PZ3R3M26	3.3	1812/4532	2.8	2100	1800	0.052	0.0624	Infotainment
LQH43PZ470M26	47	1812/4532	2.8	520	470	0.718	0.8616	Infotainment
LQH43PZ4R7M26	4.7	1812/4532	2.8	1600	1400	0.075	0.09	Infotainment
LQH43PZ6R8M26	6.8	1812/4532	2.8	1400	1200	0.098	0.1176	Infotainment
LQH43PZ8R2M26	8.2	1812/4532	2.8	1300	1100	0.128	0.1536	Infotainment
LQH44PZ100MGR	10	1515/4040	1	1100	800	0.27	0.324	Infotainment
LQH44PZ150MGR	15	1515/4040	1	900	640	0.42	0.504	Infotainment
LQH44PZ220MGR	22	1515/4040	1	750	500	0.57	0.684	Infotainment
LQH44PZ2R2NGR	2.2	1515/4040	1	2000	1600	0.074	0.0888	Infotainment
LQH44PZ330MGR	33	1515/4040	1	480	400	1.4	1.68	Infotainment
LQH44PZ3R3NGR	3.3	1515/4040	1	1700	1500	0.11	0.132	Infotainment
LQH44PZ470MGR	47	1515/4040	1	410	360	1.7	2.04	Infotainment
LQH44PZ4R7MGR	4.7	1515/4040	1	1600	1200	0.13	0.156	Infotainment
LQH44PZ6R8MGR	6.8	1515/4040	1	1400	850	0.17	0.204	Infotainment
LQH44PZR68NGR	0.68	1515/4040	1	2500	2400	0.043	0.0516	Infotainment
LQH5BPZ100MT0	10	2020/5050	2.2	1600	2000	0.106	0.1272	Infotainment
LQH5BPZ150MT0	15	2020/5050	2.2	1200	1600	0.187	0.2244	Infotainment
LQH5BPZ1R0NT0	1	2020/5050	2.2	3100	5800	0.019	0.0228	Infotainment
LQH5BPZ1R2NT0	1.2	2020/5050	2.2	3100	5400	0.019	0.0228	Infotainment
LQH5BPZ1R5NT0	1.5	2020/5050	2.2	3000	5000	0.024	0.0288	Infotainment
LQH5BPZ220MT0	22	2020/5050	2.2	1050	1400	0.259	0.3108	Infotainment
LQH5BPZ2R2NT0	2.2	2020/5050	2.2	2600	4000	0.03	0.036	Infotainment
LQH5BPZ2R7NT0	2.7	2020/5050	2.2	2500	3800	0.035	0.042	Infotainment
LQH5BPZ3R3NT0	3.3	2020/5050	2.2	2300	3500	0.044	0.0528	Infotainment
LQH5BPZ4R7NT0	4.7	2020/5050	2.2	2000	3000	0.058	0.0696	Infotainment
LQH5BPZ6R8NT0	6.8	2020/5050	2.2	1650	2500	0.083	0.0996	Infotainment
LQH5BPZR47NT0	0.47	2020/5050	2.2	4000	7700	0.012	0.0144	Infotainment
LQM18PZ1R0MCH	1	0603/1608	0.65	950	600	0.23	0.29	Infotainment
LQM18PZ2R2MCH	2.2	0603/1608	0.65	750	200	0.38	0.48	Infotainment
LQM18PZ2R2MDH	2.2	0603/1608	0.75	650	250	0.38	0.47	Infotainment
LQM18PZ2R2MFH	2.2	0603/1608	0.95	700	300	0.38	0.47	Infotainment
LQM18PZ2R5NCH	2.5	0603/1608	0.6	900	100	0.24	0.3	Infotainment
LQM21PH2R2MGC	2.2	0805/2012	1	800		0.23	0.288	Powertrain/Safety
LQM21PH2R2NGC	2.2	0805/2012	1	800		0.23	0.288	Powertrain/Safety
LQM21PZ1R0MC0	1	0805/2012	0.55	800		0.19	0.238	Infotainment
LQM21PZ1R0NGC	1	0805/2012	1	900		0.1	0.125	Infotainment
LQM21PZ1R0NGR	1	0805/2012	1	1300		0.066	0.0825	Infotainment
LQM21PZ1R5MC0	1.5	0805/2012	0.55	700		0.26	0.325	Infotainment
LQM21PZ2R2MC0	2.2	0805/2012	0.55	600		0.34	0.425	Infotainment
LQM21PZ2R2NGC	2.2	0805/2012	1	800		0.23	0.288	Infotainment
LQM21PZ3R3MG0	3.3	0805/2012	1	800		0.165	0.207	Infotainment
LQM21PZ3R3MGR	3.3	0805/2012	1	1000		0.15	0.188	Infotainment
LQM21PZ3R3NG0	3.3	0805/2012	1	800		0.165	0.207	Infotainment
LQM21PZ3R3NGR	3.3	0805/2012	1	1000		0.15	0.188	Infotainment
LQM21PZ4R7MGR	4.7	0805/2012	1	800		0.23	0.288	Infotainment
LQM21PZ4R7NGR	4.7	0805/2012	1	800		0.23	0.288	Infotainment
LQM21PZR47MC0	0.47	0805/2012	0.55	1100		0.12	0.15	Infotainment
LQM21PZR47MG0	0.47	0805/2012	1	1300		0.075	0.094	Infotainment
LQM21PZR54MG0	0.54	0805/2012	1	1300		0.075	0.094	Infotainment
LQM2HPZ1R0MG0	1	1008/2520	1	1600		0.055	0.069	Infotainment
LQM2HPZ1R0MGC	1	1008/2520	1	1500		0.08	0.1	Infotainment
LQM2HPZ1R0MJ0	1	1008/2520	1.2	1500		0.09	0.113	Infotainment
LQM2HPZ1R0MJC	1	1008/2520	1.2	1500		0.086	0.108	Infotainment
LQM2HPZ1R5MG0	1.5	1008/2520	1	1500		0.07	0.088	Infotainment
LQM2HPZ2R2MG0	2.2	1008/2520	1	1300		0.08	0.1	Infotainment
LQM2HPZ2R2MGS	2.2	1008/2520	1	1100		0.18	0.225	Infotainment
LQM2HPZ2R2MJ0	2.2	1008/2520	1.2	1000		0.12	0.15	Infotainment
LQM2HPZ2R2NJC	2.2	1008/2520	1.2	1000		0.175	0.219	Infotainment
LQM2HPZ3R3MG0	3.3	1008/2520	1	1200		0.1	0.125	Infotainment
LQM2HPZ3R3MGC	3.3	1008/2520	1	1000		0.16	0.2	Infotainment
LQM2HPZ3R3MGS	3.3	1008/2520	1	1050		0.21	0.263	Infotainment
LQM2HPZ3R3MJ0	3.3	1008/2520	1.2	1000		0.12	0.15	Infotainment
LQM2HPZ4R7MG0	4.7	1008/2520	1	1100		0.11	0.138	Infotainment
LQM2HPZ4R7MGC	4.7	1008/2520	1	800		0.18	0.225	Infotainment
LQM2HPZ4R7MGS	4.7	1008/2520	1	1000		0.25	0.313	Infotainment
LQM2HPZR47MG0	0.47	1008/2520	1	1800		0.04	0.05	Infotainment
LQM2HPZR56ME0	0.56	1008/2520	0.8	1500		0.06	0.075	Infotainment
LQM2MPZ1R0NG0	1	0806/2016	1	1400		0.085	0.107	Infotainment
LQM2MPZ1R5MG0	1.5	0806/2016	1	1200		0.11	0.138	Infotainment
LQM2MPZ1R5NG0	1.5	0806/2016	1	1200		0.11	0.138	Infotainment
LQM2MPZ2R2MG0	2.2	0806/2016	1	1200		0.11	0.138	Infotainment
LQM2MPZ2R2NG0	2.2	0806/2016	1	1200		0.11	0.138	Infotainment
LQM2MPZ3R3NG0	3.3	0806/2016	1	1200		0.12	0.15	Infotainment
LQM2MPZ4R7MG0	4.7	0806/2016	1	1100		0.14	0.175	Infotainment
LQM2MPZ4R7NG0	4.7	0806/2016	1	1100		0.14	0.175	Infotainment
LQM2MPZR10MJH	0.1	0806/2016	1.2	4000	4000	0.38	0.019	Infotainment





Part Number	Inductance ( $\mu$ H)	Size code (inch/mm)	T size (mm Max.)	I <sub>temp.</sub> (mA)	I <sub>saturation</sub> (mA)	DCR (ohm Typ.)	DCR (ohm Max.)	Application
MDH7045C-680MA	68	2928/7470	4.8	880	960	0.2	0.26	Powertrain/Safety
MDH7045C-6R8NB	6.8	2928/7470	4.8	2800	3400	0.022	0.0286	Powertrain/Safety

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Multilayer Ceramic Capacitors MLCC - SMD/SMT](#) category:*

*Click to view products by [Murata](#) manufacturer:*

Other Similar products are found below :

[M39014/01-1467](#) [M39014/02-1218V](#) [M39014/02-1225V](#) [M39014/02-1262V](#) [M39014/02-1301](#) [M39014/22-0631](#) [1210J5000102JCT](#)  
[1210J2K00102KXT](#) [1210J5000103KXT](#) [1210J5000223KXT](#) [D55342E07B379BR-TR](#) [D55342E07B523DR-T/R](#) [1812J1K00103KXT](#)  
[1812J1K00473KXT](#) [1812J2K00680JCT](#) [1812J4K00102MXT](#) [1812J5000102JCT](#) [1812J5000103JCT](#) [1812J5000682JCT](#) [NIN-FB391JTRF](#)  
[NIN-FC2R7JTRF](#) [NPIS27H102MTRF](#) [C1206C101J1GAC](#) [C1608C0G1E472JT000N](#) [C2012C0G2A472J](#) [2220J2K00101JCT](#)  
[KHC201E225M76N0T00](#) [LRC-LRF1206LF-01R025FTR1K](#) [1812J1K00222JCT](#) [1812J2K00102KXT](#) [1812J2K00222KXT](#)  
[1812J2K00472KXT](#) [2-1622820-7-CUT-TAPE](#) [2220J3K00102KXT](#) [2225J2500824KXT](#) [CCR07CG103KM](#) [CGA2B2C0G1H010C](#)  
[CGA2B2C0G1H040C](#) [CGA2B2C0G1H050C](#) [CGA2B2C0G1H060D](#) [CGA2B2C0G1H070D](#) [CGA2B2C0G1H151J](#) [CGA2B2C0G1H1R5C](#)  
[CGA2B2C0G1H2R2C](#) [CGA2B2C0G1H3R3C](#) [CGA2B2C0G1H680J](#) [CGA2B2C0G1H6R8D](#) [CGA2B2X8R1H221K](#) [CGA2B2X8R1H472K](#)  
[CGA3E1X7R1C474K](#)