



NOTES: DIMENSIONS ARE IN INCHES - TOLERANCES ARE AS SHOWN

NOM SIZE	F	H	T	C	RECOMMEND MAX CLEARANCE HOLE DIA FOR SCREW OF BOLT
0	$5/32^{+.000}_{-.010}$	$3/64$.005	$5/64$.070
1	$5/32$	$3/64$.006	$3/32$.081
2	$3/16$	$1/16$.007	$1/8$.096
3	$3/16$	$1/16$.008	$9/64$.110
4	$1/4$	$3/32$.010	$5/32$.123
5	$5/16$	$7/64$.010	$11/64$.140
6	$5/16$	$7/64$.012	$3/16$.149
8	$11/32$	$1/8$.012	$7/32$.177
10	$3/8^{+.000}_{-.010}$	$1/8$	$1/64$	$17/64$.201
12	$7/16^{+.000}_{-.015}$	$5/32$	$1/64$	$19/64$.227
1/4	$7/16$	$7/32$	$1/64$	$11/32$.266
5/16	$1/2$	$17/64$	$1/64$	$13/32$.332
3/8	$9/16$	$21/34$	$1/64$	$31/64$.397
7/16	$11/16$	$3/8$	$1/64$	$9/16$.468
1/2	$3/4$	$7/16$	$1/32$	$21/32$.531
9/16	$7/8$	$31/64$	$1/32$	$23/32$.594
5/8	$15/16$	$35/64$	$1/32$	$13/16$.656
3/4	$1\ 1/8$	$41/64$	$1/32$	$31/32$.781
7/8	$1\ 5/16$	$3/4$	$1/32$	$1\ 1/8$.906
1	$1\ 1/2^{+.000}_{-.031}$	$55/64$	$3/64$	$1\ 19/64$	1.031

* FOR OTHER MATERIALS & METRIC SIZES - CONSULT FACTORY

G	CAD COMPUTER GENERATED	12-23-02
F	REDRAWN, REVISED; DWG WAS "A" SIZE	R.O.R 1-28-77
REV.	DESCRIPTION	DATE
	SEELNUT ®	9-16-53
	APM-HEXSEAL CORPORATION	3100/1

MAXIMUM AND MINIMUM MEASUREMENTS ARE STATED DIRECTLY ON EACH DIMENSION.

MAT'L: TO BE SPECIFIED

FINISH:

ENG. DWN. J. PALUMBO

CHKD.

SCALE

DWG. NO. 3100/1

THIS DRAWING COVERS PROPRIETARY ITEM AND IS THE PROPERTY OF THE APM-HEXSEAL CORPORATION. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE WRITTEN APPROVAL OF AN OFFICER OF THE APM-HEXSEAL CORPORATION.