

# TRJ Series



## Professional Tantalum Chip Capacitor



### FEATURES


- Improved reliability – 2x standard
- DCL reduced by 25% to 0.0075 CV
- Robust against higher thermo-mechanical stresses during assembly process
- CV range: 0.10-680µF / 4-50V
- 6 case sizes available
- 130 low ESR parts released
- Automotive, medical, aerospace, military and other high-end applications



SnPb termination option is not RoHS compliant.

### APPLICATIONS

- Automotive ECU
- ABS
- Airbag systems
- Avionics,
- Industrial control units




### CASE DIMENSIONS: millimeters (inches)

| Code | EIA Code | EIA Metric | L±0.20 (0.008) | W+0.20 (0.008) -0.10 (0.004) | H+0.20 (0.008) -0.10 (0.004) | W <sub>i</sub> ±0.20 (0.008) | A+0.30 (0.012) -0.20 (0.008) | S Min.       |
|------|----------|------------|----------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------|
| A    | 1206     | 3216-18    | 3.20 (0.126)   | 1.60 (0.063)                 | 1.60 (0.063)                 | 1.20 (0.047)                 | 0.80 (0.031)                 | 1.10 (0.043) |
| B    | 1210     | 3528-21    | 3.50 (0.138)   | 2.80 (0.110)                 | 1.90 (0.075)                 | 2.20 (0.087)                 | 0.80 (0.031)                 | 1.40 (0.055) |
| C    | 2312     | 6032-28    | 6.00 (0.236)   | 3.20 (0.126)                 | 2.60 (0.102)                 | 2.20 (0.087)                 | 1.30 (0.051)                 | 2.90 (0.114) |
| D    | 2917     | 7343-31    | 7.30 (0.287)   | 4.30 (0.169)                 | 2.90 (0.114)                 | 2.40 (0.094)                 | 1.30 (0.051)                 | 4.40 (0.173) |
| E    | 2917     | 7343-43    | 7.30 (0.287)   | 4.30 (0.169)                 | 4.10 (0.162)                 | 2.40 (0.094)                 | 1.30 (0.051)                 | 4.40 (0.173) |
| U    | 2924     | 7361-43    | 7.30 (0.287)   | 6.10 (0.240)                 | 4.10 (0.162)                 | 3.10 (0.120)                 | 1.30 (0.051)                 | 4.40 (0.173) |

W<sub>i</sub> dimension applies to the termination width for A dimensional area only.

### MARKING

#### A, B, C, D, E, U CASE



### HOW TO ORDER

TRJ

B

105

\*

035

R

RJ

-

Type

Case Size  
See table above

Capacitance Code  
pF code: 1st two digits represent significant figures, 3rd digit represents multiplier (number of zeros to follow)

Tolerance  
K=±10%  
M=±20%

Rated DC Voltage  
004 = 4V  
006 = 6.3V  
010 = 10V  
016 = 16V  
020 = 20V  
025 = 25V  
035 = 35V  
050 = 50V

Packaging  
R = Pure Tin 7" Reel  
S = Pure Tin 13" Reel  
A = Gold Plating 7" Reel  
B = Gold Plating 13" Reel  
H = Tin Lead 7" Reel  
(Contact Manufacturer)  
K = Tin Lead 13" Reel  
(Contact Manufacturer)  
H, K = Non RoHS

Standard Suffix  
OR

0100

Low ESR  
in mΩ

Additional characters may be added for special requirements  
V = Dry pack Option (selected codes only)

### TECHNICAL SPECIFICATIONS

|                                    |  |     |     |    |    |    |    |    |    |  |
|------------------------------------|--|-----|-----|----|----|----|----|----|----|--|
| Technical Data:                    | All technical data relate to an ambient temperature of +25°C                                   |     |     |    |    |    |    |    |    |  |
| Capacitance Range:                 | 0.10 µF to 680 µF  |     |     |    |    |    |    |    |    |  |
| Capacitance Tolerance:             | ±10%; ±20%   |     |     |    |    |    |    |    |    |  |
| Leakage Current DCL:               | 0.0075CV or 0.3µA whichever is the greater   |     |     |    |    |    |    |    |    |  |
| Rated Voltage (V <sub>R</sub> )    | ≤ +85°C:   | 4   | 6.3 | 10 | 16 | 20 | 25 | 35 | 50 |  |
| Category Voltage (V <sub>C</sub> ) | ≤ +125°C:  | 2.7 | 4   | 7  | 10 | 13 | 17 | 23 | 33 |  |
| Surge Voltage (V <sub>S</sub> )    | ≤ +85°C:   | 5.2 | 8   | 13 | 20 | 26 | 32 | 46 | 65 |  |
| Surge Voltage (V <sub>S</sub> )    | ≤ +125°C:  | 3.4 | 5   | 8  | 13 | 16 | 20 | 28 | 40 |  |
| Temperature Range:                 | -55°C to +125°C  |     |     |    |    |    |    |    |    |  |
| Reliability:                       | 0.5% per 1000 hours at 85°C, V <sub>R</sub> with 0.1Ω/V series impedance, 60% confidence level |     |     |    |    |    |    |    |    |  |
| Termination Plating:               | Sn Plating (standard), Gold and SnPb Plating upon request<br>Meets requirements of AEC-Q200    |     |     |    |    |    |    |    |    |  |



## Professional Tantalum Chip Capacitor

### CAPACITANCE AND RATED VOLTAGE RANGE (LETTER DENOTES CASE SIZE)

| Capacitance |      | Rated Voltage DC (V <sub>R</sub> ) to 85°C |                         |                                     |                           |                          |                        |                          |                        |
|-------------|------|--|-------------------------|-------------------------------------|---------------------------|--------------------------|------------------------|--------------------------|------------------------|
| μF          | Code | 4V (G)                                     | 6.3V (J)                | 10V (A)                             | 16V (C)                   | 20V (D)                  | 25V (E)                | 35V (V)                  | 50V (T)                |
| 0.10        | 104  |  |                         |                                     |                           |                          |                        | A                        |                        |
| 0.15        | 154  |  |                         |                                     |                           |                          |                        | A, A(6000)               |                        |
| 0.22        | 224  |  |                         |                                     |                           |                          |                        | A, A(6000)               | A, A(7000)             |
| 0.33        | 334  |  |                         |                                     |                           |                          |                        | A, A(6000)               | A                      |
| 0.47        | 474  |  |                         |                                     |                           |                          | A, A(7000)             | A, A(4000)               | B                      |
| 0.68        | 684  |  |                         |                                     |                           |                          | A, A(6000)             | A, A(6000)               | B, B(2000)             |
| 1.0         | 105  |  |                         |                                     | A                         | A, A(3000)               | A, A(3000)             | A, B, A(3000), B(2000)   | C, B, B(2000)          |
| 1.5         | 155  |  |                         | A                                   |                           | A, A(3000)               | A, B, A(3000)          | A, B, A(2000), B(2500)   | C, C(1500)             |
| 2.2         | 225  |  |                         | A                                   | A, A(3500)                | A, A(3000)               | A, B, A(1600), B(1200) | B, B(2000)               | C, D, C(1000), D(1200) |
| 3.3         | 335  |  |                         |                                     | A, B, A(3500)             | A, B, A(2500), B(1300)   | B, B(2000)             | B, C, D, B(1000), C(800) | C, D, C(1000), D(800)  |
| 4.7         | 475  |  |                         | A, A(2000)                          | A, B, A(2000), B(1500)    | A, B, A(1800), B(1000)   | B, B(1000)             | B, C, D, B(1500), C(600) | D, D(600)              |
| 6.8         | 685  |  |                         | A, B, A(1800)                       | A, B, C, A(1500), B(1200) | B, C, B(1000)            | B, C, B(1000), C(600)  | C, D, C(600)             | D                      |
| 10          | 106  |  | A, B, A(1500)           | A, B, A(1800), B(800)               | B, C, B(800)              | B, C, B(1000), C(500)    | C, D, C(600)           | C, D, C(600), D(250,400) | E, E(300,400)          |
| 15          | 156  | B  | A, B, A(1500), B(700)   | A, B, C, A(1000), B(600)            | B, B(800)                 | B, C, D, B(500), C(400)  | C, D, C(500), D(300)   | D, D(225)                | U                      |
| 22          | 226  |  | A, B, C, A(900), B(600) | B, B(700)                           | B, C, D, B(600), C(350)   | C, D, C(400), D(150,300) | D, D(300)              | D, D(200,400)            | U                      |
| 33          | 336  | C  | B, C, B(600)            | B, C, D, B(650), C(300)             | C, C(300)                 | C, D, C(300), D(250)     | D, D(400)              | E, E(150,250)            |                        |
| 47          | 476  |  | B, C, B(500), C(250)    | C, D, C(300)                        | C, D, C(350), D(200)      | D, D(200)                | D, E, D(250), E(150)   | U, U(200)                |                        |
| 68          | 686  |  | C, C(200)               | C, C(300)                           | C, D, C(200), D(150)      | D, E, D(200), E(120,200) | U                      |                          |                        |
| 100         | 107  |  | C, C(300)               | C, D, E, C(200), D(100,150), E(100) | D, E, D(150), E(150)      | E, E(150)                | U                      |                          |                        |
| 150         | 157  |  | C, D, C(300), D(150)    | D, E, D(150), E(150)                | E, E(150)                 | U, U(250)                |                        |                          |                        |
| 220         | 227  |  | D, D(150)               | D, E, E(150)                        | U, U(200)                 |                          |                        |                          |                        |
| 330         | 337  |  | D, E, E(150)            | E, E(100)                           | U, U(200)                 |                          |                        |                          |                        |
| 470         | 477  |  | E, E(200)               | U, U(200)                           |                           |                          |                        |                          |                        |
| 680         | 687  |  | U, U(250)               |                                     |                           |                          |                        |                          |                        |

Not recommended for new designs, higher voltage or smaller case size substitution are offered.

Available Ratings, (ESR ratings in mOhms in brackets)

Engineering samples - please contact manufacturer

\*Codes under development - subject to change

Note: Voltage ratings are minimum values. AVX reserves the right to supply higher ratings in the same case size, to the same reliability standards.

# TRJ Series



## Professional Tantalum Chip Capacitor

### RATINGS & PART NUMBER REFERENCE

| AVX Part No.           | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL (µA) Max. | DF % Max. | ESR Max. (mΩ) @ 100kHz | MSL             | 100kHz RMS Current (mA) |      |       |
|------------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-----------|------------------------|-----------------|-------------------------|------|-------|
|                        |           |                  |                   |                        |                      |                           |               |           |                        |                 | 25°C                    | 85°C | 125°C |
| <b>4 Volt @ 85°C</b>   |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJB156*004#RJ         | B         | 15               | 4                 | 85                     | 2.7                  | 125                       | 0.45          | 6         | 3000                   | 1               | 168                     | 151  | 67    |
| TRJC336*004#RJ         | C         | 33               | 4                 | 85                     | 2.7                  | 125                       | 1             | 6         | 2000                   | 1               | 235                     | 211  | 94    |
| <b>6.3 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA106*006#RJ         | A         | 10               | 6.3               | 85                     | 4                    | 125                       | 0.45          | 6         | 2200                   | 1               | 185                     | 166  | 74    |
| TRJA106*006#1500       | A         | 10               | 6.3               | 85                     | 4                    | 125                       | 0.45          | 6         | 1500                   | 1               | 224                     | 201  | 89    |
| TRJB106*006#RJ         | B         | 10               | 6.3               | 85                     | 4                    | 125                       | 0.45          | 6         | 3000                   | 1               | 168                     | 151  | 67    |
| TRJA156*006#RJ         | A         | 15               | 6.3               | 85                     | 4                    | 125                       | 0.68          | 6         | 2030                   | 1               | 192                     | 173  | 77    |
| TRJA156*006#1500       | A         | 15               | 6.3               | 85                     | 4                    | 125                       | 0.68          | 6         | 1500                   | 1               | 224                     | 201  | 89    |
| TRJB156*006#RJ         | B         | 15               | 6.3               | 85                     | 4                    | 125                       | 0.68          | 6         | 2030                   | 1               | 205                     | 184  | 82    |
| TRJB156*006#0700       | B         | 15               | 6.3               | 85                     | 4                    | 125                       | 0.68          | 6         | 700                    | 1               | 348                     | 314  | 139   |
| TRJA226*006#RJ         | A         | 22               | 6.3               | 85                     | 4                    | 125                       | 0.99          | 6         | 1700                   | 1               | 210                     | 189  | 84    |
| TRJA226*006#0900       | A         | 22               | 6.3               | 85                     | 4                    | 125                       | 0.99          | 6         | 900                    | 1               | 289                     | 260  | 115   |
| TRJB226*006#RJ         | B         | 22               | 6.3               | 85                     | 4                    | 125                       | 0.99          | 6         | 1880                   | 1               | 213                     | 191  | 85    |
| TRJB226*006#0600       | B         | 22               | 6.3               | 85                     | 4                    | 125                       | 0.99          | 6         | 600                    | 1               | 376                     | 339  | 151   |
| TRJC226*006#RJ         | C         | 22               | 6.3               | 85                     | 4                    | 125                       | 0.99          | 6         | 2000                   | 1               | 235                     | 211  | 94    |
| TRJB336*006#RJ         | B         | 33               | 6.3               | 85                     | 4                    | 125                       | 1.5           | 6         | 1740                   | 1               | 221                     | 199  | 88    |
| TRJB336*006#0600       | B         | 33               | 6.3               | 85                     | 4                    | 125                       | 1.5           | 6         | 600                    | 1               | 376                     | 339  | 151   |
| TRJC336*006#RJ         | C         | 33               | 6.3               | 85                     | 4                    | 125                       | 1.5           | 6         | 1800                   | 1               | 247                     | 222  | 99    |
| TRJB476*006#RJ         | B         | 47               | 6.3               | 85                     | 4                    | 125                       | 2.1           | 6         | 1620                   | 1               | 229                     | 206  | 92    |
| TRJB476*006#0500       | B         | 47               | 6.3               | 85                     | 4                    | 125                       | 2.1           | 6         | 500                    | 1               | 412                     | 371  | 165   |
| TRJC476*006#RJ         | C         | 47               | 6.3               | 85                     | 4                    | 125                       | 2.1           | 6         | 540                    | 1               | 451                     | 406  | 181   |
| TRJC476*006#0250       | C         | 47               | 6.3               | 85                     | 4                    | 125                       | 2.1           | 6         | 250                    | 1               | 663                     | 597  | 265   |
| TRJC686*006#RJ         | C         | 68               | 6.3               | 85                     | 4                    | 125                       | 3.1           | 6         | 490                    | 1               | 474                     | 426  | 190   |
| TRJC686*006#0200       | C         | 68               | 6.3               | 85                     | 4                    | 125                       | 3.1           | 6         | 200                    | 1               | 742                     | 667  | 297   |
| TRJC107*006#RJ         | C         | 100              | 6.3               | 85                     | 4                    | 125                       | 4.5           | 6         | 440                    | 1               | 500                     | 450  | 200   |
| TRJC107*006#0300       | C         | 100              | 6.3               | 85                     | 4                    | 125                       | 4.5           | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJC157*006#RJ         | C         | 150              | 6.3               | 85                     | 4                    | 125                       | 6.8           | 8         | 500                    | 1               | 469                     | 422  | 188   |
| TRJC157*006#0300       | C         | 150              | 6.3               | 85                     | 4                    | 125                       | 6.8           | 8         | 300                    | 1               | 606                     | 545  | 242   |
| TRJD157*006#RJ         | D         | 150              | 6.3               | 85                     | 4                    | 125                       | 6.8           | 6         | 400                    | 1               | 612                     | 551  | 245   |
| TRJD157*006#0150       | D         | 150              | 6.3               | 85                     | 4                    | 125                       | 6.8           | 6         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJD227*006#RJ         | D         | 220              | 6.3               | 85                     | 4                    | 125                       | 9.9           | 8         | 360                    | 1               | 645                     | 581  | 258   |
| TRJD227*006#0150       | D         | 220              | 6.3               | 85                     | 4                    | 125                       | 9.9           | 8         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJD337*006#RJ         | D         | 330              | 6.3               | 85                     | 4                    | 125                       | 14            | 8         | 400                    | 1               | 612                     | 551  | 245   |
| TRJE337*006#RJ         | E         | 330              | 6.3               | 85                     | 4                    | 125                       | 14            | 8         | 330                    | 1 <sup>1)</sup> | 707                     | 636  | 283   |
| TRJE337*006#0150       | E         | 330              | 6.3               | 85                     | 4                    | 125                       | 14            | 8         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJE477*006#RJ         | E         | 470              | 6.3               | 85                     | 4                    | 125                       | 21            | 8         | 250                    | 1 <sup>1)</sup> | 812                     | 731  | 325   |
| TRJE477*006#0200       | E         | 470              | 6.3               | 85                     | 4                    | 125                       | 21            | 8         | 200                    | 1 <sup>1)</sup> | 908                     | 817  | 363   |
| TRJU687*006RRJV        | U         | 680              | 6.3               | 85                     | 4                    | 125                       | 30            | 30        | 500                    | 3               | 574                     | 517  | 230   |
| TRJU687*006R0250V      | U         | 680              | 6.3               | 85                     | 4                    | 125                       | 30            | 30        | 250                    | 3               | 812                     | 731  | 325   |
| <b>10 Volt @ 85°C</b>  |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA155*010#RJ         | A         | 1.5              | 10                | 85                     | 7                    | 125                       | 0.3           | 6         | 7000                   | 1               | 104                     | 93   | 41    |
| TRJA225*010#RJ         | A         | 2.2              | 10                | 85                     | 7                    | 125                       | 0.3           | 6         | 7000                   | 1               | 104                     | 93   | 41    |
| TRJA475*010#RJ         | A         | 4.7              | 10                | 85                     | 7                    | 125                       | 0.35          | 6         | 2900                   | 1               | 161                     | 145  | 64    |
| TRJA475*010#2000       | A         | 4.7              | 10                | 85                     | 7                    | 125                       | 0.35          | 6         | 2000                   | 1               | 194                     | 174  | 77    |
| TRJA685*010#RJ         | A         | 6.8              | 10                | 85                     | 7                    | 125                       | 0.51          | 6         | 2650                   | 1               | 168                     | 151  | 67    |
| TRJA685*010#1800       | A         | 6.8              | 10                | 85                     | 7                    | 125                       | 0.51          | 6         | 1800                   | 1               | 204                     | 184  | 82    |
| TRJB685*010#RJ         | B         | 6.8              | 10                | 85                     | 7                    | 125                       | 0.51          | 6         | 3000                   | 1               | 168                     | 151  | 67    |
| TRJA106*010#RJ         | A         | 10               | 10                | 85                     | 7                    | 125                       | 0.75          | 6         | 2200                   | 1               | 185                     | 166  | 74    |
| TRJA106*010#1800       | A         | 10               | 10                | 85                     | 7                    | 125                       | 0.75          | 6         | 1800                   | 1               | 204                     | 184  | 82    |
| TRJB106*010#RJ         | B         | 10               | 10                | 85                     | 7                    | 125                       | 0.75          | 6         | 2200                   | 1               | 197                     | 177  | 79    |
| TRJB106*010#0800       | B         | 10               | 10                | 85                     | 7                    | 125                       | 0.75          | 6         | 800                    | 1               | 326                     | 293  | 130   |
| TRJA156*010#RJ         | A         | 15               | 10                | 85                     | 7                    | 125                       | 1.1           | 6         | 1800                   | 1               | 204                     | 184  | 82    |
| TRJA156*010#1000       | A         | 15               | 10                | 85                     | 7                    | 125                       | 1.1           | 6         | 1000                   | 1               | 274                     | 246  | 110   |
| TRJB156*010#RJ         | B         | 15               | 10                | 85                     | 7                    | 125                       | 1.1           | 6         | 2030                   | 1               | 205                     | 184  | 82    |
| TRJB156*010#0600       | B         | 15               | 10                | 85                     | 7                    | 125                       | 1.1           | 6         | 600                    | 1               | 376                     | 339  | 151   |
| TRJC156*010#RJ         | C         | 15               | 10                | 85                     | 7                    | 125                       | 1.1           | 6         | 2000                   | 1               | 235                     | 211  | 94    |
| TRJB226*010#RJ         | B         | 22               | 10                | 85                     | 7                    | 125                       | 1.7           | 6         | 1880                   | 1               | 213                     | 191  | 85    |
| TRJB226*010#0700       | B         | 22               | 10                | 85                     | 7                    | 125                       | 1.7           | 6         | 700                    | 1               | 348                     | 314  | 139   |
| TRJB336*010#RJ         | B         | 33               | 10                | 85                     | 7                    | 125                       | 2.5           | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJB336*010#0650       | B         | 33               | 10                | 85                     | 7                    | 125                       | 2.5           | 6         | 650                    | 1               | 362                     | 325  | 145   |
| TRJC336*010#RJ         | C         | 33               | 10                | 85                     | 7                    | 125                       | 2.5           | 6         | 590                    | 1               | 432                     | 389  | 173   |
| TRJC336*010#0300       | C         | 33               | 10                | 85                     | 7                    | 125                       | 2.5           | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJD336*010#RJ         | D         | 33               | 10                | 85                     | 7                    | 125                       | 2.5           | 6         | 1100                   | 1               | 369                     | 332  | 148   |
| TRJC476*010#RJ         | C         | 47               | 10                | 85                     | 7                    | 125                       | 3.5           | 6         | 540                    | 1               | 451                     | 406  | 181   |
| TRJC476*010#0300       | C         | 47               | 10                | 85                     | 7                    | 125                       | 3.5           | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJD476*010#RJ         | D         | 47               | 10                | 85                     | 7                    | 125                       | 3.5           | 6         | 400                    | 1               | 612                     | 551  | 245   |
| TRJC686*010#RJ         | C         | 68               | 10                | 85                     | 7                    | 125                       | 5.1           | 6         | 490                    | 1               | 474                     | 426  | 190   |
| TRJC686*010#0300       | C         | 68               | 10                | 85                     | 7                    | 125                       | 5.1           | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJC107*010#RJ         | C         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 8         | 500                    | 1               | 469                     | 422  | 188   |
| TRJC107*010#0200       | C         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 8         | 200                    | 1               | 742                     | 667  | 297   |



# TRJ Series



## Professional Tantalum Chip Capacitor

### RATINGS & PART NUMBER REFERENCE

| AVX Part No.          | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL (µA) Max. | DF % Max. | ESR Max. (mΩ) @ 100kHz | MSL             | 100kHz RMS Current (mA) |      |       |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-----------|------------------------|-----------------|-------------------------|------|-------|
|                       |           |                  |                   |                        |                      |                           |               |           |                        |                 | 25°C                    | 85°C | 125°C |
| TRJD107*010#RJ        | D         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 6         | 440                    | 1               | 584                     | 525  | 234   |
| TRJD107*010#0100      | D         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 6         | 100                    | 1               | 1225                    | 1102 | 490   |
| TRJD107*010#0150      | D         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 6         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJE107*010#RJ        | E         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 6         | 440                    | 1 <sup>1)</sup> | 612                     | 551  | 245   |
| TRJE107*010#0100      | E         | 100              | 10                | 85                     | 7                    | 125                       | 7.5           | 6         | 100                    | 1 <sup>1)</sup> | 1285                    | 1156 | 514   |
| TRJD157*010#RJ        | D         | 150              | 10                | 85                     | 7                    | 125                       | 11            | 8         | 400                    | 1               | 612                     | 551  | 245   |
| TRJD157*010#0150      | D         | 150              | 10                | 85                     | 7                    | 125                       | 11            | 8         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJE157*010#RJ        | E         | 150              | 10                | 85                     | 7                    | 125                       | 11            | 8         | 400                    | 1 <sup>1)</sup> | 642                     | 578  | 257   |
| TRJE157*010#0150      | E         | 150              | 10                | 85                     | 7                    | 125                       | 11            | 8         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJD227*010#RJ        | D         | 220              | 10                | 85                     | 7                    | 125                       | 17            | 8         | 500                    | 1               | 548                     | 493  | 219   |
| TRJE227*010#RJ        | E         | 220              | 10                | 85                     | 7                    | 125                       | 17            | 8         | 360                    | 1 <sup>1)</sup> | 677                     | 609  | 271   |
| TRJE227*010#0150      | E         | 220              | 10                | 85                     | 7                    | 125                       | 17            | 8         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJE337*010#RJ        | E         | 330              | 10                | 85                     | 7                    | 125                       | 25            | 8         | 300                    | 1 <sup>1)</sup> | 742                     | 667  | 297   |
| TRJE337*010#0100      | E         | 330              | 10                | 85                     | 7                    | 125                       | 25            | 8         | 100                    | 1 <sup>1)</sup> | 1285                    | 1156 | 514   |
| TRJU477*010RRJV       | U         | 470              | 10                | 85                     | 7                    | 125                       | 35            | 30        | 400                    | 3               | 642                     | 578  | 257   |
| TRJU477*010R0200V     | U         | 470              | 10                | 85                     | 7                    | 125                       | 35            | 30        | 200                    | 3               | 908                     | 817  | 363   |
| <b>16 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA105*016#RJ        | A         | 1.0              | 16                | 85                     | 10                   | 125                       | 0.3           | 6         | 10000                  | 1               | 87                      | 78   | 35    |
| TRJA225*016#RJ        | A         | 2.2              | 16                | 85                     | 10                   | 125                       | 0.3           | 6         | 4550                   | 1               | 128                     | 116  | 51    |
| TRJA225*016#3500      | A         | 2.2              | 16                | 85                     | 10                   | 125                       | 0.3           | 6         | 3500                   | 1               | 146                     | 132  | 59    |
| TRJA335*016#RJ        | A         | 3.3              | 16                | 85                     | 10                   | 125                       | 0.4           | 6         | 3740                   | 1               | 142                     | 127  | 57    |
| TRJA335*016#3500      | A         | 3.3              | 16                | 85                     | 10                   | 125                       | 0.4           | 6         | 3500                   | 1               | 146                     | 132  | 59    |
| TRJB335*016#RJ        | B         | 3.3              | 16                | 85                     | 10                   | 125                       | 0.4           | 6         | 4500                   | 1               | 137                     | 124  | 55    |
| TRJA475*016#RJ        | A         | 4.7              | 16                | 85                     | 10                   | 125                       | 0.56          | 6         | 3160                   | 1               | 154                     | 139  | 62    |
| TRJA475*016#2000      | A         | 4.7              | 16                | 85                     | 10                   | 125                       | 0.56          | 6         | 2000                   | 1               | 194                     | 174  | 77    |
| TRJB475*016#RJ        | B         | 4.7              | 16                | 85                     | 10                   | 125                       | 0.56          | 6         | 3160                   | 1               | 164                     | 148  | 66    |
| TRJB475*016#1500      | B         | 4.7              | 16                | 85                     | 10                   | 125                       | 0.56          | 6         | 1500                   | 1               | 238                     | 214  | 95    |
| TRJA685*016#RJ        | A         | 6.8              | 16                | 85                     | 10                   | 125                       | 0.82          | 4         | 2000                   | 1               | 194                     | 174  | 77    |
| TRJA685*016#1500      | A         | 6.8              | 16                | 85                     | 10                   | 125                       | 0.82          | 4         | 1500                   | 1               | 224                     | 201  | 89    |
| TRJB685*016#RJ        | B         | 6.8              | 16                | 85                     | 10                   | 125                       | 0.82          | 6         | 2650                   | 1               | 179                     | 161  | 72    |
| TRJB685*016#1200      | B         | 6.8              | 16                | 85                     | 10                   | 125                       | 0.82          | 6         | 1200                   | 1               | 266                     | 240  | 106   |
| TRJC685*016#RJ        | C         | 6.8              | 16                | 85                     | 10                   | 125                       | 0.82          | 6         | 2500                   | 1               | 210                     | 189  | 84    |
| TRJB106*016#RJ        | B         | 10               | 16                | 85                     | 10                   | 125                       | 1.2           | 6         | 2200                   | 1               | 197                     | 177  | 79    |
| TRJB106*016#0800      | B         | 10               | 16                | 85                     | 10                   | 125                       | 1.2           | 6         | 800                    | 1               | 326                     | 293  | 130   |
| TRJC106*016#RJ        | C         | 10               | 16                | 85                     | 10                   | 125                       | 1.2           | 6         | 2000                   | 1               | 235                     | 211  | 94    |
| TRJB156*016#RJ        | B         | 15               | 16                | 85                     | 10                   | 125                       | 1.8           | 6         | 2030                   | 1               | 205                     | 184  | 82    |
| TRJB156*016#0800      | B         | 15               | 16                | 85                     | 10                   | 125                       | 1.8           | 6         | 800                    | 1               | 326                     | 293  | 130   |
| TRJB226*016#RJ        | B         | 22               | 16                | 85                     | 10                   | 125                       | 2.6           | 6         | 1100                   | 1               | 278                     | 250  | 111   |
| TRJB226*016#0600      | B         | 22               | 16                | 85                     | 10                   | 125                       | 2.6           | 6         | 600                    | 1               | 376                     | 339  | 151   |
| TRJC226*016#RJ        | C         | 22               | 16                | 85                     | 10                   | 125                       | 2.6           | 6         | 700                    | 1               | 396                     | 357  | 159   |
| TRJC226*016#0350      | C         | 22               | 16                | 85                     | 10                   | 125                       | 2.6           | 6         | 350                    | 1               | 561                     | 505  | 224   |
| TRJD226*016#RJ        | D         | 22               | 16                | 85                     | 10                   | 125                       | 2.6           | 6         | 1100                   | 1               | 369                     | 332  | 148   |
| TRJC336*016#RJ        | C         | 33               | 16                | 85                     | 10                   | 125                       | 4             | 6         | 590                    | 1               | 432                     | 389  | 173   |
| TRJC336*016#0300      | C         | 33               | 16                | 85                     | 10                   | 125                       | 4             | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJC476*016#RJ        | C         | 47               | 16                | 85                     | 10                   | 125                       | 5.6           | 6         | 540                    | 1               | 451                     | 406  | 181   |
| TRJC476*016#0350      | C         | 47               | 16                | 85                     | 10                   | 125                       | 5.6           | 6         | 350                    | 1               | 561                     | 505  | 224   |
| TRJD476*016#RJ        | D         | 47               | 16                | 85                     | 10                   | 125                       | 5.6           | 6         | 540                    | 1               | 527                     | 474  | 211   |
| TRJD476*016#0200      | D         | 47               | 16                | 85                     | 10                   | 125                       | 5.6           | 6         | 200                    | 1               | 866                     | 779  | 346   |
| TRJC686*016#RJ        | C         | 68               | 16                | 85                     | 10                   | 125                       | 8.2           | 6         | 490                    | 1               | 474                     | 426  | 190   |
| TRJC686*016#0200      | C         | 68               | 16                | 85                     | 10                   | 125                       | 8.2           | 6         | 200                    | 1               | 742                     | 667  | 297   |
| TRJD686*016#RJ        | D         | 68               | 16                | 85                     | 10                   | 125                       | 8.2           | 6         | 490                    | 1               | 553                     | 498  | 221   |
| TRJD686*016#0150      | D         | 68               | 16                | 85                     | 10                   | 125                       | 8.2           | 6         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJD107*016#RJ        | D         | 100              | 16                | 85                     | 10                   | 125                       | 12            | 6         | 440                    | 1               | 584                     | 525  | 234   |
| TRJD107*016#0150      | D         | 100              | 16                | 85                     | 10                   | 125                       | 12            | 6         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJE107*016#RJ        | E         | 100              | 16                | 85                     | 10                   | 125                       | 12            | 6         | 440                    | 1 <sup>1)</sup> | 612                     | 551  | 245   |
| TRJE107*016#0150      | E         | 100              | 16                | 85                     | 10                   | 125                       | 12            | 6         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJE157*016#RJ        | E         | 150              | 16                | 85                     | 10                   | 125                       | 16            | 6         | 300                    | 1 <sup>1)</sup> | 742                     | 667  | 297   |
| TRJE157*016#0150      | E         | 150              | 16                | 85                     | 10                   | 125                       | 16            | 6         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJU227*016RRJV       | U         | 220              | 16                | 85                     | 10                   | 125                       | 26.4          | 12        | 500                    | 3               | 574                     | 517  | 230   |
| TRJU227*016R0200V     | U         | 220              | 16                | 85                     | 10                   | 125                       | 26.4          | 12        | 200                    | 3               | 908                     | 817  | 363   |
| TRJU337*016RRJV       | U         | 330              | 16                | 85                     | 10                   | 125                       | 39            | 30        | 400                    | 3               | 642                     | 578  | 257   |
| TRJU337*016R0200V     | U         | 330              | 16                | 85                     | 10                   | 125                       | 39            | 30        | 200                    | 3               | 908                     | 817  | 363   |
| <b>20 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA105*020#RJ        | A         | 1                | 20                | 85                     | 13                   | 125                       | 0.3           | 4         | 6630                   | 1               | 106                     | 96   | 43    |
| TRJA105*020#3000      | A         | 1                | 20                | 85                     | 13                   | 125                       | 0.3           | 4         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJA155*020#RJ        | A         | 1.5              | 20                | 85                     | 13                   | 125                       | 0.3           | 6         | 5460                   | 1               | 117                     | 105  | 47    |
| TRJA155*020#3000      | A         | 1.5              | 20                | 85                     | 13                   | 125                       | 0.3           | 6         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJA225*020#RJ        | A         | 2.2              | 20                | 85                     | 13                   | 125                       | 0.33          | 6         | 4550                   | 1               | 128                     | 116  | 51    |
| TRJA225*020#3000      | A         | 2.2              | 20                | 85                     | 13                   | 125                       | 0.33          | 6         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJA335*020#RJ        | A         | 3.3              | 20                | 85                     | 13                   | 125                       | 0.5           | 6         | 3740                   | 1               | 142                     | 127  | 57    |
| TRJA335*020#2500      | A         | 3.3              | 20                | 85                     | 13                   | 125                       | 0.5           | 6         | 2500                   | 1               | 173                     | 156  | 69    |



# TRJ Series



## Professional Tantalum Chip Capacitor

### RATINGS & PART NUMBER REFERENCE

| AVX Part No.          | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL (µA) Max. | DF % Max. | ESR Max. (mΩ) @ 100kHz | MSL             | 100kHz RMS Current (mA) |      |       |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-----------|------------------------|-----------------|-------------------------|------|-------|
|                       |           |                  |                   |                        |                      |                           |               |           |                        |                 | 25°C                    | 85°C | 125°C |
| TRJB335*020#RJ        | B         | 3.3              | 20                | 85                     | 13                   | 125                       | 0.5           | 6         | 3740                   | 1               | 151                     | 136  | 60    |
| TRJB335*020#1300      | B         | 3.3              | 20                | 85                     | 13                   | 125                       | 0.5           | 6         | 1300                   | 1               | 256                     | 230  | 102   |
| TRJA475*020#RJ        | A         | 4.7              | 20                | 85                     | 13                   | 125                       | 0.71          | 5         | 2500                   | 1               | 184                     | 166  | 74    |
| TRJA475*020#1800      | A         | 4.7              | 20                | 85                     | 13                   | 125                       | 0.71          | 5         | 1800                   | 1               | 217                     | 196  | 87    |
| TRJB475*020#RJ        | B         | 4.7              | 20                | 85                     | 13                   | 125                       | 0.71          | 6         | 3160                   | 1               | 164                     | 148  | 66    |
| TRJB475*020#1000      | B         | 4.7              | 20                | 85                     | 13                   | 125                       | 0.71          | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJB685*020#RJ        | B         | 6.8              | 20                | 85                     | 13                   | 125                       | 1             | 6         | 2650                   | 1               | 179                     | 161  | 72    |
| TRJB685*020#1000      | B         | 6.8              | 20                | 85                     | 13                   | 125                       | 1             | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJC685*020#RJ        | C         | 6.8              | 20                | 85                     | 13                   | 125                       | 1             | 6         | 2000                   | 1               | 235                     | 211  | 94    |
| TRJB106*020#RJ        | B         | 10               | 20                | 85                     | 13                   | 125                       | 1.5           | 6         | 2200                   | 1               | 197                     | 177  | 79    |
| TRJB106*020#1000      | B         | 10               | 20                | 85                     | 13                   | 125                       | 1.5           | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJC106*020#RJ        | C         | 10               | 20                | 85                     | 13                   | 125                       | 1.5           | 6         | 800                    | 1               | 371                     | 334  | 148   |
| TRJC106*020#0500      | C         | 10               | 20                | 85                     | 13                   | 125                       | 1.5           | 6         | 500                    | 1               | 469                     | 422  | 188   |
| TRJB156*020#RJ        | B         | 15               | 20                | 85                     | 13                   | 125                       | 2.3           | 6         | 1400                   | 1               | 280                     | 252  | 112   |
| TRJB156*020#0500      | B         | 15               | 20                | 85                     | 13                   | 125                       | 2.3           | 6         | 500                    | 1               | 469                     | 422  | 188   |
| TRJC156*020#RJ        | C         | 15               | 20                | 85                     | 13                   | 125                       | 2.3           | 6         | 720                    | 1               | 391                     | 352  | 156   |
| TRJC156*020#0400      | C         | 15               | 20                | 85                     | 13                   | 125                       | 2.3           | 6         | 400                    | 1               | 524                     | 472  | 210   |
| TRJD156*020#RJ        | D         | 15               | 20                | 85                     | 13                   | 125                       | 2.3           | 6         | 1100                   | 1               | 369                     | 332  | 148   |
| TRJC226*020#RJ        | C         | 22               | 20                | 85                     | 13                   | 125                       | 3.3           | 6         | 650                    | 1               | 411                     | 370  | 165   |
| TRJC226*020#0400      | C         | 22               | 20                | 85                     | 13                   | 125                       | 3.3           | 6         | 400                    | 1               | 524                     | 472  | 210   |
| TRJD226*020#RJ        | D         | 22               | 20                | 85                     | 13                   | 125                       | 3.3           | 6         | 650                    | 1               | 480                     | 432  | 192   |
| TRJD226*020#0150      | D         | 22               | 20                | 85                     | 13                   | 125                       | 3.3           | 6         | 150                    | 1               | 1000                    | 900  | 400   |
| TRJD226*020#0300      | D         | 22               | 20                | 85                     | 13                   | 125                       | 3.3           | 6         | 300                    | 1               | 707                     | 636  | 283   |
| TRJC336*020#RJ        | C         | 33               | 20                | 85                     | 13                   | 125                       | 5             | 6         | 590                    | 1               | 432                     | 389  | 173   |
| TRJC336*020#0300      | C         | 33               | 20                | 85                     | 13                   | 125                       | 5             | 6         | 300                    | 1               | 606                     | 545  | 242   |
| TRJD336*020#RJ        | D         | 33               | 20                | 85                     | 13                   | 125                       | 5             | 6         | 590                    | 1               | 504                     | 454  | 202   |
| TRJD336*020#0250      | D         | 33               | 20                | 85                     | 13                   | 125                       | 5             | 6         | 250                    | 1               | 775                     | 697  | 310   |
| TRJD476*020#RJ        | D         | 47               | 20                | 85                     | 13                   | 125                       | 7.1           | 6         | 540                    | 1               | 527                     | 474  | 211   |
| TRJD476*020#0200      | D         | 47               | 20                | 85                     | 13                   | 125                       | 7.1           | 6         | 200                    | 1               | 866                     | 779  | 346   |
| TRJD686*020#RJ        | D         | 68               | 20                | 85                     | 13                   | 125                       | 10            | 6         | 490                    | 1               | 553                     | 498  | 221   |
| TRJD686*020#0200      | D         | 68               | 20                | 85                     | 13                   | 125                       | 10            | 6         | 200                    | 1               | 866                     | 779  | 346   |
| TRJE686*020#RJ        | E         | 68               | 20                | 85                     | 13                   | 125                       | 10            | 6         | 490                    | 1 <sup>1)</sup> | 580                     | 522  | 232   |
| TRJE686*020#0120      | E         | 68               | 20                | 85                     | 13                   | 125                       | 10            | 6         | 120                    | 1 <sup>1)</sup> | 1173                    | 1055 | 469   |
| TRJE686*020#0200      | E         | 68               | 20                | 85                     | 13                   | 125                       | 10            | 6         | 200                    | 1 <sup>1)</sup> | 908                     | 817  | 363   |
| TRJE107*020#RJ        | E         | 100              | 20                | 85                     | 13                   | 125                       | 15            | 6         | 300                    | 1 <sup>1)</sup> | 742                     | 667  | 297   |
| TRJE107*020#0150      | E         | 100              | 20                | 85                     | 13                   | 125                       | 15            | 6         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJU157*020RRJV       | U         | 150              | 20                | 85                     | 13                   | 125                       | 22            | 30        | 500                    | 3               | 574                     | 517  | 230   |
| TRJU157*020R0250V     | U         | 150              | 20                | 85                     | 13                   | 125                       | 22            | 30        | 250                    | 3               | 812                     | 731  | 325   |
| <b>25 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA474*025#RJ        | A         | 0.47             | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 9530                   | 1               | 89                      | 80   | 35    |
| TRJA474*025#7000      | A         | 0.47             | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 7000                   | 1               | 104                     | 93   | 41    |
| TRJA684*025#RJ        | A         | 0.68             | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 7980                   | 1               | 97                      | 87   | 39    |
| TRJA684*025#6000      | A         | 0.68             | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 6000                   | 1               | 112                     | 101  | 45    |
| TRJA105*025#RJ        | A         | 1                | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 6630                   | 1               | 106                     | 96   | 43    |
| TRJA105*025#3000      | A         | 1                | 25                | 85                     | 17                   | 125                       | 0.3           | 4         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJA155*025#RJ        | A         | 1.5              | 25                | 85                     | 17                   | 125                       | 0.3           | 6         | 5460                   | 1               | 117                     | 105  | 47    |
| TRJA155*025#3000      | A         | 1.5              | 25                | 85                     | 17                   | 125                       | 0.3           | 6         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJB155*025#RJ        | B         | 1.5              | 25                | 85                     | 17                   | 125                       | 0.3           | 6         | 5000                   | 1               | 130                     | 117  | 52    |
| TRJA225*025#RJ        | A         | 2.2              | 25                | 85                     | 17                   | 125                       | 0.41          | 6         | 2900                   | 1               | 161                     | 145  | 64    |
| TRJA225*025#1600      | A         | 2.2              | 25                | 85                     | 17                   | 125                       | 0.41          | 6         | 1600                   | 1               | 217                     | 195  | 87    |
| TRJB225*025#RJ        | B         | 2.2              | 25                | 85                     | 17                   | 125                       | 0.41          | 6         | 4550                   | 1               | 137                     | 123  | 55    |
| TRJB225*025#1200      | B         | 2.2              | 25                | 85                     | 17                   | 125                       | 0.41          | 6         | 1200                   | 1               | 266                     | 240  | 106   |
| TRJB335*025#RJ        | B         | 3.3              | 25                | 85                     | 17                   | 125                       | 0.62          | 6         | 3740                   | 1               | 151                     | 136  | 60    |
| TRJB335*025#2000      | B         | 3.3              | 25                | 85                     | 17                   | 125                       | 0.62          | 6         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJB475*025#RJ        | B         | 4.7              | 25                | 85                     | 17                   | 125                       | 0.88          | 6         | 3160                   | 1               | 164                     | 148  | 66    |
| TRJB475*025#1000      | B         | 4.7              | 25                | 85                     | 17                   | 125                       | 0.88          | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJB685*025#RJ        | B         | 6.8              | 25                | 85                     | 17                   | 125                       | 1.3           | 6         | 1500                   | 1               | 238                     | 214  | 95    |
| TRJB685*025#1000      | B         | 6.8              | 25                | 85                     | 17                   | 125                       | 1.3           | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJC685*025#RJ        | C         | 6.8              | 25                | 85                     | 17                   | 125                       | 1.3           | 6         | 1070                   | 1               | 321                     | 289  | 128   |
| TRJC685*025#0600      | C         | 6.8              | 25                | 85                     | 17                   | 125                       | 1.3           | 6         | 600                    | 1               | 428                     | 385  | 171   |
| TRJC106*025#RJ        | C         | 10               | 25                | 85                     | 17                   | 125                       | 1.9           | 6         | 800                    | 1               | 371                     | 334  | 148   |
| TRJC106*025#0600      | C         | 10               | 25                | 85                     | 17                   | 125                       | 1.9           | 6         | 600                    | 1               | 428                     | 385  | 171   |
| TRJD106*025#RJ        | D         | 10               | 25                | 85                     | 17                   | 125                       | 1.9           | 6         | 1200                   | 1               | 354                     | 318  | 141   |
| TRJC156*025#RJ        | C         | 15               | 25                | 85                     | 17                   | 125                       | 2.8           | 6         | 720                    | 1               | 391                     | 352  | 156   |
| TRJC156*025#0500      | C         | 15               | 25                | 85                     | 17                   | 125                       | 2.8           | 6         | 500                    | 1               | 469                     | 422  | 188   |
| TRJD156*025#RJ        | D         | 15               | 25                | 85                     | 17                   | 125                       | 2.8           | 6         | 720                    | 1               | 456                     | 411  | 183   |
| TRJD156*025#0300      | D         | 15               | 25                | 85                     | 17                   | 125                       | 2.8           | 6         | 300                    | 1               | 707                     | 636  | 283   |
| TRJD226*025#RJ        | D         | 22               | 25                | 85                     | 17                   | 125                       | 4.1           | 6         | 650                    | 1               | 480                     | 432  | 192   |
| TRJD226*025#0300      | D         | 22               | 25                | 85                     | 17                   | 125                       | 4.1           | 6         | 300                    | 1               | 707                     | 636  | 283   |
| TRJD336*025#RJ        | D         | 33               | 25                | 85                     | 17                   | 125                       | 6.2           | 6         | 590                    | 1               | 504                     | 454  | 202   |
| TRJD336*025#0400      | D         | 33               | 25                | 85                     | 17                   | 125                       | 6.2           | 6         | 400                    | 1               | 612                     | 551  | 245   |





# TRJ Series



## Professional Tantalum Chip Capacitor

### RATINGS & PART NUMBER REFERENCE

| AVX Part No.          | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL (µA) Max. | DF % Max. | ESR Max. (mΩ) @ 100kHz | MSL             | 100kHz RMS Current (mA) |      |       |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-----------|------------------------|-----------------|-------------------------|------|-------|
|                       |           |                  |                   |                        |                      |                           |               |           |                        |                 | 25°C                    | 85°C | 125°C |
| TRJD476*025#RJ        | D         | 47               | 25                | 85                     | 17                   | 125                       | 8.8           | 6         | 540                    | 1               | 527                     | 474  | 211   |
| TRJD476*025#0250      | D         | 47               | 25                | 85                     | 17                   | 125                       | 8.8           | 6         | 250                    | 1               | 775                     | 697  | 310   |
| TRJE476*025#RJ        | E         | 47               | 25                | 85                     | 17                   | 125                       | 8.8           | 6         | 540                    | 1 <sup>1)</sup> | 553                     | 497  | 221   |
| TRJE476*025#0150      | E         | 47               | 25                | 85                     | 17                   | 125                       | 8.8           | 6         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJU686*025RRJV       | U         | 68               | 25                | 85                     | 17                   | 125                       | 12            | 30        | 500                    | 3               | 574                     | 517  | 230   |
| TRJU107*025RRJV       | U         | 100              | 25                | 85                     | 17                   | 125                       | 18            | 30        | 500                    | 3               | 574                     | 517  | 230   |
| <b>35 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA104*035#RJ        | A         | 0.1              | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 20000                  | 1               | 61                      | 55   | 24    |
| TRJA154*035#RJ        | A         | 0.15             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 16470                  | 1               | 67                      | 61   | 27    |
| TRJA154*035#6000      | A         | 0.15             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 6000                   | 1               | 112                     | 101  | 45    |
| TRJA224*035#RJ        | A         | 0.22             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 13710                  | 1               | 74                      | 67   | 30    |
| TRJA224*035#6000      | A         | 0.22             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 6000                   | 1               | 112                     | 101  | 45    |
| TRJA334*035#RJ        | A         | 0.33             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 11280                  | 1               | 82                      | 73   | 33    |
| TRJA334*035#6000      | A         | 0.33             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 6000                   | 1               | 112                     | 101  | 45    |
| TRJA474*035#RJ        | A         | 0.47             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 9530                   | 1               | 89                      | 80   | 35    |
| TRJA474*035#4000      | A         | 0.47             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 4000                   | 1               | 137                     | 123  | 55    |
| TRJA684*035#RJ        | A         | 0.68             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 7980                   | 1               | 97                      | 87   | 39    |
| TRJA684*035#6000      | A         | 0.68             | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 6000                   | 1               | 112                     | 101  | 45    |
| TRJA105*035#RJ        | A         | 1                | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 6630                   | 1               | 106                     | 96   | 43    |
| TRJA105*035#3000      | A         | 1                | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 3000                   | 1               | 158                     | 142  | 63    |
| TRJB105*035#RJ        | B         | 1                | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 3400                   | 1               | 158                     | 142  | 63    |
| TRJB105*035#2000      | B         | 1                | 35                | 85                     | 23                   | 125                       | 0.3           | 4         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJA155*035#RJ        | A         | 1.5              | 35                | 85                     | 23                   | 125                       | 0.39          | 6         | 3100                   | 1               | 166                     | 149  | 66    |
| TRJA155*035#2000      | A         | 1.5              | 35                | 85                     | 23                   | 125                       | 0.39          | 6         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJB155*035#RJ        | B         | 1.5              | 35                | 85                     | 23                   | 125                       | 0.39          | 6         | 5460                   | 1               | 125                     | 112  | 50    |
| TRJB155*035#2500      | B         | 1.5              | 35                | 85                     | 23                   | 125                       | 0.39          | 6         | 2500                   | 1               | 184                     | 166  | 74    |
| TRJB225*035#RJ        | B         | 2.2              | 35                | 85                     | 23                   | 125                       | 0.58          | 6         | 4550                   | 1               | 137                     | 123  | 55    |
| TRJB225*035#2000      | B         | 2.2              | 35                | 85                     | 23                   | 125                       | 0.58          | 6         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJB335*035#RJ        | B         | 3.3              | 35                | 85                     | 23                   | 125                       | 0.87          | 6         | 3740                   | 1               | 151                     | 136  | 60    |
| TRJB335*035#1000      | B         | 3.3              | 35                | 85                     | 23                   | 125                       | 0.87          | 6         | 1000                   | 1               | 292                     | 262  | 117   |
| TRJC335*035#RJ        | C         | 3.3              | 35                | 85                     | 23                   | 125                       | 0.87          | 6         | 1840                   | 1               | 245                     | 220  | 98    |
| TRJC335*035#0800      | C         | 3.3              | 35                | 85                     | 23                   | 125                       | 0.87          | 6         | 800                    | 1               | 371                     | 334  | 148   |
| TRJD335*035#RJ        | D         | 3.3              | 35                | 85                     | 23                   | 125                       | 0.87          | 6         | 2000                   | 1               | 274                     | 246  | 110   |
| TRJB475*035#RJ        | B         | 4.7              | 35                | 85                     | 23                   | 125                       | 1.2           | 6         | 2200                   | 1               | 224                     | 201  | 89    |
| TRJB475*035#1500      | B         | 4.7              | 35                | 85                     | 23                   | 125                       | 1.2           | 6         | 1500                   | 1               | 271                     | 244  | 108   |
| TRJC475*035#RJ        | C         | 4.7              | 35                | 85                     | 23                   | 125                       | 1.2           | 6         | 1410                   | 1               | 279                     | 251  | 112   |
| TRJC475*035#0600      | C         | 4.7              | 35                | 85                     | 23                   | 125                       | 1.2           | 6         | 600                    | 1               | 428                     | 385  | 171   |
| TRJD475*035#RJ        | D         | 4.7              | 35                | 85                     | 23                   | 125                       | 1.2           | 6         | 1500                   | 1               | 316                     | 285  | 126   |
| TRJC685*035#RJ        | C         | 6.8              | 35                | 85                     | 23                   | 125                       | 1.8           | 6         | 1070                   | 1               | 321                     | 289  | 128   |
| TRJC685*035#0600      | C         | 6.8              | 35                | 85                     | 23                   | 125                       | 1.8           | 6         | 600                    | 1               | 428                     | 385  | 171   |
| TRJD685*035#RJ        | D         | 6.8              | 35                | 85                     | 23                   | 125                       | 1.8           | 6         | 1300                   | 1               | 340                     | 306  | 136   |
| TRJC106*035#RJ        | C         | 10               | 35                | 85                     | 23                   | 125                       | 2.6           | 6         | 800                    | 1               | 371                     | 334  | 148   |
| TRJC106*035#0600      | C         | 10               | 35                | 85                     | 23                   | 125                       | 2.6           | 6         | 600                    | 1               | 428                     | 385  | 171   |
| TRJD106*035#RJ        | D         | 10               | 35                | 85                     | 23                   | 125                       | 2.6           | 6         | 800                    | 1               | 433                     | 390  | 173   |
| TRJD106*035#0250      | D         | 10               | 35                | 85                     | 23                   | 125                       | 2.6           | 6         | 250                    | 1               | 775                     | 697  | 310   |
| TRJD106*035#0400      | D         | 10               | 35                | 85                     | 23                   | 125                       | 2.6           | 6         | 400                    | 1               | 612                     | 551  | 245   |
| TRJD156*035#RJ        | D         | 15               | 35                | 85                     | 23                   | 125                       | 3.9           | 6         | 720                    | 1               | 456                     | 411  | 183   |
| TRJD156*035#0225      | D         | 15               | 35                | 85                     | 23                   | 125                       | 3.9           | 6         | 225                    | 1               | 816                     | 735  | 327   |
| TRJD226*035#RJ        | D         | 22               | 35                | 85                     | 23                   | 125                       | 5.8           | 6         | 650                    | 1               | 480                     | 432  | 192   |
| TRJD226*035#0200      | D         | 22               | 35                | 85                     | 23                   | 125                       | 5.8           | 6         | 200                    | 1               | 866                     | 779  | 346   |
| TRJD226*035#0400      | D         | 22               | 35                | 85                     | 23                   | 125                       | 5.8           | 6         | 400                    | 1               | 612                     | 551  | 245   |
| TRJE336*035#RJ        | E         | 33               | 35                | 85                     | 23                   | 125                       | 8.7           | 6         | 590                    | 1 <sup>1)</sup> | 529                     | 476  | 212   |
| TRJE336*035#0150      | E         | 33               | 35                | 85                     | 23                   | 125                       | 8.7           | 6         | 150                    | 1 <sup>1)</sup> | 1049                    | 944  | 420   |
| TRJE336*035#0250      | E         | 33               | 35                | 85                     | 23                   | 125                       | 8.7           | 6         | 250                    | 1 <sup>1)</sup> | 812                     | 731  | 325   |
| TRJU476*035RRJV       | U         | 47               | 35                | 85                     | 23                   | 125                       | 12.3          | 10        | 400                    | 3               | 642                     | 578  | 257   |
| TRJU476*035R0200V     | U         | 47               | 35                | 85                     | 23                   | 125                       | 12.3          | 10        | 200                    | 3               | 908                     | 8.17 | 363   |
| <b>50 Volt @ 85°C</b> |           |                  |                   |                        |                      |                           |               |           |                        |                 |                         |      |       |
| TRJA224*050#RJ        | A         | 0.22             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 7500                   | 1               | 100                     | 90   | 40    |
| TRJA224*050#7000      | A         | 0.22             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 7000                   | 1               | 104                     | 93   | 41    |
| TRJA334*050#RJ        | A         | 0.33             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 7000                   | 1               | 104                     | 93   | 41    |
| TRJB474*050#RJ        | B         | 0.47             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 5000                   | 1               | 130                     | 117  | 52    |
| TRJB684*050#RJ        | B         | 0.68             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 4000                   | 1               | 146                     | 131  | 58    |
| TRJB684*050#2000      | B         | 0.68             | 50                | 85                     | 33                   | 125                       | 0.3           | 4         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJB105*050#RJ        | B         | 1                | 50                | 85                     | 33                   | 125                       | 0.4           | 4         | 3400                   | 1               | 158                     | 142  | 63    |
| TRJB105*050#2000      | B         | 1                | 50                | 85                     | 33                   | 125                       | 0.4           | 4         | 2000                   | 1               | 206                     | 186  | 82    |
| TRJC105*050#RJ        | C         | 1                | 50                | 85                     | 33                   | 125                       | 0.4           | 4         | 3000                   | 1               | 191                     | 172  | 77    |
| TRJC155*050#RJ        | C         | 1.5              | 50                | 85                     | 33                   | 125                       | 0.6           | 6         | 2500                   | 1               | 210                     | 189  | 84    |
| TRJC155*050#1500      | C         | 1.5              | 50                | 85                     | 33                   | 125                       | 0.6           | 6         | 1500                   | 1               | 271                     | 244  | 108   |
| TRJC225*050#RJ        | C         | 2.2              | 50                | 85                     | 33                   | 125                       | 0.8           | 6         | 1700                   | 1               | 254                     | 229  | 102   |
| TRJC225*050#1000      | C         | 2.2              | 50                | 85                     | 33                   | 125                       | 0.8           | 6         | 1000                   | 1               | 332                     | 298  | 133   |
| TRJD225*050#RJ        | D         | 2.2              | 50                | 85                     | 33                   | 125                       | 0.8           | 4.5       | 2000                   | 1               | 274                     | 246  | 110   |



### RATINGS & PART NUMBER REFERENCE

| AVX Part No.     | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL (µA) Max. | DF % Max. | ESR Max. (mΩ) @ 100kHz | MSL             | 100kHz RMS Current (mA) |      |       |
|------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-----------|------------------------|-----------------|-------------------------|------|-------|
|                  |           |                  |                   |                        |                      |                           |               |           |                        |                 | 25°C                    | 85°C | 125°C |
| TRJD225*050#1200 | D         | 2.2              | 50                | 85                     | 33                   | 125                       | 0.8           | 4.5       | 1200                   | 1               | 354                     | 318  | 141   |
| TRJC335*050#RJ   | C         | 3.3              | 50                | 85                     | 33                   | 125                       | 1.2           | 6         | 1400                   | 1               | 280                     | 252  | 112   |
| TRJC335*050#1000 | C         | 3.3              | 50                | 85                     | 33                   | 125                       | 1.2           | 6         | 1000                   | 1               | 332                     | 298  | 133   |
| TRJD335*050#RJ   | D         | 3.3              | 50                | 85                     | 33                   | 125                       | 1.2           | 4.5       | 1100                   | 1               | 369                     | 332  | 148   |
| TRJD335*050#0800 | D         | 3.3              | 50                | 85                     | 33                   | 125                       | 1.2           | 4.5       | 800                    | 1               | 433                     | 390  | 173   |
| TRJD475*050#RJ   | D         | 4.7              | 50                | 85                     | 33                   | 125                       | 1.8           | 4.5       | 900                    | 1               | 408                     | 367  | 163   |
| TRJD475*050#0600 | D         | 4.7              | 50                | 85                     | 33                   | 125                       | 1.8           | 4.5       | 600                    | 1               | 500                     | 450  | 200   |
| TRJD685*050#RJ   | D         | 6.8              | 50                | 85                     | 33                   | 125                       | 2.6           | 4.5       | 700                    | 1               | 463                     | 417  | 185   |
| TRJE106*050#RJ   | E         | 10               | 50                | 85                     | 33                   | 125                       | 3.8           | 4.5       | 700                    | 1 <sup>1)</sup> | 486                     | 437  | 194   |
| TRJE106*050#0300 | E         | 10               | 50                | 85                     | 33                   | 125                       | 3.8           | 4.5       | 300                    | 1 <sup>1)</sup> | 742                     | 667  | 297   |
| TRJE106*050#0400 | E         | 10               | 50                | 85                     | 33                   | 125                       | 3.8           | 4.5       | 400                    | 1 <sup>1)</sup> | 642                     | 578  | 257   |
| TRJU156*050RRJV  | U         | 15               | 50                | 85                     | 33                   | 125                       | 5.6           | 30        | 500                    | 3               | 574                     | 517  | 230   |
| TRJU226*050RRJV  | U         | 22               | 50                | 85                     | 33                   | 125                       | 8.2           | 30        | 500                    | 3               | 574                     | 517  | 230   |

<sup>1)</sup> Dry pack option (see How to order) recommended for reduction of stress during soldering. Dry pack parts should be treated as MSL 3.

Moisture Sensitivity Level (MSL) is defined according to J-STD-020.

All technical data relates to an ambient temperature of +25°C. Capacitance and DF are measured at 120Hz, 0.5V RMS with a maximum DC bias of 2.2 volts. DCL is measured at rated voltage after 5 minutes.

The EIA & CECC standards for low ESR Solid Tantalum Capacitors allow an ESR movement to 1.25 times catalogue limit post mounting.

For typical weight and composition see page 202.

**NOTE: AVX reserves the right to supply a higher voltage rating or tighter tolerance part in the same case size, to the same reliability standards.**

### QUALIFICATION TABLE

| TEST                  | TRJ professional series (Temperature range -55°C to +125°C)  |               |               |                    |                              |           |            |            |            |            |  |
|-----------------------|--|---------------|---------------|--------------------|------------------------------|-----------|------------|------------|------------|------------|--|
|                       | Condition  |               |               | Characteristics    |                              |           |            |            |            |            |  |
| Endurance             | Determine after application of rated voltage for 2000 +48/-0 hours at 85±2°C and then leaving 1-2 hours at room temperature. Also determine of 125°C temperature, category voltage for 2000 +48/-0 hours and then leaving 1-2 hours at room temperature. Power supply impedance to be ≤0.1Ω/V. |               |               | Visual examination | no visible damage            |           |            |            |            |            |  |
|                       |  |               |               | DCL                | 1.25 x initial limit         |           |            |            |            |            |  |
|                       |  |               |               | ΔC/C               | within ±10% of initial value |           |            |            |            |            |  |
|                       |  |               |               | DF                 | initial limit                |           |            |            |            |            |  |
|                       |  |               |               | ESR                | 1.25 x initial limit         |           |            |            |            |            |  |
| Storage Life          | 125°C, 0V, 2000h   |               |               | Visual examination | no visible damage            |           |            |            |            |            |  |
|                       |  |               |               | DCL                | 1.25 x initial limit         |           |            |            |            |            |  |
|                       |  |               |               | ΔC/C               | within ±10% of initial value |           |            |            |            |            |  |
|                       |  |               |               | DF                 | initial limit                |           |            |            |            |            |  |
|                       |  |               |               | ESR                | 1.25 x initial limit         |           |            |            |            |            |  |
| Humidity              | Determine after storage without applied voltage at 65±2°C and 95±2% relative humidity for 500 hours and then recovery 1-2 hours at room temperature.   |               |               | Visual examination | no visible damage            |           |            |            |            |            |  |
|                       |  |               |               | DCL                | 1.5 x initial limit          |           |            |            |            |            |  |
|                       |  |               |               | ΔC/C               | within ±10% of initial value |           |            |            |            |            |  |
|                       |  |               |               | DF                 | 1.2 x initial limit          |           |            |            |            |            |  |
|                       |  |               |               | ESR                | 1.25 x initial limit         |           |            |            |            |            |  |
| Biased Humidity       | Determine after leaving for 1000 hours at 85±2°C, 85% relative humidity and rated voltage and then recovery 1-2 hours at room temperature.   |               |               | Visual examination | no visible damage            |           |            |            |            |            |  |
|                       |  |               |               | DCL                | 2 x initial limit            |           |            |            |            |            |  |
|                       |  |               |               | ΔC/C               | within ±10% of initial value |           |            |            |            |            |  |
|                       |  |               |               | DF                 | 1.2 x initial limit          |           |            |            |            |            |  |
|                       |  |               |               | ESR                | 1.25 x initial limit         |           |            |            |            |            |  |
| Temperature Stability | Step   | Temperature°C | Duration(min) |                    | +20°C                        | -55°C     | +20°C      | +85°C      | +125°C     | +20°C      |  |
|                       | 1  | +20±2         | 15            | DCL                | IL*                          | n/a       | IL*        | 10 x IL*   | 12.5 x IL* | IL*        |  |
|                       | 2  | -55+0/-3      | 15            | ΔC/C               | n/a                          | +0/-10%   | ±5%        | +10/-0%    | +12/-0%    | ±5%        |  |
|                       | 3  | +20±2         | 15            | DF                 | IL*                          | 1.5 x IL* | IL*        | 1.5 x IL*  | 2 x IL*    | IL*        |  |
|                       | 4  | +85+3/-0      | 15            |                    |                              |           |            |            |            |            |  |
|                       | 5  | +125+3/-0     | 15            | ESR                | 1.25 x IL*                   | 2.5 x IL* | 1.25 x IL* | 1.25 x IL* | 1.25 x IL* | 1.25 x IL* |  |
| Surge Voltage         | Test temperature: 125°C±3/0°C<br>Test voltage: Category voltage at 125°C<br>Surge voltage: 1.3 x category voltage at 125°C<br>Series protection resistance 1000±100Ω<br>Discharge resistance: 1000Ω<br>Number of cycles: 1000x<br>Cycle duration: 6 min; 30 sec charge, 5 min 30 sec discharge |               |               | Visual examination | no visible damage            |           |            |            |            |            |  |
|                       |  |               |               | DCL                | initial limit                |           |            |            |            |            |  |
|                       |  |               |               | ΔC/C               | within ±5% of initial value  |           |            |            |            |            |  |
|                       |  |               |               | DF                 | initial limit                |           |            |            |            |            |  |
|                       |  |               |               | ESR                | 1.25 x initial limit         |           |            |            |            |            |  |

\*Initial Limit