



Automotive Recommended Part List (ARPL) Updated: 06-Nov-2017

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8028	-40C to 125C	High Performance RRIO	10-MINI_SO-N/A	AD8028WARMZ-R7	001
	AD8040	-40C to 125C	Quad Low Power R-R I/O Amp.	14-TSSOP_4.4-4.4_MM	AD8040WARUZ-REEL7	002
	AD8065	-40C to 105C	1X 145MHz FastFET amp lw noise, 5V-24V	5-SOT_23-N/A	AD8065WARTZ-R7	003
	AD8132	-40C to 125C	Low Power Diff amp, Hgh BW, fst slw	8-MINI_SO-N/A	AD8132WARMZ-R7	004
	AD8137	-40C to 125C	Low Power Diff ADC Driver	8-LFCSP-3X3X0.75	AD8137WYCPZ-R7	005
	AD8145	-40C to 105C	3X diff-sngl end vid rcvr amp hgh CMRR	32-LFCSP-5X5X0.75	AD8145WYCPZ-R7	006
	AD8202	-40C to 150C	High Cmn mode Vltg Diff Amp DIE	0-CHIP-N/A	AD8202W-KGD-R7	007
		-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ	008
		-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ-RL	009
		-40C to 125C	High Cmn mode Vltg Diff Amp (die only)	0-CHIP-N/A	AD8202WYC-P7	010
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ	011
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ-RL	012
	AD8205	-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ	013
		-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ-RL	014
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ	015
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-R7	016
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-RL	017
	AD8206	-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ	018
		-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ-RL	019
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ	020
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-R7	021
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-RL	022
	AD8207	-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ	023
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-R7	024
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-RL	025
	AD8208	-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ	026
		-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ-RL	027
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ	028
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ-RL	029
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ	030
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-R7	031
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-RL	032
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ	033
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-R7	034
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-RL	035
	AD8209	-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ	036
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ-RL	037
	AD8209A	-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ	038
		-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-R7	039
		-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-RL	040

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8210	-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ	041
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-R7	042
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-RL	043
	AD8211	-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-R7	044
		-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-RL	045
	AD8212	-40C to 125C	High Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ	046
		-40C to 125C	High Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-R7	047
		-40C to 125C	High Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-RL	048
	AD8213	-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ	049
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-R7	050
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-RL	051
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ	052
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-R7	053
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-RL	054
	AD8214	-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ	055
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-R7	056
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-RL	057
	AD8215	-40C to 125C	High Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ	058
		-40C to 125C	High Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-R7	059
		-40C to 125C	High Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-RL	060
	AD8216	-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ	061
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-R7	062
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-RL	063
	AD8220	-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ	064
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-R7	065
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-RL	066
	AD8231	-40C to 125C	Low Volt Low Drift Signal Condition Amp	16-LFCSP-4X4X0.75	AD8231WACPZ-RL	067
	AD8417	-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ	068
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ-RL	069
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ	070
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ-RL	071
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ	072
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ-RL	073
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ	074
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ-RL	075
	AD8418	-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ	076
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ-RL	077
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ	078
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ-RL	079
	AD8418A	-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ	080

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8418A	-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ-RL	081
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ	082
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ-RL	083
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ	084
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ-RL	085
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ	086
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ-RL	087
	AD8538	-40C to 125C	Single Low Power AutoZero Amp	5-TSOT-N/A	AD8538WAUJZ-R7	088
	AD8544	-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-R7	089
		-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-RL	090
	AD8601	-40C to 125C	Single, Lw Cst, 8MHz, RR1	5-SOT_23-N/A	AD8601WARTZ-R7	091
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WARTZ-RL	092
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL	093
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL7	094
	AD8602	-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-R7	095
		-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-RL	096
	AD8617	-40C to 125C	2X,MicronPower, Lw Cst, RR10, 5V OpAmp	8-MINI_SO-N/A	AD8617WARMZ-REEL	097
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-R7	098
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-RL	099
	AD8619	-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-R7	100
		-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-RL	101
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-R7	102
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-RL	103
	AD8628	-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-R7	104
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-RL	105
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-R7	106
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-RL	107
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8628WARZ-R7	108
	AD8629	-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-R7	109
		-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-RL	110
	AD8630	-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-R7	111
		-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-RL	112
	AD8639	-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ	113
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-R7	114
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-RL	115
	AD8646	-40C to 125C	Dual, 24MHz, RR10, 5V Op	8-SOIC_N-150_MIL	AD8646WARZ-R7	116
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-R7	117
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-RL	118
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-SOIC_N-150_MIL	AD8646WARZ-RL	119
	AD8648	-40C to 125C	Quad, 24MHz, RR10, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ	120

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8648	-40C to 125C	Quad, 24MHz, RRIO, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ-RL	121
	AD8655	-40C to 125C	Low Noise, R-R out, DigiTrim Cmos Op Amp	8-MINI_SO-N/A	AD8655WARMZ-RL	122
	AD8656	-40C to 125C	2X, Lw Noise, Prcsn, RRIO, 5V Op Amp	8-MINI_SO-N/A	AD8656WARMZ-REEL	123
	AD8666	-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-R7	124
		-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-RL	125
	AD8668	-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-R7	126
		-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-RL	127
	AD8691	-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-R7	128
		-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-RL	129
	AD8692	-40C to 125C	DUAL, PRECISION CMOS RAIL-RAIL OP AMP	8-MINI_SO-N/A	AD8692WARMZ-REEL	130
	AD8694	-40C to 125C	4X Lw Noise, Lw Cst, R/R Out, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8694WARUZ	131
		-40C to 125C	4X Lw Noise, Lw Cst, RRIO, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8694WARUZ-REEL	132
	ADA4096-2	-40C to 125C	30V, Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-R7	133
		-40C to 125C	30V, Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-RL	134
	ADA4432-1	-40C to 125C	High Spd Shrt Bat. Protect Video Filter	6-SOT_23-N/A	ADA4432-1WBRJZ-R7	135
		-40C to 125C	High Spd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4432-1WBPCPZ-R7	136
	ADA4830-1	-40C to 125C	HighSpd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4830-1WBPCPZ-R7	137
	ADA4830-2	-40C to 125C	High Spd 18V Shrt Bat Protected Diff AMP	16-LFCSP-3X3X0.75	ADA4830-2WBPCPZ-R7	138
	ADA4851-1	-40C to 125C	Sngl, lw cst, hgh spd 130MHz amp R/R	6-SOT_23-N/A	ADA4851-1WYRJZ-R7	139
	ADA4851-2	-40C to 125C	2X, lw cst, hgh spd amp 130MHz R/R out	8-MINI_SO-N/A	ADA4851-2WYRMZ-R7	140
	ADA4851-4	-40C to 125C	4X, lw cst, hgh spd amp 130MHz R/R out	14-TSSOP_4.4-4.4_MM	ADA4851-4WYRUZ-R7	141
	ADA4853-3	-40C to 105C	R/R OTPT Vid OpAmp w/Ultra LPDis	16-LFCSP-3X3X0.75	ADA4853-3WYCPZ-R7	142
	ADA4891-1	-40C to 125C	High Spd CMOS RR Video Amp	5-SOT_23-N/A	ADA4891-1WARJZ-R7	143
	ADA4891-2	-40C to 125C	High Spd CMOS RR Video Amp	8-MINI_SO-N/A	ADA4891-2WARMZ-R7	144
	ADA4891-4	-40C to 125C	Lw Cst CMOS High Spd RR Amp Quad	14-TSSOP_4.4-4.4_MM	ADA4891-4WARUZ-R7	145
	ADA8282	-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCPZ	146
		-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCPZ-R7	147
	Analog to Digital Converters	AD2S1205	-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ
-40C to 125C			12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ-RL	149
-40C to 125C			12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ	150
-40C to 125C			12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ-RL	151
AD2S1210		-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZ	152
		-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZRL7	153
AD7147		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1500R	154
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1RL	155
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-500R7	156
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-RL	157
AD7190		-40C to 105C	2ch UltraLow Noise 24Bit Sigma DeltaPGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ	158
		-40C to 105C	2ch UltraLow Noise 24Bit Sigma DeltaPGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ-RL	159
AD7280A		-40C to 105C	LI+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ	160

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Analog to Digital Converters	AD7280A	-40C to 105C	Li+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ-RL	161	
	AD7357	-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ	162	
		-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ-RL	163	
	AD7476A	-40C to 125C	12-Bit Low Voltage, low power ADC I.C.	8-MINI_SO-N/A	AD7476AWYRMZ	164	
		-40C to 125C	12-Bit Low Voltage, low power ADC I.C.	8-MINI_SO-N/A	AD7476AWYRMZ-RL7	165	
	AD7477A	-40C to 85C	10-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7477AWARMZ	166	
		-40C to 85C	10-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7477AWARMZ-RL	167	
	AD7478A	-40C to 85C	8-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7478AWARMZ	168	
		-40C to 85C	8-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7478AWARMZ-RL	169	
	AD7812	-40C to 105C	8 CH. 10-BIT Analog-Digital Converter	20-TSSOP_4.4-4.4_MM	AD7812WYRUZ-RL	170	
	AD7877	-40C to 85C	Touch Screen Digitizer with Dac I.C.	32-LFCSP-5X5X0.75	AD7877WACPZ-REEL7	171	
	AD7879	-40C to 85C	Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-R5	172	
		-40C to 85C	Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-RL	173	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL	174	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL7	175	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL	176	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL7	177	
	AD7887	-40C to 125C	2 CHANNEL, SERIAL 12-BIT ADC I.C.	8-MINI_SO-N/A	AD7887WARMZ	178	
		-40C to 125C	2 CHANNEL, SERIAL 12-BIT ADC I.C.	8-MINI_SO-N/A	AD7887WARMZ-RL	179	
	AD7904	-40C to 125C	8-Bit 4,CH 1 Msps Analog-Digital Conv	16-TSSOP_4.4-4.4_MM	AD7904WYRUZ-REEL7	180	
	AD7908	-40C to 125C	8-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7908WYRUZ-REEL7	181	
	AD7914	-40C to 125C	10-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7914WYRUZ-REEL7	182	
	AD7918	-40C to 125C	10-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7918WYRUZ-REEL7	183	
	AD7923	-40C to 125C	12-BIT 4,CH 200 Ksps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7923WYRUZ-REEL7	184	
	AD7924	-40C to 125C	12-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7924WYRUZ-REEL7	185	
	AD7927	-40C to 85C	12-BIT 8,CH 200 Ksps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7927WYRUZ-REEL7	186	
	AD7928	-40C to 125C	12-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7928WBRUZ-REEL	187	
	AD8284	-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ	188	
		-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ-RL	189	
	AD9203	-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZ	190	
		-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZRL7	191	
	ADAR7251	-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBCSZ	192	
		-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBCSZ-RL	193	
	ADT7311	-40C to 150C	0.5C Accurate Temp Sensor-SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ	194	
		-40C to 150C	0.5C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL	195	
		-40C to 150C	0.5C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL7	196	
	ADT7312	-55C to 175C	0.5C ACC DIGITAL TEMP SENSOR SPI I/face	0-CHIP-N/A	ADT7312WCZ-PT7	197	
	TMP36	-40C to 125C	+2.7-5.5V Vout TEMP SENSOR	5-SOT_23-N/A	ADW75001Z-0REEL7	198	
	Application Specific	AD8283	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ	199
			-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ-RL	200



Automotive Recommended Part List (ARPL) Updated: 06-Nov-2017

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Application Specific	AD8285	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ	201
		-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ-RL	202
Audio/Video Products	AD1933	-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ	203
		-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ-RL	204
	AD1934	-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ	205
		-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ-RL	206
	AD1937	-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bit Codec	64-LQFP-10X10X1.4	AD1937WBSTZ	207
		-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bit Codec	64-LQFP-10X10X1.4	AD1937WBSTZ-RL	208
	AD1938	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ	209
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ-RL	210
	AD1939	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ	211
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ-RL	212
	AD1974	-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ	213
		-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ-RL	214
	AD2401W	-40C to 105C	Single Slave Serial Audio I/Fw/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ	215
		-40C to 105C	Single Slave Serial Audio I/Fw/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ-RL	216
	AD2402W	-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ	217
		-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ-RL	218
	AD2410W	-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-5X5X0.75	AD2410WCCSZ	219
		-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-N/A	AD2410WCCSZ-RL	220
	AD8566	-40C to 85C	DUAL 16V 35mA CBCMOS AMPLIFIER	8-MINI_SO-N/A	AD8566WARMZ-REEL	221
	ADA4430-1	-40C to 125C	Low Pwr Comp Video Filter w/ULP Disable	6-SOT_23-N/A	ADA4430-1WYRTZ-R7	222
	ADA4433-1	-40C to 125C	High Spd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4433-1WBCPZ-R7	223
	ADAU1450	-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ	224
		-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ-RL	225
	ADAU1451	-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ	226
		-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ-RL	227
	ADAU1452	-40C to 105C	150 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ	228
		-40C to 105C	300 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ-RL	229
	ADAU1462	-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300	230
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300RL	231
	ADAU1466	-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300	232
		-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300RL	233
	ADAU1961	-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ	234
-40C to 105C		24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ-R7	235	
-40C to 105C		24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ-RL	236	
ADAU1962A	-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ	237	
	-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ-RL	238	
ADAU1966	-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZ	239	
	-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZRL	240	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADAU1966A	-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ	241
		-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ-RL	242
	ADAU1977	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ	243
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ-R7	244
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ-RL	245
	ADAU1978	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBPCZ	246
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBPCZ-RL	247
	ADAU1979	-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBPCZ	248
		-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBPCZ-RL	249
	ADV7171	-40C to 85C	ADVANCED NTSC/PAL ENCODER I.C.	44-MQFP-10X10X2.0(+3.2)	ADV7171WBSZ-REEL	250
	ADV7180	-40C to 125C	10-bit 4x Oversampling SDTV Decoder	40-LFCSP-6X6X0.75	ADV7180WBPCZ	251
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	40-LFCSP-6X6X0.75	ADV7180WBPCZ-REEL	252
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ	253
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ-REEL	254
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBPC32Z	255
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBPC32Z-RL	256
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z	257
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z-RL	258
	ADV7181D	-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBPCZ	259
		-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBPCZ-RL	260
	ADV7182	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBPCZ	261
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBPCZ-RL	262
	ADV7182A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBPCZ	263
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBPCZ-RL	264
	ADV7186	-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ	265
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-RL	266
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T	267
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T-RL	268
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL	269
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL-RL	270
	ADV7280	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ	271
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-M	272
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-M-RL	273
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-RL	274
	ADV7280A	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBPCZ	275
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBPCZ-M	276
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBPCZ-M-RL	277
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBPCZ-RL	278
	ADV7281	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBPCZ-M	279
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBPCZ-M-RL	280

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADV7281	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBBCPZ-MA	281
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBBCPZ-MA-RL	282
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBBCPZ	283
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBBCPZ-RL	284
	ADV7281A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M	285
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M-RL	286
	ADV7282	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBBCPZ-M	287
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBBCPZ-M-RL	288
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBBCPZ	289
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBBCPZ-RL	290
	ADV7282A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M	291
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M-RL	292
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ	293
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-RL	294
	ADV7283	-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBBCPZ	295
		-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBBCPZ-RL	296
	ADV7343	-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ	297
		-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ-RL	298
	ADV7390	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBBCPZ	299
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBBCPZ-RL	300
	ADV7391	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBBCPZ	301
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBBCPZ-RL	302
	ADV7392	-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7392WBBCPZ	303
		-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7392WBBCPZ-REEL	304
	ADV7393	-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7393WBBCPZ	305
		-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7393WBBCPZ-REEL	306
	ADV7401	-40C to 85C	10-bit HD Video Decoder w/OSD & TTX	100-LQFP-14X14X1.4	ADV7401WBSTZ-110	307
	ADV7480	-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ	308
		-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ-RL	309
	ADV7481	-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ	310
		-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ-RL	311
	ADV7482	-40C to 85C	HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ	312
-40C to 85C		HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ-RL	313	
ADV7511W	-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSWZ	314	
	-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSWZ-RL	315	
ADV7611	-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSWZ	316	
	-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSWZ-RL	317	
ADV7612	-40C to 85C	225 MHz HDMI receiver with 2 inputs	100-LQFP_EP-14X14X1.4	ADV7612WBSWZ	318	
ADV7613	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ	319	
	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P	320	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADV7613	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P-RL	321
		-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-RL	322
	ADV7680	-40C to 85C	Non HDCP Single input HDMI-RX & Apix-2 T	64-LFCSP-9X9X0.85	ADV7680WBPCZ-P	323
		-40C to 85C	Non HDCP Single input HDMI-RX & Apix-2 T	64-LFCSP-9X9X0.85	ADV7680WBPCZ-P-RL	324
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBPCZ	325
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBPCZ-RL	326
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBPCZ-RL	326
	ADV7682	-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ	327
		-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-RL	328
		-40C to 85C	Non HDCP Dual input HDMI-RX & Apix-2 TX	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-P	329
		-40C to 85C	Non HDCP Dual input HDMI-RX & Apix-2 TX	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-P-RL	330
	ADV7782	-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ	331
		-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ-RL	332
	Digital to Analog Converters	AD5122	-40C to 125C	128tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5122WBRUZ10-RL7
AD5142		-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-LFCSP-3X3X0.75	AD5142WBPCZ10-RL7	334
		-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5142WBRUZ10-RL7	335
AD5162		-40C to 125C	Dual 8-Bit SPI Digital Pot with Low TC	10-MINI_SO-N/A	AD5162WBRMZ100-RL7	336
AD5220		-40C to 85C	7-BIT RDAC WITH UP/DWN CONTROL	8-SOIC_N-150_MIL	AD5220WBRZ10-REEL7	337
AD5300		-40C to 105C	8-BIT Vout DAC I.C.	6-SOT_23-N/A	AD5300WBRTZ-RL7	338
AD5308		-40C to 105C	Octal 8-bit micropower DAC - 2.5V	16-TSSOP_4.4-4.4_MM	AD5308WARUZ-REEL7	339
AD5310		-40C to 85C	2.7-5V low power, 10-Bit Vout DAC	6-SOT_23-N/A	AD5310WBRTZ-REEL7	340
AD5312		-40C to 105C	Dual 10-bit serial input DAC	10-MINI_SO-N/A	AD5312WARMZ-REEL7	341
AD5313		-40C to 105C	Dual 10-bit serial input DAC	16-TSSOP_4.4-4.4_MM	AD5313WBRUZ-REEL7	342
AD5314		-40C to 105C	10-bit quad serial Vout DAC - low power	10-MINI_SO-N/A	AD5314WARMZ-REEL7	343
AD5453		-40C to 125C	14-bit Serial Iout DAC	8-LFCSP-3X3X0.75	AD5453WBPCZ-RL	344
AD5662		-40C to 125C	Single 16 Bit 3V/5V With Reference I.C	8-MINI_SO-N/A	AD5662WARMZ-1REEL7	345
AD7398		-40C to 125C	Quad 12bit DAC Serial In	16-TSSOP_4.4-4.4_MM	AD7398WBRUZ-RL7	346
AD8403		-40C to 125C	4-channel digital potentiometer (R-DAC)	24-SOIC_W-300_MIL	AD8403WARZ50-REEL	347
AD9740		-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL	348
		-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL7	349
ADV7125		-40C to 85C	5V Triple Video DAC, 170MHz	48-LFCSP-7X7X0.75	ADV7125WBPCZ170	350
	-40C to 85C	5V Triple Video DAC, 170MHz	48-LFCSP-7X7X0.75	ADV7125WBPCZ170-RL	351	
	-40C to 85C	5V Triple Video DAC, 170MHz	48-LQFP-7X7X1.4	ADV7125WBSTZ170	352	
	-40C to 85C	5V Triple Video DAC, 170MHz	48-LQFP-7X7X1.4	ADV7125WBSTZ170-RL	353	
Interface & Isolation	ADG3304	-40C to 85C	1.2 V - 5.5 V, 4-channel BI-DIR TRANS IC	14-TSSOP_4.4-4.4_MM	ADG3304WBRUZ-REEL	354
	ADG5412	-40C to 125C	20V Latchup Proof quad SPST	16-LFCSP-4X4X0.75	ADG5412WBPCZ-REEL7	355
		-40C to 125C	20V Latchup Proof quad SPST	16-TSSOP_4.4-4.4_MM	ADG5412WBRUZ-REEL7	356
	ADM101E	-40C to 85C	SINGLE CHANNEL, 5V RS-232 Tx/Rx	10-MINI_SO-N/A	ADM101EWARMZ-REEL7	357
	ADM3054	-40C to 125C	5kVrms Int Signal + Power ISO CAN Xcvr	16-SOIC_W-300_MIL	ADM3054WBRWZ-RL7	358
	ADM3075E	-40C to 125C	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	8-SOIC_N-150_MIL	ADM3075EWYRZ	359
		-40C to 125C	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	8-SOIC_N-150_MIL	ADM3075EWYRZ-RL7	360

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADM4853	-40C to 85C	10Mbps Half Duplex 5V RS485 Trans. I.C.	8-SOIC_N-150_MIL	ADM4853WARZ-RL7	361
	ADM487E	-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transceiver	8-SOIC_N-150_MIL	ADM487EWARZ	362
		-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transceiver	8-SOIC_N-150_MIL	ADM487EWARZ-REEL7	363
	ADN4667	-40C to 85C	3V Quad LVDS Differential Driver	16-SOIC_N-150_MIL	ADN4667WARZ-REEL7	364
	ADUM1200	-40C to 125C	3-5.5V DC- 1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ-RL7	365
		-40C to 125C	3-5.5V DC-1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ	366
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ	367
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ-RL7	368
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 2xr,0Rxr	8-SOIC_N-150_MIL	ADUM1200WTRZ	369
		-40C to 125C	3-5.5V DC10Mbit/sc 2Chnl Dgtl 2xr,0Rxr	8-SOIC_N-150_MIL	ADUM1200WTRZ-RL7	370
	ADUM1201	-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WSRZ	371
		-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WSRZ-RL7	372
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WTRZ	373
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WTRZ-RL7	374
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WURZ	375
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WURZ-RL7	376
	ADUM120N	-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ	377
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ-RL7	378
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ	379
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ-RL7	380
	ADUM121N	-40C to 125C	2ch EMC robust 3kV digital Isolator, 1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ	381
		-40C to 125C	2ch EMC robust 3kV digital Isolator, 1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ-RL7	382
		-40C to 125C	2ch EMC robust 3kV digital Isolator, 1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ	383
		-40C to 125C	2ch EMC robust 3kV digital Isolator, 1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ-RL7	384
	ADUM1250	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ	385
		-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ-RL7	386
	ADUM1251	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ	387
		-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ-RL7	388
	ADUM1280	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WARZ	389
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WARZ-RL7	390
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WBRZ	391
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WBRZ-RL7	392
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WCRZ	393
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WCRZ-RL7	394
	ADUM1281	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WARZ	395
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WARZ-RL7	396
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WBRZ	397
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WBRZ-RL7	398
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WCRZ	399
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WCRZ-RL7	400

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM1285	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WARZ	401
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WARZ-RL7	402
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WBRZ	403
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WBRZ-RL7	404
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WCRZ	405
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WCRZ-RL7	406
	ADUM1286	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WARZ	407
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WARZ-RL7	408
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WBRZ	409
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WBRZ-RL7	410
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WCRZ	411
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WCRZ-RL7	412
	ADUM1300	-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dglt 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ-RL	413
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dglt 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ	414
		-40C to 125C	3-5.5V DC10Mbit/sc 3Chnl Dglt 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ	415
		-40C to 125C	3-5.5VDC 10Mbit/sc 3Chnl Dglt 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ-RL	416
	ADUM1301	-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dglt 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ	417
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dglt 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ-RL	418
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dglt 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ	419
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dglt 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ-RL	420
	ADUM1400	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dglt 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ	421
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dglt 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ-RL	422
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ	423
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ-RL	424
	ADUM1401	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dglt 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ	425
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ	426
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ-RL	427
		-40C to 125C	ym125V DC 10Mbit/sc 4Chnl Dglt 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ-RL	428
	ADUM1402	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dglt 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ	429
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dglt 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ-RL	430
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ	431
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dglt 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ-RL	432
	ADUM141E	-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBROZ	433
		-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBROZ-RL7	434
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBWZ	435
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBWZ-RL	436
	ADUM142E	-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBWZ	437
		-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBWZ-RL	438
		-40C to 125C	Robust, Quad Channel Isolator W/ Output	16-QSOP-150_MIL	ADUM142E1WBROZ-RL7	439
		-40C to 125C	Robust, Quad Channel Isolator W/Output	16-QSOP-150_MIL	ADUM142E1WBROZ	440

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM2200	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ	441
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ-RL	442
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ	443
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ-RL	444
	ADUM2201	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ	445
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ-RL	446
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ	447
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ-RL	448
	ADUM2210	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ	449
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ-RL	450
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ	451
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ-RL	452
	ADUM2211	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ	453
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ-RL	454
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ	455
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ-RL	456
	ADUM221N	-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ	457
		-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ-RL	458
	ADUM2250	-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ	459
		-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ-RL	460
	ADUM2251	-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ	461
		-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ-RL	462
	ADUM226N	-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ	463
		-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ-RL	464
	ADUM241E	-40C to 125C	IC, Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ	465
		-40C to 125C	IC, Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ-RL	466
	ADUM3160	-40C to 105C	USB Digital Isolator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ	467
		-40C to 105C	USB Digital Isolator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ-RL	468
	ADUM3190	-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ	469
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ-RL7	470
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ	471
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ-RL7	472
	ADUM3200	-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ	473
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ-RL7	474
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ	475
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ-RL7	476
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ	477
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ-RL7	478
	ADUM3201	-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ	479
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ-RL7	480

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3201	-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ-RL7	481
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ	482
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ-RL7	483
		-40C to 125C	2Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ	484
	ADUM3210	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ	485
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ-RL7	486
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ	487
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ-RL7	488
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ	489
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ-RL7	490
	ADUM3211	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ	491
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ-RL7	492
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ	493
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ-RL7	494
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ	495
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ-RL7	496
	ADUM3220	-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ	497
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ-RL7	498
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ	499
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ-RL7	500
	ADUM3221	-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ	501
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ-RL7	502
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ	503
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ-RL7	504
	ADUM3223	-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ	505
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ-RL7	506
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ	507
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ-RL7	508
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ	509
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ-RL7	510
	ADUM3224	-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ	511
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ-RL7	512
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ	513
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ-RL7	514
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ	515
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ-RL7	516
	ADUM3300	-40C to 125C	THREE - CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WBRWZ-RL	517
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WARWZ	518
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WBRWZ	519
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WARWZ-RL	520

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3301	-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WARWZ	521
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WBRWZ	522
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WARWZ-RL	523
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WBRWZ-RL	524
	ADUM3400	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WARWZ	525
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WARWZ-RL	526
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ	527
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ-RL	528
	ADUM3401	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WARWZ	529
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WARWZ-RL	530
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ	531
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ-RL	532
	ADUM3402	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WARWZ	533
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WARWZ-RL	534
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ	535
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ-RL	536
	ADUM3470	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ	537
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ-RL7	538
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCERSZ	539
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCERSZ-RL7	540
	ADUM3471	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ	541
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ-RL7	542
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCERSZ	543
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCERSZ-RL7	544
	ADUM3472	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ	545
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ-RL7	546
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCERSZ	547
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCERSZ-RL7	548
	ADUM3473	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ	549
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ-RL7	550
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCERSZ	551
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCERSZ-RL7	552
	ADUM3474	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ	553
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ-RL7	554
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCERSZ	555
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCERSZ-RL7	556
	ADUM4223	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ	557
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ-RL	558
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ	559
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ-RL	560

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Interface & Isolation	ADUM4223	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ	561	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ-RL	562	
	ADUM4224	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ	563	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ-RL	564	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ	565	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ-RL	566	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WCRWZ	567	
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WCRWZ-RL	568	
	ADUM4400	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ	569	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ-RL	570	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ	571	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ-RL	572	
	ADUM4401	-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ	573	
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ-RL	574	
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ	575	
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ-RL	576	
	ADUM4402	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ	577	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ-RL	578	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ	579	
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ-RL	580	
	ADUM5000	-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ	581	
		-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ-RL	582	
	ADUM5200	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ	583	
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ-RL	584	
	ADUM5201	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ	585	
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ-RL	586	
	ADUM5202	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ	587	
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ-RL	588	
	ADUM5230	-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ	589	
		-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ-RL	590	
	ADUM5401	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1	591	
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1RL	592	
	ADUM5402	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1	593	
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1RL	594	
	ADUM5403	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1	595	
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1RL	596	
	Linear Products	AD1582	-40C to 125C	IC, 2.5V MICROPOWER REF	3-SOT_23_3-N/A	AD1582WBRTZ-R7	597
		AD8465	-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-R7	598
			-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-WP	599
		AD8469	-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ	600

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Linear Products	AD8469	-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ-RL	601	
	ADCMF361	-40C to 125C	Dual Comparator & Reference	5-SOT_23-N/A	ADCMF361WYRZJZ-RL7	602	
	ADR01	-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-R7	603	
		-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-RL	604	
	ADR02	-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL	605	
		-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL7	606	
	ADR03	-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-R7	607	
		-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-RL	608	
	ADR06	-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-R7	609	
		-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-RL	610	
	ADR291	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-R7	611	
		-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-RL	612	
	ADR3512	-40C to 125C	1.2V 4ppm/°C 0.60µCMOS V Ref	8-MINI_SO-N/A	ADR3512WCRMZ-R7	613	
	ADR3525	-40C to 125C	2.5V CMOS 5pm/C Voltage REF	8-MINI_SO-N/A	ADR3525WBRMZ-R7	614	
		-40C to 125C	2.5V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3525WARMZ-R7	615	
	ADR3530	-40C to 125C	3.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WBRMZ-R7	616	
		-40C to 125C	3.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WARMZ-R7	617	
	ADR3533	-40C to 125C	3.3V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WBRMZ-R7	618	
		-40C to 125C	3.3V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WARMZ-R7	619	
	ADR3540	-40C to 125C	4.096V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WBRMZ-R7	620	
		-40C to 125C	4.096V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WARMZ-R7	621	
	ADR3550	-40C to 125C	5.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WBRMZ-R7	622	
		-40C to 125C	5.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WARMZ-R7	623	
	ADR365	-40C to 125C	5V µPwr REF w/sink/source	5-TSOT-N/A	ADR365WAUJZ-R7	624	
	ADR366	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	5-TSOT-N/A	ADR366WAUJZ-REEL7	625	
	ADR392	-40C to 125C	Prec Low Drift+4.096V REF	5-TSOT-N/A	ADR392WBUJZ-R7	626	
	ADR5041	-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WARTZ-R7	627	
		-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WBRTZ-R7	628	
	ADR5044	-40C to 125C	4.096V hunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WARTZ-R7	629	
		-40C to 125C	4.096V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WBRTZ-R7	630	
	ADR512	-40C to 85C	+1.2V Shunt REF	3-SOT_23_3-N/A	ADR512WARTZ-R7	631	
	MEMS	ADXC1501	-40C to 105C	Yaw/3-axis Accel Combo	16-SOIC_CAV-300_MIL	ADXC1501AWBRGZ-RL	632
		ADXL151	-40C to 125C	PSI5 Satellite Sensor X-Axis Accel	12-LFCSP_SS-4X4X1.45	ADXL151WBCSZ-RL	633
ADXL185B		-40C to 125C	PSI-5 Z Axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL185BWBBDZUP-RL	634	
ADXL189B		-40C to 125C	PSI5 x axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL189BWBBDZUP-RL	635	
ADXL288		-40C to 105C	120g, Digital Output two-axis Accel	16-SOIC_N_EP-150_MIL	ADXL288WBBDZ-RL	636	
ADXL295		-40C to 105C	120g, Digital Output two-axis Accel w/HF	16-SOIC_N_EP-150_MIL	ADXL295WBBDZ-RL	637	
ADXL312		-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ	638	
		-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ-RL	639	
ADXL313		-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL	640	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
MEMS	ADXL313	-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL7	641	
	ADXL316	-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBCSZ	642	
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBCSZ-RL	643	
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBCSZ-RL7	644	
		-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ	645	
	ADXL700	-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ-RL	646	
		ADXL701	-40C to 105C	High Perf. ESC Low G XL	16-SOIC_W-300_MIL	ADXL701WBRWZ-UP-RL	647
	ADXRS800	-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ	648	
		-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ-RL	649	
	ADXRS810	-40C to 105C	SPI output gyro vertical pkg +/- 300	16-SOIC_CAV-300_MIL	ADXRS810WBRGZ-RL	650	
	ADXRS910	-40C to 105C	Roll Stability Control InPlane Gyroscope	16-SOIC_CAV-300_MIL	ADXRS910WBRGZ-RL	651	
Power Management	AD8280	-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ	652	
		-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ-RL	653	
	ADM8316	-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WAY27ARJZR7	654	
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WBX30ARJZR7	655	
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WDZ30ARJZR7	656	
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.63V	5-SOT_23-N/A	ADM8316WBX46ARJZR7	657	
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.9V	5-SOT_23-N/A	ADM8316WDW49ARJZR7	658	
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8318WYC46ARJZR7	659	
	ADM8319	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8319WB31ARJZR7	660	
	ADM8320	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WBX3NARJZR7	661	
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCY29ARJZR7	662	
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ29ARJZR7	663	
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ33ARJZR7	664	
	ADM8321	-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,3.0V	5-SOT_23-N/A	ADM8321WAW30ARJZR7	665	
		-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WAY30ARJZR7	666	
		-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WCY46ARJZR7	667	
	ADM8322	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC26ARJZR7	668	
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC46ARJZR7	669	
	ADM8323	-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,2.93V	5-SOT_23-N/A	ADM8323WCC29ARJZR7	670	
		-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,4.63V	5-SOT_23-N/A	ADM8323WCC46ARJZR7	671	
	ADM8324	-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA29ARJZR7	672	
		-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA46ARJZR7	673	
		-40C to 125C	T_rst_min=1ms, T_wd_fast_max=768ms, Vth	5-SOT_23-N/A	ADM8324WAH29ARJZR7	674	
	ADP1046A	-40C to 125C	Advanced DC-DC Digital Controller	32-LFCSP-5X5X0.75	ADP1046AWACPZ-R7	675	
	ADP1048	-40C to 125C	Digital Power Controller w/PFC, AC Meter	24-QSOP-150_MIL	ADP1048WARQZ-R7	676	
	Processors & DSP	AD2421W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ	677
			-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ-RL	678
		AD2422W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ	679
			-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ-RL	680

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Processors & DSP	AD2425W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ	681
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ-RL	682
	ADAU1401A	-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ	683
		-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ-RL	684
	ADSP-21469W-02	-40C to 85C	SHARC Processor/5 Mbits on Chip Ram	324-CSP_BGA-19X19_MM	AD21469WBBCZ302	685
	ADSP-21477W-02	-40C to 105C	SharC Processor, 200MHz	100-LQFP_EP-14X14X1.4	AD21477WYSWZ1A02	686
		-40C to 105C	SharC Processor, 200MHz	88-LFCSP-12X12X0.85	AD21477WYCPZ1A02	687
	ADSP-21478W-02	-40C to 105C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21478WYSWZ2B02	688
		-40C to 105C	SHARC, 266MHz W/3M Bits RAM LOWER POWER	100-LQFP_EP-14X14X1.4	AD21478WYSWZ2A02	689
	ADSP-21479W-02	-40C to 105C	SHARC 200MHz Processor	88-LFCSP-12X12X0.85	AD21479WYCPZ1B02	690
		-40C to 105C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21479WYSWZ2B02	691
		-40C to 85C	SHARC 200MHz Proc/5Mbits RAM	88-LFCSP-12X12X0.85	AD21479WYCPZ1A02	692
		-40C to 85C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21479WYSWZ2A02	693
	ADSP-21488W-02	-40C to 85C	266 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ1A02	694
		-40C to 85C	300 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ2A02	695
		-40C to 85C	SHARC with 3Mb on chip RAM 400MHz	176-LQFP_EP-24X24X1.4	AD21488WBSWZ4B02	696
		-40C to 85C	SharCProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ1B02	697
		-40C to 85C	SharCProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ2B02	698
	ADSP-21489W-02	-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402	699
		-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz	176-LQFP_EP-24X24X1.4	AD21489WBSWZ4B02	700
		-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz RL	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402RL	701
	ADSP-21583W-10	-40C to 105C	2x3Mb SHARC(no ARM),single DDR,LPC pkgA	349-CSP_BGA-19X19_MM	AD21583WCBCZ4A10	702
	ADSP-21584W-10	-40C to 105C	ARM, 2xSHARC, DDR	349-CSP_BGA-19X19_MM	AD21584WCBCZ4A10	703
	ADSP-BF504W-01	-40C to 105C	Blackfin Processor, 400MHz	88-LFCSP-12X12X0.85	ADBF504WYCPZ401	704
	ADSP-BF512W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF512WBBCZ402	705
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF512WBSWZ402	706
	ADSP-BF518W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF518WBBCZ402	707
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF518WBSWZ402	708
	ADSP-BF525W-02	-40C to 85C	Blackfin 533MHz Processor	208-CSP_BGA-17X17_MM	ADBF525WBBCZ502	709
	ADSP-BF531W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF531WBBCZ406	710
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF531WBSTZ406	711
	ADSP-BF532W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF532WBBCZ406	712
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF532WBSTZ406	713
	ADSP-BF539W-05	-40C to 85C	Blackfin 533MHz, Processor	316-CSP_BGA-17X17_MM	ADBF539WBBCZ505	714
	ADSP-BF549MW-3	-40C to 85C	Blackfin 533MHz,Prorsr 2 PPI, USB	400-CSP_BGA-17X17_MM	ADBF549WBBCZ5M03	715
	ADSP-BF549W-04	-40C to 85C	Blackfin 533MHz,Prorsr 2 PPI, USB	400-CSP_BGA-17X17_MM	ADBF549WBBCZ504	716
ADSP-BF592W-02	-40C to 105C	Blackfin Processor with on chip ROM	64-LFCSP-9X9X0.85	ADBF592WYCPZ402	717	
ADSP-BF606W-02	-40C to 105C	Blackfin Dual Core 400MHz w/128K SRAM	349-CSP_BGA-19X19_MM	ADBF606WCBCZ402	718	
ADSP-BF607W-02	-40C to 105C	Blackfin Dual Core 500MHz w/256K SRAM	349-CSP_BGA-19X19_MM	ADBF607WCBCZ502	719	
ADSP-BF608W-02	-40C to 105C	Blackfin Dual Core 500MHz w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502	720	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Processors & DSP	ADSP-BF608W-02	-40C to 105C	Blackfin Dual core Proc.w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502RL	721	
	ADSP-BF609W-02	-40C to 105C	Blackfin Dual Core 500MHz w/HD PVP	349-CSP_BGA-19X19_MM	ADBF609WCBCZ502	722	
	ADSP-BF700W-11	-40C to 105C	Blackfin+ w/ 128K L2 SRAM	88-LFCSP-12X12X0.85	ADBF700WCCPZ211	723	
	ADSP-BF701W-11	-40C to 105C	BLK+Procw/128KB L2 SRAM&DDR/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF701WCBCZ211	724	
	ADSP-BF702W-11	-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCCPZ311	725	
		-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCCPZ411	726	
	ADSP-BF703W-11	-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ311	727	
		-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ411	728	
	ADSP-BF704W-11	-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCCPZ311	729	
		-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCCPZ411	730	
	ADSP-BF705W-11	-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ311	731	
		-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ411	732	
	ADSP-BF706W-11	-40C to 105C	Blackfin+Automotive Processorw/1MB L2 SR	88-LFCSP-12X12X0.85	ADBF706WCCPZ311	733	
		-40C to 105C	Low Power Blackfin+ Embedded Processor w	88-LFCSP-12X12X0.85	ADBF706WCCPZ411	734	
	ADSP-BF707W-11	-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR inter	184-CSP_BGA-12X12_MM	ADBF707WCBCZ311	735	
		-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR inter	184-CSP_BGA-12X12_MM	ADBF707WCBCZ411	736	
	ADSP-SC582W-10	-40C to 105C	ARM, 1xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC582WCBCZ4A10	737	
	ADSP-SC583W-10	-40C to 105C	ARM,2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ3A10	738	
		-40C to 105C	ARM,2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ4A10	739	
	ADSP-SC584W-10	-40C to 105C	ARM,2xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC584WCBCZ4A10	740	
		-40C to 105C	ARM,2xSHARC,DDR,LPC	349-CSP_BGA-19X19_MM	ADSC584WCBCZ3A10	741	
	ADSP-SC587W-10	-40C to 105C	ARM, 2xSHARC, dual DDR	529-CSP_BGA-19X19_MM	ADSC587WCBCZ4B10	742	
		-40C to 85C	ARM, 2xSHARC, dual DDR, HPC pkg 500 MHz	529-CSP_BGA-19X19_MM	ADSC587WBBCZ5B10	743	
	ADUC7039	-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBCPZ	744	
		-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBCPZ-RL	745	
	ADUCM330	-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ	746	
		-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ-RL	747	
	ADUCM331	-40C to 150C	Battery Monitor GenIII(128KB)	32-LFCSP-6X6X0.95	ADUCM331WDCPZ	748	
		-40C to 150C	Battery Monitor GenIII(128KB)	32-LFCSP-6X6X0.95	ADUCM331WDCPZ-RL	749	
	RF & Microwave	AD5933	-40C to 125C	12bit 1 MSPS, Impedance Converter	16-SSOP-5.30_MM	AD5933WYRSZ-REEL7	750
		AD9833	-40C to 105C	20 mW Programmable Waveform Generator	10-MINI_SO-N/A	AD9833WBRMZ-REEL	751
		ADF4153	-40C to 125C	SINGLE RF F-N PLL	16-TSSOP_4.4-4.4_MM	ADF4153WYRUZ-RL7	752
		ADF4158	-40C to 125C	6 GHz Direct Modulation frac-N PLL Synth	24-LFCSP-4X4X0.75	ADF4158WCCPZ-RL7	753
			-40C to 125C	6 GHz Direct Modulation frac-N PLL	24-LFCSP-4X4X0.75	ADF4158WCCPZ	754
		ADF4159	-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ	755
			-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ-RL7	756
ADF4169		-40C to 125C	13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ	757	
		-40C to 125C	13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ-RL7	758	
ADF4193		-40C to 105C	Fast Settling PLL Synthesizer	32-LFCSP-5X5X0.75	ADF4193WCCPZ-RL7	759	
ADF5901	-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ	760		

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
RF & Microwave	ADF5901	-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ-RL7	761
	ADF5904	-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ	762
		-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ-RL7	763
	HMC8038	-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CE	764
		-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CETR	765
Sensors	ADA4571	-40C to 150C	AMR Angle Sensor and Sig Cond	8-SOIC_N-150_MIL	ADA4571WHRZ-R7	766
	ADA4571-2	-40C to 150C	Dual AMR MAGNETIC SENSOR	16-SOIC_N-150_MIL	ADA4571-2WHRZ-RL	767
Switches & Multiplexers	ADG1411	-40C to 125C	+/-15V Quad SPST with Ron max = 2 Ohm	16-LFCSP-4X4X0.75	ADG1411WBCPZ-REEL	768
	ADG2128	-40C to 85C	5V/+12V CMOS 8 X 12 Analog Switch Array	32-LFCSP-5X5X0.75	ADG2128WBCPZ-REEL7	769
	ADG5433	-40C to 125C	High V Latchup Proof Triple SPDT Switch	16-TSSOP_4.4-4.4_MM	ADG5433WBRUZ	770
	ADG612	-40C to 125C	+5V/+3V Quad SPST Switch, Low 1pC Qirj	16-TSSOP_4.4-4.4_MM	ADG612WYRUZ-REEL	771
	ADG669	-40C to 125C	+3/5V +/-5V 4/8 Chnl Analog Mux	16-TSSOP_4.4-4.4_MM	ADG669WYRUZ-REEL7	772
	ADG708	-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL	773
		-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL7	774
	ADG711	-40C to 85C	Low Voltage Quad SPST Switch	16-TSSOP_4.4-4.4_MM	ADG711WBRUZ-REEL	775
	ADG728	-40C to 85C	SERIAL I2C, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG728WBRUZ-REEL7	776
	ADG736	-40C to 125C	LOW VOLTAGE DUAL SPDT I.C.	10-MINI_SO-N/A	ADW54010Z-0REEL	777
	ADG738	-40C to 105C	SERIAL SPI, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG738WBRUZ-REEL	778
	ADG786	-40C to 85C	Triple SPDT Switch	20-LFCSP-4X4X0.75	ADG786WBCPZ-REEL7	779