


SYMBOL DEFINITION		MISSING SYMBOLS	
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL () DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED	NO MISSING SYMBOL NUMBER	
	14		
	LAST NO. USED		
	9		

DWG STATUS				ZONE	REVISION HISTORY	AUTH	DR	APVD1	APVD2
DATE	STG	REV	N/P						
07JN06	R	01	-	-	WAS PE132577, REVISED AND RELEASED	280957	JAR	FRG	GCD
180C06	R	02	-	-	PSD WAS B, ADDED DIM #9 AND REVISED GRAPHICS	285469	EES	EES	GCD
25JA07	R	02	AA	-	DIM 6X (13.1) WAS 6X 13.1	400339	RH	RH	GCD
01MR07	R	02	AB	-	UPDATED PDM ATTRIBUTES	400689	RJD	RJD	GCD




ASSEMBLY VIEW
SCALE 2:1

NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:
DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- MATERIAL RECYCLING CODE PER ISO 11469. (1.5)X(0.1) CHARACTERS AS SHOWN TO BE LOCATED ON ANY EXTERIOR SURFACE.
- FOR Ø7 X 12 MM HOLE WITH PANEL THICKNESS OF 0.8-4.5 MM
- (1.5)X(0.1) DELPHI CORPORATE BRAND TO BE LOCATED ON ANY EXTERIOR SURFACE, PREFERABLY VISIBLE AT FINAL ASSEMBLY.
- WIRE ASSEMBLY DIA:
MINIMUM - APPROX. 4 - 6 MM DIA BUNDLE
MAXIMUM - 30 MM TAPED BUNDLE
25 MM CONDUIT SECURED BUNDLE
- TEMPERATURE RANGE: -40°C TO 125°C

PROCESSING NOTE

- APPLY WITH MANUAL PANDUIT GUN GS2B OR EQUIVALENT. GUN SETTING AT STANDARD AND 6-8 RANGE. IF PNEUMATIC USE: PANDUIT GUN PPTS, GUN SETTING SAME AS ABOVE.



DIMENSIONAL RANGE (MM)		CHART ET	
FROM	TO	>	>
> 0	> 20	> 30	> 70
> 20	> 30	> 70	> 100
> 30	> 70	> 100	> 150
> 70	> 100	> 150	> 200
> 100	> 150	> 200	> 250
> 150	> 200	> 250	> 300
> 200	> 250	> 300	> 400

TOLERANCE UNLESS OTHERWISE SPECIFIED

±0.15	±0.2	±0.3	±0.4	±0.5	±0.6	±0.8	±1	±1.2
-------	------	------	------	------	------	------	----	------

ANGULAR TOLERANCE ±2°

DWG TYPE PART DRAWING	
STYLE	
VOLUME (CPI) 1.490	DISTR CODE D
UNLESS OTHERWISE SPECIFIED THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE 0M GLOBAL DIMENSIONING AND TOLERANCING ADDENDUM - 1997. ALL GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY RFS. RULE #1 (PERFECT FORM AT MMC) DOES NOT APPLY WHEN RELATIONSHIP BETWEEN FEATURES IS ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SEPARATE POSITION CALLOUTS MAY BE GAGED SEPARATELY, REGARDLESS OF DATUM REFERENCE. ALL DIMENSIONS ARE IN MILLIMETERS	
REFERENCE	
THIRD ANGLE PROJECTION	DO NOT SCALE USE MATH DATA

DELPHI
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE
WARREN, OH

DR	DATE
APVD1 JAIR ACEVEDO	07JN06
APVD2 FCO. RESENDIZ	09JN06
APVD3 GARY C. DETTER	16JN06
APVD4	
APVD5	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI-A 10949001

MATERIAL
M3592018 PA66 HS 1M GRA DK

DRAWING NAME
MOUN WIRE TIE CLIP HD NAIL

DRAWING NUMBER
13588725

SIZE	SCALE	FRAME NO	SHEET NO	STG	REV	N/P
A1	1:1	1 OF 1	1 OF 1	R	02	AB